



Pragma

Adhesives for laying
porcelain tiles, ceramic
tiles and natural stone

kerakoll



Pragma.

The strength of tradition, the practicality of today.

Drawing on Kerakoll's experience, Pragma has been created: a range of adhesives designed to simplify the day-to-day work of laying professionals and firms. A complete range of laying solutions that combines practicality, quality and safety.

Why choose Pragma

→ Practicality

A straightforward range: easy to choose and use; designed to solve everyday problems. Comprising mineral and organic adhesives suitable for a wide range of applications, Pragma offers a practical and functional solution to the most common needs of today's building sites.

→ Quality

Our products embody Kerakoll's long-standing expertise in the development of tile adhesives; we guarantee high levels of adhesion and resistance, and ease of application. Certified and transparent quality as set out in the Environmental Product Declaration (EPD) applicable to the entire range. For a job well done, all the time.

→ Safety


All Pragma products comply with the Minimum Environmental Criteria (CAM) and have low VOC emissions, helping to improve indoor air quality. Comfort and safety for both laying professionals and dwellers: because safety is an integral part of quality.

**Pragma. Practical, certified, safe.
Discover the full range and make
your work easier.**


Pragma Flex

High performance mineral adhesive with no vertical slip and extended open time. For porcelain tiles, ceramic tiles and natural stone.

- Suitable for porcelain tiles, mosaic and natural stone
- High performance
- With low VOC emissions






C2 TE EN 12004	 max thickness 15 mm	 open time	 pot life ≈ 4 hours	 before grouting 20 hours
--------------------------	-------------------------	---------------	------------------------	------------------------------



Pragma Special

Mineral adhesive with high levels of adhesion, no vertical slip and long open time. For laying ceramic tiles.



- Suitable for laying single and double-fired ceramic tiles on mineral or cement-based substrates
- Floors and walls, for internal and external use
- Open time above 30 min.



Pragma Easy

Mineral adhesive with high adhesion and extended open time. For laying ceramic tiles.

- Ideal for ceramic tiles
- Open time more than 30 min.
- Easy to use



kerakoll



kerakoll.com