

Safety Data Sheet

Conforms to Regulation (EC) No. 1907/2006 (REACH), Article 31, Annex II, as amended by Commission Regulation (EU) 2020/878

AQUA-PUR FLEX

Date of first edition: 8/12/2020

Safety Data Sheet dated 26/03/2026

version 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: AQUA-PUR FLEX

Trade code: S100B0324 16

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Paints/coatings - Protective and functional

Uses advised against: All uses other than recommended ones

1.3. Details of the supplier of the safety data sheet

Company: KERAKOLL S.p.A.

Via dell'Artigianato, 9

41049 Sassuolo (MODENA) - ITALY

Tel.+39 0536 816511 Fax. +39 0536816581

safety@kerakoll.com

1.4. Emergency telephone number

European emergency phone number 112

Ireland Emergency medical information: (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland.

Members of the public Number (8 am-10 pm): +353 (0)1 809 2166

Healthcare professional telephone Number (24hrs): +353 (0)1 809 2566

Malta In case of emergency call: +356 2395 2000 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) n. 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Special Provisions:

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None.

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards: Contains biocidal product: BIT; The product is identified as an article treated pursuant to art. 58 of Regulation (EU) no. 528/2012 and subsequent amendments. Possible skin exposure must be avoided. Protective gloves and work clothes are required. Avoid releasing product into the environment. When washing work equipment, water must not be dispersed in the soil or on surface water

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Mixture identification: AQUA-PUR FLEX

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb.	Classification	Registration Number
≥1-<3 %	Sulfuric acid, mono-C12-16-alkyl esters, sodium salts	CAS:73296-89-6 EC:277-362-3	Skin Irrit. 2, H315; Eye Dam. 1, H318; Aquatic Chronic 3, H412 Specific Concentration Limits: 10% ≤ C < 20%: Eye Irrit. 2 H319 C ≥ 20%: Eye Dam. 1 H318	
<0.036 %	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	CAS:2634-33-5 EC:220-120-9 Index:613-088-00-6	Acute Tox. 2, H330; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Dam. 1, H318; Skin Sens. 1A, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410, M-Chronic:1, M-Acute:1 Specific Concentration Limits: C ≥ 0.036%: Skin Sens. 1A H317	
<0.0015 %	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS:55965-84-9 Index:613-167-00-5	Acute Tox. 2, H330; Acute Tox. 2, H310; Acute Tox. 3, H301; Skin Corr. 1C, H314; Eye Dam. 1, H318; Skin Sens. 1A, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410, M-Chronic:100, M-Acute:100, EUH071 Specific Concentration Limits: C ≥ 0.6%: Skin Corr. 1C H314 0.06% ≤ C < 0.6%: Skin Irrit. 2 H315 C ≥ 0.6%: Eye Dam. 1 H318 0.06% ≤ C < 0.6%: Eye Irrit. 2 H319 C ≥ 0.0015%: Skin Sens. 1A H317	

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and label hazardous.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

N.A.

4.3. Indication of any immediate medical attention and special treatment needed

N.A.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Community Occupational Exposure Limits (OEL)

	OEL Type	Country	Occupational Exposure Limit
2-amino-2-methylpropanol CAS: 124-68-5	NATIONAL	DENMARK	Long Term: 3 ppm Source: At-vejledning C.0.1-1
	SUVA	SWITZERLAN D	Long Term: 8.7 mg/m ³ - 2.4 ppm; Short Term: 17.4 mg/m ³ - 4.8 ppm R/H, SSC, Foie / Leber, La substance peut être présente sous forme de vapeur et d'aérosol en même temps / Der Stoff kann gleichzeitig als Dampf und Aerosol vorliegen Source: suva.ch/valeurs-limites
	NATIONAL	GERMANY	Long Term: 3.7 mg/m ³ - 1 ppm DFG, H, Y, 11, 2(II) Source: TRGS 900
	NATIONAL	SLOVENIA	Long Term: 3.7 mg/m ³ - 1 ppm; Short Term: 7.4 mg/m ³ - 2 ppm K, Y Source: UL št. 72, 11. 5. 2021
Titanium dioxide CAS: 13463-67-7	ACGIH		Long Term: 2.5 mg/m ³ (8h) Finescale particles; R ; A3 - LRT irr, pneumoconiosis
	NATIONAL	GERMANY	Long Term: 0.3 mg/m ³ ; Short Term: 2.4 mg/m ³ DFG; Long term and short term: excluding ultrafine particles; respirable fraction;

		multiplied by the material density; Source: TRGS900
NATIONAL	BELGIUM	Long Term: 10 mg/m ³ Source: Code du bien-être au travail, Livre VI, Titre 1er, Annexe VI.1-1
NATIONAL	CROATIA	Long Term: 10 mg/m ³ U Source: NN 1/2021
NATIONAL	CROATIA	Long Term: 4 mg/m ³ R Source: NN 1/2021
NATIONAL	IRELAND	Long Term: 10 mg/m ³ Source: 2021 Code of Practice
NATIONAL	IRELAND	Long Term: 4 mg/m ³ Source: 2021 Code of Practice
NATIONAL	ROMANIA	Long Term: 10 mg/m ³ ; Short Term: 15 mg/m ³ Source: Republicarea 1 - nr. 743 din 29 iulie 2021
NATIONAL	SPAIN	Long Term: 10 mg/m ³ Source: LEP 2022
NATIONAL	AUSTRIA	Long Term: 5 mg/m ³ ; Short Term: 10 mg/m ³ 60(Miw), 2x, MAK, A Source: BGBl. II Nr. 156/2021
NATIONAL	BULGARIA	Long Term: 10 mg/m ³ Source: НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г.
NATIONAL	DENMARK	Long Term: 6 mg/m ³ K Source: BEK nr 2203 af 29/11/2021
NATIONAL	ESTONIA	Long Term: 5 mg/m ³ Source: Vabariigi Valitsuse, 20. märtsi 2001. a määrus nr 105
NATIONAL	FRANCE	Long Term: 10 mg/m ³ Cancérogène de catégorie 2 Source: INRS outil65
NATIONAL	GREECE	Long Term: 10 mg/m ³ εισπν. Source: ΦΕΚ 94/Α` 13.5.1999
NATIONAL	GREECE	Long Term: 5 mg/m ³ αvapn. Source: ΦΕΚ 94/Α` 13.5.1999
NATIONAL	LATVIA	Long Term: 10 mg/m ³ Source: KN325P1
NATIONAL	LITHUANIA	Long Term: 5 mg/m ³ Source: 2011 m. rugsėjo 1 d. Nr. V-824/A1-389
NATIONAL	NORWAY	Long Term: 5 mg/m ³ Source: FOR-2021-06-28-2248
NATIONAL	POLAND	Long Term: 10 mg/m ³ 4), 7) Source: Dz.U. 2018 poz. 1286
SUVA	SWITZERLAND	Long Term: 3 mg/m ³ TWA mg/m ³ : (a), SSC, Formel / Formal, NIOSH Source: suva.ch/valeurs-limites
NATIONAL	SLOVAKIA	Long Term: 5 mg/m ³ Source: 355 NARIADENIE VLÁDY z 10. mája 2006
NATIONAL	SWEDEN	Long Term: 5 mg/m ³ 3 Source: AFS 2021:3
zinc oxide CAS: 1314-13-2	ACGIH	Long Term: 2 mg/m ³ (8h); Short Term: 10 mg/m ³ R - Metal fume fever
	NATIONAL	AUSTRIA Long Term: 5 mg/m ³ MAK, A

Source: BGBl. II Nr. 156/2021

NATIONAL	BULGARIA	Long Term: 5 mg/m ³ ; Short Term: 10 mg/m ³ Source: НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г.
NATIONAL	CZECHIA	Long Term: 2 mg/m ³ ; Short Term: Ceiling - 5 mg/m ³ Source: Nařízení vlády č. 361-2007 Sb
NATIONAL	DENMARK	Long Term: 4 mg/m ³ Source: BEK nr 2203 af 29/11/2021
NATIONAL	ESTONIA	Long Term: 5 mg/m ³ Source: Vabariigi Valitsuse, 20. märtsi 2001. a määrus nr 105
NATIONAL	FINLAND	Long Term: 2 mg/m ³ ; Short Term: 10 mg/m ³ Source: HTP-ARVOT 2020
NATIONAL	FRANCE	Long Term: 5 mg/m ³ Source: INRS outil65
NATIONAL	FRANCE	Long Term: 10 mg/m ³ Source: INRS outil65
NATIONAL	GREECE	Long Term: 5 mg/m ³ ; Short Term: 10 mg/m ³ Source: ΦΕΚ 94/Α` 13.5.1999
NATIONAL	HUNGARY	Long Term: 5 mg/m ³ i, N Source: 5/2020. (II. 6.) ITM rendelet
NATIONAL	HUNGARY	Long Term: 5 mg/m ³ i, R Source: 5/2020. (II. 6.) ITM rendelet
NATIONAL	LATVIA	Long Term: 0.5 mg/m ³ Source: KN325P1
NATIONAL	LITHUANIA	Long Term: 5 mg/m ³ Source: 2011 m. rugsėjo 1 d. Nr. V-824/A1-389
NATIONAL	NORWAY	Long Term: 5 mg/m ³ Source: FOR-2021-06-28-2248
NATIONAL	POLAND	Long Term: 5 mg/m ³ ; Short Term: 10 mg/m ³ 4) Source: Dz.U. 2018 poz. 1286
NATIONAL	SLOVAKIA	Long Term: 1 mg/m ³ ; Short Term: 1 mg/m ³ 11) Source: 355 NARIADENIE VLÁDY z 10. mája 2006
NATIONAL	SWEDEN	Long Term: 5 mg/m ³ 3 Source: AFS 2021:3
SUVA	SWITZERLAND	Long Term: 3 mg/m ³ ; Short Term: 3 mg/m ³ TWA mg/m ³ : (a), Fimétal / Metallrauch, NIOSH OSHA D Source: suva.ch/valeurs-limites
NATIONAL	BELGIUM	Long Term: 2 mg/m ³ ; Short Term: 10 mg/m ³ Source: Code du bien-être au travail, Livre VI, Titre 1er, Annexe VI.1-1
NATIONAL	CROATIA	Long Term: 2 mg/m ³ ; Short Term: 10 mg/m ³ GVI: R Source: NN 1/2021
NATIONAL	IRELAND	Long Term: 2 mg/m ³ ; Short Term: 10 mg/m ³ OEL (8-hour reference period) : R Source: 2021 Code of Practice
NATIONAL	ROMANIA	Long Term: 5 mg/m ³ ; Short Term: 10 mg/m ³ (Fumuri) Source: Republicarea 1 - nr. 743 din 29 iulie 2021
NATIONAL	SPAIN	Long Term: 2 mg/m ³ ; Short Term: 10 mg/m ³ d Source: LEP 2022
ammonia, anhydrous CAS: 7664-41-7	ACGIH	Long Term: 25 ppm (8h); Short Term: 35 ppm Eye dam, URT irr

NATIONAL	AUSTRIA	Long Term: 14 mg/m ³ - 20 ppm; Short Term: 36 mg/m ³ - 50 ppm 15(Miw), 4x, MAK Source: GKV, BGBl. II Nr. 156/2021
NATIONAL	BULGARIA	Long Term: 14 mg/m ³ - 20 ppm; Short Term: 36 mg/m ³ - 50 ppm Source: НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г.
NATIONAL	CZECHIA	Long Term: 14 mg/m ³ ; Short Term: Ceiling - 36 mg/m ³ I Source: Nařízení vlády č. 361-2007 Sb
NATIONAL	DENMARK	Long Term: 14 mg/m ³ - 20 ppm E Source: BEK nr 2203 af 29/11/2021
NATIONAL	ESTONIA	Long Term: 14 mg/m ³ - 20 ppm; Short Term: 36 mg/m ³ - 50 ppm Source: Vabariigi Valitsuse, 20. märtsi 2001. a määrus nr 105
NATIONAL	FINLAND	Long Term: 14 mg/m ³ - 20 ppm; Short Term: 36 mg/m ³ - 50 ppm Source: HTP-ARVOT 2020
NATIONAL	FRANCE	Long Term: 7 mg/m ³ - 10 ppm; Short Term: 14 mg/m ³ - 20 ppm Source: INRS outil65, article R. 4412-149 du Code du travail
NATIONAL	GREECE	Long Term: 35 mg/m ³ - 50 ppm Source: ΦΕΚ 94/Α` 13.5.1999
NATIONAL	HUNGARY	Long Term: 14 mg/m ³ ; Short Term: 36 mg/m ³ m, EU1, N Source: 5/2020. (II. 6.) ITM rendelet
NATIONAL	LITHUANIA	Long Term: 14 mg/m ³ - 20 ppm; Short Term: 36 mg/m ³ - 50 ppm Source: 2011 m. rugsėjo 1 d. Nr. V-824/A1-389
NATIONAL	NETHERLAND S	Long Term: 14 mg/m ³ ; Short Term: 36 mg/m ³ Source: Arbeidsomstandighedenregeling - Lijst A
NATIONAL	NORWAY	Long Term: 11 mg/m ³ - 15 ppm; Short Term: 36 mg/m ³ - 50 ppm E 2 S Source: FOR-2021-06-28-2248
NATIONAL	POLAND	Long Term: 14 mg/m ³ ; Short Term: 28 mg/m ³ Source: Dz.U. 2018 poz. 1286
NATIONAL	SLOVAKIA	Long Term: 14 mg/m ³ - 20 ppm; Short Term: 36 mg/m ³ - 50 ppm Source: 355 NARIADENIE VLADY z 10. mája 2006
NATIONAL	SWEDEN	Long Term: 14 mg/m ³ - 20 ppm; Short Term: 36 mg/m ³ - 50 ppm 2 Source: AFS 2021:3
SUVA	SWITZERLAN D	Long Term: 14 mg/m ³ - 20 ppm; Short Term: 28 mg/m ³ - 40 ppm SSC, VRS Yeux / OAW Auge, NIOSH OSHA Source: suva.ch/valeurs-limites
WEL-EH40	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	Long Term: 18 mg/m ³ - 25 ppm; Short Term: 25 mg/m ³ - 35 ppm Source: EH40/2005 Workplace exposure limits (Fourth Edition 2020)
NATIONAL	BELGIUM	Long Term: 14 mg/m ³ - 20 ppm; Short Term: 36 mg/m ³ - 50 ppm Source: Code du bien-être au travail, Livre VI, Titre 1er, Annexe VI.1-1
NATIONAL	CROATIA	Long Term: 14 mg/m ³ - 20 ppm; Short Term: 36 mg/m ³ - 50 ppm Source: 2000/39/EZ
NATIONAL	CYPRUS	Long Term: 14 mg/m ³ - 20 ppm; Short Term: 36 mg/m ³ - 50 ppm Source: Οι περί Ασφάλειας και Υγείας στην Εργασία (Χημικοί Παράγοντες) Κανονισμοί του 2001 έως 2021
NATIONAL	GERMANY	Long Term: 14 mg/m ³ - 20 ppm DFG, EU, Y, 2(I) Source: TRGS 900
NATIONAL	IRELAND	Long Term: 14 mg/m ³ - 20 ppm; Short Term: 36 mg/m ³ - 50 ppm IOELV Source: 2021 Code of Practice

N, N-dimethylformamide;
dimethyl formamide
CAS: 68-12-2

NATIONAL	ITALY	Long Term: 14 mg/m ³ - 20 ppm; Short Term: 36 mg/m ³ - 50 ppm Source: D.lgs. 81/2008, Allegato XXXVIII
NATIONAL	LATVIA	Long Term: 14 mg/m ³ - 20 ppm; Short Term: 36 mg/m ³ - 50 ppm Source: KN325P1
NATIONAL	LUXEMBOUR G	Long Term: 14 mg/m ³ - 20 ppm; Short Term: 36 mg/m ³ - 50 ppm Source: Mémorial A n.226 du 22 mars 2021
NATIONAL	MALTA	Long Term: 14 mg/m ³ - 20 ppm; Short Term: 36 mg/m ³ - 50 ppm Source: S.L.424.24
NATIONAL	PORTUGAL	Long Term: 14 mg/m ³ - 20 ppm; Short Term: 36 mg/m ³ - 50 ppm Source: Decreto-Lei n.º 1/2021
NATIONAL	ROMANIA	Long Term: 14 mg/m ³ - 20 ppm; Short Term: 36 mg/m ³ - 50 ppm Dir. 2000/39 Source: Republicarea 1 - nr. 743 din 29 iulie 2021
NATIONAL	SLOVENIA	Long Term: 14 mg/m ³ - 20 ppm; Short Term: 36 mg/m ³ - 50 ppm Y, EU1 Source: UL št. 72, 11. 5. 2021
NATIONAL	SPAIN	Long Term: 14 mg/m ³ - 20 ppm; Short Term: 36 mg/m ³ - 50 ppm VLI Source: LEP 2022
EU	ACGIH	Long Term: 14 mg/m ³ - 20 ppm (8h); Short Term: 36 mg/m ³ - 50 ppm Long Term: 5 ppm (8h) Skin, A3, BEI - Liver dam, eye and URT irr
NATIONAL	AUSTRIA	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm 15(Miw), 4x, MAK, D, H Source: GKV, BGBl. II Nr. 156/2021
NATIONAL	BULGARIA	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm Кожа Source: НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г.
NATIONAL	CYPRUS	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm ḍέρμα Source: Οι περί Ασφάλειας και Υγείας στην Εργασία (Χημικοί Παράγοντες) Κανονισμοί του 2001 έως 2021
NATIONAL	CZECHIA	Long Term: 15 mg/m ³ ; Short Term: Ceiling - 30 mg/m ³ B, D, I, T Source: Nařizení vlády č. 361-2007 Sb
NATIONAL	DENMARK	Long Term: 15 mg/m ³ - 5 ppm EH Source: BEK nr 2203 af 29/11/2021
NATIONAL	ESTONIA	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm A, R Source: Vabariigi Valitsuse, 20. märtsi 2001. a määrus nr 105
NATIONAL	FINLAND	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm iho Source: HTP-ARVOT 2020
NATIONAL	FRANCE	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm Risque de pénétration percutanée, Toxique pour la reproduction de catégorie 1B Source: INRS outil65, article R. 4412-149 du Code du travail
NATIONAL	GREECE	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm Δ Source: ΦΕΚ 19/Α` 9.2.2012
NATIONAL	HUNGARY	Long Term: 15 mg/m ³ ; Short Term: 30 mg/m ³ b, i, BEM, EU3, T Source: 5/2020. (II. 6.) ITM rendelet
NATIONAL	LATVIA	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm Āda Source: KN325P1
NATIONAL	LITHUANIA	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm R O, Šios medžiagos skystos formos skvarba per odą yra tokia didelė, kad gali sukelti pavojų gyvybei

NATIONAL	NETHERLAND S	Long Term: 15 mg/m ³ ; Short Term: 30 mg/m ³ H Source: Arbeidsomstandighedenregeling - Lijst A
NATIONAL	NORWAY	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm H R E S Source: FOR-2021-06-28-2248
NATIONAL	POLAND	Long Term: 15 mg/m ³ ; Short Term: 30 mg/m ³ skóra Source: Dz.U. 2018 poz. 1286
NATIONAL	PORTUGAL	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm Cutânea Source: Decreto-Lei n.º 1/2021
NATIONAL	SLOVAKIA	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm K, 7) Source: 355 NARIADENIE VLÁDY z 10. mája 2006
NATIONAL	SWEDEN	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm H, R, 24 Source: AFS 2021:3
SUVA	SWITZERLAN D	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm R/H, R1BD, SSB, B, Foie / Leber, INRS NIOSH DFG Source: suva.ch/valeurs-limites
WEL-EH40	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm Sk Source: EH40/2005 Workplace exposure limits (Fourth Edition 2020)
NATIONAL	BELGIUM	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm D Source: Code du bien-être au travail, Livre VI, Titre 1er, Annexe VI.1-1
NATIONAL	CROATIA	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm Repr 1B, koža Source: 2009/161/EU
NATIONAL	GERMANY	Long Term: 15 mg/m ³ - 5 ppm EU, DFG, AGS, H, Z, 2(II) Source: TRGS 900
NATIONAL	IRELAND	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm Repr 1B, Sk, IOELV Source: 2021 Code of Practice
NATIONAL	ITALY	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm Cute Source: D.lgs. 81/2008, Allegato XXXVIII
NATIONAL	LUXEMBOUR G	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm Peau Source: Mémorial A n.226 du 22 mars 2021
NATIONAL	MALTA	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm skin Source: S.L.424.24
NATIONAL	ROMANIA	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm P, R1B, Dir. 2009/161 Source: Republicarea 1 - nr. 743 din 29 iulie 2021
NATIONAL	SLOVENIA	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm K, BAT, EU3, RD1B Source: UL št. 72, 11. 5. 2021
NATIONAL	SPAIN	Long Term: 15 mg/m ³ - 5 ppm; Short Term: 30 mg/m ³ - 10 ppm VLI, vía dérmica, TR1B, VLB®, r Source: LEP 2022
EU		Long Term: 15 mg/m ³ - 5 ppm (8h); Short Term: 30 mg/m ³ - 10 ppm Skin

N,N-dimethylacetamide CAS: 127-19-5	ACGIH	Long Term: 10 ppm (8h) Skin, A3, BEI - Liver, embryo and fetal dam; repro, renal and teratogenic eff
	NATIONAL AUSTRIA	Long Term: 36 mg/m ³ - 10 ppm; Short Term: 72 mg/m ³ - 20 ppm 15(Miw), 4x, MAK, f, D, H Source: GKV, BGBl. II Nr. 156/2021
	NATIONAL BULGARIA	Long Term: 36 mg/m ³ - 10 ppm; Short Term: 72 mg/m ³ - 20 ppm Кожа Source: НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г.
	NATIONAL CZECHIA	Long Term: 30 mg/m ³ ; Short Term: Ceiling - 60 mg/m ³ D, T Source: Nařízení vlády č. 361-2007 Sb
	NATIONAL DENMARK	Long Term: 36 mg/m ³ - 10 ppm EH Source: BEK nr 2203 af 29/11/2021
	NATIONAL ESTONIA	Long Term: 36 mg/m ³ - 10 ppm; Short Term: 72 mg/m ³ - 20 ppm A, S, R Source: Vabariigi Valitsuse, 20. märtsi 2001. a määrus nr 105
	NATIONAL FINLAND	Long Term: 36 mg/m ³ - 10 ppm; Short Term: 72 mg/m ³ - 20 ppm iho Source: HTP-ARVOT 2020
	NATIONAL FRANCE	Long Term: 7.2 mg/m ³ - 2 ppm; Short Term: 36 mg/m ³ - 10 ppm Risque de pénétration percutanée, Toxique pour la reproduction de catégorie 1B Source: INRS outil65, article R. 4412-149 du Code du travail
	NATIONAL GREECE	Long Term: 36 mg/m ³ - 10 ppm; Short Term: 72 mg/m ³ - 20 ppm Δ Source: ΦΕΚ 94/Α` 13.5.1999
	NATIONAL HUNGARY	Long Term: 36 mg/m ³ ; Short Term: 72 mg/m ³ b, i, EU1, R+T Source: 5/2020. (II. 6.) ITM rendelet
	NATIONAL LITHUANIA	Long Term: 36 mg/m ³ - 10 ppm; Short Term: 72 mg/m ³ - 20 ppm R O, Garų pavidalu ši medžiaga lengvai skverbiasi per odą. Source: 2011 m. rugsėjo 1 d. Nr. V-824/A1-389
	NATIONAL NETHERLAND S	Long Term: 36 mg/m ³ ; Short Term: 72 mg/m ³ H Source: Arbeidsomstandighedenregeling - Lijst A
	NATIONAL NORWAY	Long Term: 35 mg/m ³ - 10 ppm H E Source: FOR-2021-06-28-2248
	NATIONAL POLAND	Long Term: 35 mg/m ³ ; Short Term: 70 mg/m ³ skóra Source: Dz.U. 2018 poz. 1286
	NATIONAL SLOVAKIA	Long Term: 36 mg/m ³ - 10 ppm; Short Term: 72 mg/m ³ - 20 ppm K Source: 355 NARIADENIE VLÁDY z 10. mája 2006
	NATIONAL SWEDEN	Long Term: 35 mg/m ³ - 10 ppm; Short Term: 70 mg/m ³ - 20 ppm H, R, 22 Source: AFS 2021:3
	SUVA SWITZERLAND	Long Term: 35 mg/m ³ - 10 ppm; Short Term: 70 mg/m ³ - 20 ppm R/H, R1BD, SSC, B, Foie / Leber, INRS NIOSH Source: suva.ch/valeurs-limites
	WEL-EH40 UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	Long Term: 36 mg/m ³ - 10 ppm; Short Term: 72 mg/m ³ - 20 ppm Sk, BMGV Source: EH40/2005 Workplace exposure limits (Fourth Edition 2020)
	NATIONAL BELGIUM	Long Term: 36 mg/m ³ - 10 ppm; Short Term: 72 mg/m ³ - 20 ppm D Source: Code du bien-être au travail, Livre VI, Titre 1er, Annexe VI.1-1
	NATIONAL CROATIA	Long Term: 36 mg/m ³ - 10 ppm; Short Term: 72 mg/m ³ - 20 ppm koža, Repr 1B

		Source: 2000/39/EZ
NATIONAL	CYPRUS	Long Term: 36 mg/m ³ - 10 ppm; Short Term: 72 mg/m ³ - 20 ppm δέρμα Source: Οι περί Ασφάλειας και Υγείας στην Εργασία (Χημικοί Παράγοντες) Κανονισμοί του 2001 έως 2021
NATIONAL	GERMANY	Long Term: 18 mg/m ³ - 5 ppm DFG, EU, H, Y, 2(II) Source: TRGS 900
NATIONAL	IRELAND	Long Term: 36 mg/m ³ - 10 ppm; Short Term: 72 mg/m ³ - 20 ppm Repr 1B, Sk, IOELV Source: 2021 Code of Practice
NATIONAL	ITALY	Long Term: 36 mg/m ³ - 10 ppm; Short Term: 72 mg/m ³ - 20 ppm Cute Source: D.lgs. 81/2008, Allegato XXXVIII
NATIONAL	LATVIA	Long Term: 36 mg/m ³ - 10 ppm; Short Term: 72 mg/m ³ - 20 ppm Āda Source: KN325P1
NATIONAL	LUXEMBOUR G	Long Term: 36 mg/m ³ - 10 ppm; Short Term: 72 mg/m ³ - 20 ppm Peau Source: Mémorial A n.226 du 22 mars 2021
NATIONAL	MALTA	Long Term: 36 mg/m ³ - 10 ppm; Short Term: 72 mg/m ³ - 20 ppm skin Source: S.L.424.24
NATIONAL	PORTUGAL	Long Term: 36 mg/m ³ - 10 ppm; Short Term: 72 mg/m ³ - 20 ppm Cutânea Source: Decreto-Lei n.º 1/2021
NATIONAL	ROMANIA	Long Term: 36 mg/m ³ - 10 ppm; Short Term: 72 mg/m ³ - 20 ppm P, R1B, Dir. 2000/39 Source: Republicarea 1 - nr. 743 din 29 iulie 2021
NATIONAL	SLOVENIA	Long Term: 36 mg/m ³ - 10 ppm; Short Term: 72 mg/m ³ - 20 ppm K, Y, BAT, EU1, RD1B, RF2 Source: UL št. 72, 11. 5. 2021
NATIONAL	SPAIN	Long Term: 36 mg/m ³ - 10 ppm; Short Term: 72 mg/m ³ - 20 ppm vía dérmica, VLB®, TR1B, VLI, r Source: LEP 2022
EU		Long Term: 36 mg/m ³ - 10 ppm (8h); Short Term: 72 mg/m ³ - 20 ppm Skin
sodium chloride CAS: 7647-14-5	NATIONAL	LATVIA Long Term: 5 mg/m ³ Source: KN325P1
	NATIONAL	LITHUANIA Long Term: 5 mg/m ³ Source: 2011 m. rugsėjo 1 d. Nr. V-824/A1-389
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) CAS: 55965-84-9	NATIONAL	GERMANY Long Term: 0.2 mg/m ³ ; Short Term: 0.4 mg/m ³ DFG; Long term and short term: inhalable fraction Source: TRGS900
	NATIONAL	AUSTRIA Long Term: 0.05 mg/m ³ MAK, Sh Source: GKV, BGBl. II Nr. 156/2021
	SUVA	SWITZERLAN D Long Term: 0.2 mg/m ³ ; Short Term: 0.4 mg/m ³ TWA mg/m ³ : (I), S, SSC, VRS Peau Yeux / OAW Haut Auge Source: suva.ch/valeurs-limites

Predicted No Effect Concentration (PNEC) values

Sulfuric acid, mono-C12-16-alkyl esters, sodium salts
CAS: 73296-89-6

Exposure Route: Fresh Water; PNEC Limit: 95.8 µg/l

Exposure Route: Intermittent releases (fresh water); PNEC Limit: 13 µg/l

Exposure Route: Marine water; PNEC Limit: 9.6 µg/l

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 6.8 mg/l

Exposure Route: Freshwater sediments; PNEC Limit: 3.37 mg/kg

Exposure Route: Marine water sediments; PNEC Limit: 337 µg/kg

Exposure Route: Soil; PNEC Limit: 616 µg/kg

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one
CAS: 2634-33-5

Exposure Route: Intermittent releases (fresh water); PNEC Limit: 1.1 µg/l

Exposure Route: Marine water; PNEC Limit: 403 ng/L

Exposure Route: Intermittent releases (marine water); PNEC Limit: 110 ng/L

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 1.03 mg/l

Exposure Route: Freshwater sediments; PNEC Limit: 49.9 µg/kg

Exposure Route: Marine water sediments; PNEC Limit: 4.99 µg/kg

Exposure Route: Soil; PNEC Limit: 3 mg/kg

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
CAS: 55965-84-9

Exposure Route: Fresh Water; PNEC Limit: 3.39 µg/l

Exposure Route: Intermittent releases (fresh water); PNEC Limit: 3.39 µg/l

Exposure Route: Marine water; PNEC Limit: 3.39 µg/l

Exposure Route: Intermittent releases (marine water); PNEC Limit: 3.39 µg/l

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 230 µg/l

Exposure Route: Freshwater sediments; PNEC Limit: 27 µg/l

Exposure Route: Marine water sediments; PNEC Limit: 27 µg/l

Exposure Route: Soil; PNEC Limit: 10 µg/l

Derived No Effect Level (DNEL) values

Sulfuric acid, mono-C12-16-alkyl esters, sodium salts
CAS: 73296-89-6

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects
Worker Professional: 285 mg/m³; Consumer: 85 mg/m³

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects
Worker Professional: 4060 mg/kg; Consumer: 2440 mg/kg

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects
Consumer: 24 mg/kg

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one
CAS: 2634-33-5

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects
Worker Professional: 6.81 mg/m³; Consumer: 1.2 mg/m³

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects
Worker Professional: 966 µg/kg; Consumer: 345 µg/kg

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
CAS: 55965-84-9

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects
Worker Professional: 20 µg/m³; Consumer: 20 µg/m³

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, local effects
Worker Professional: 40 µg/m³; Consumer: 20 µg/m³

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects
Consumer: 90 µg/kg

Exposure Route: Human Oral; Exposure Frequency: Short Term, systemic effects
Consumer: 110 µg/kg

8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

N.A.

Thermal Hazards:

Not expected if used as intended

Environmental exposure controls:

Prevent the product from entering sewers or surface and underground water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: White

Odour: Characteristic

Odour threshold: N.A.

pH: =6.50 (OECD 122)

Kinematic viscosity: <= 20,5 mm²/sec (40 °C)

Melting point/freezing point: N.A.

Boiling point or initial boiling point and boiling range: 100 °C (212 °F)

Flash point: > 100°C / 212°F

Lower and upper explosion limit: N.A. (Not applicable as the mixture is not flammable)

Relative vapour density: N.A. (Some data is not known)

Vapour pressure: 23.00 hPa

Density and/or relative density: 1.05 g/cm³ (ISO 2811)

Solubility in water: Miscible

Solubility in oil: N.A. (Not determined, as it is not required for CLP classification)

Partition coefficient n-octanol/water (log value): N.A. (Not applicable to mixtures)

Auto-ignition temperature: N.A. (Not applicable as the mixture is not flammable)

Decomposition temperature: N.A. (Not applicable, as the mixture is not self-reactive)

Flammability: ; Not applicable as the mixture is not flammable

Volatile Organic compounds - VOCs = 1.64 % ; 17.22 g/l

Particle characteristics:

Particle size: N.A.

9.2. Other information

Viscosity: 2,000.00 cPo

No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Data not available.

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological Information of the Preparation

- | | |
|----------------------------------|--|
| a) acute toxicity | Not classified |
| | Based on available data, the classification criteria are not met |
| b) skin corrosion/irritation | Not classified |
| | Based on available data, the classification criteria are not met |
| c) serious eye damage/irritation | Not classified |

	Based on available data, the classification criteria are not met
d) respiratory or skin sensitisation	Not classified
	Based on available data, the classification criteria are not met
e) germ cell mutagenicity	Not classified
	Based on available data, the classification criteria are not met
f) carcinogenicity	Not classified
	Based on available data, the classification criteria are not met
g) reproductive toxicity	Not classified
	Based on available data, the classification criteria are not met
h) STOT-single exposure	Not classified
	Based on available data, the classification criteria are not met
i) STOT-repeated exposure	Not classified
	Based on available data, the classification criteria are not met
j) aspiration hazard	Not classified
	Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

Sulfuric acid, mono-C12-16-alkyl esters, sodium salts	a) acute toxicity	LD50 Oral Rat = 4010 mg/kg	
		LD50 Skin Rat > 2000 mg/kg 24h	
	b) skin corrosion/irritation	Skin Irritant Rabbit Positive 4h	
	c) serious eye damage/irritation	Eye Irritant Rabbit Yes	
	d) respiratory or skin sensitisation	Skin Sensitization Guinea pig Negative	
	f) carcinogenicity	Genotoxicity Rat Negative Carcinogenicity Negative	Oral route
	g) reproductive toxicity	No Observed Adverse Effect Level Oral Rat = 250 mg/kg	
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	a) acute toxicity	LD50 Oral Rat = 670 mg/kg	
		LD50 Skin Rat > 2000 mg/kg	
	b) skin corrosion/irritation	Skin Irritant Rabbit Negative	
	c) serious eye damage/irritation	Eye Corrosive Positive	irreversible damage
	d) respiratory or skin sensitisation	Skin Sensitization Guinea pig Positive	
	f) carcinogenicity	Genotoxicity Rat Negative	Oral route
	g) reproductive toxicity	No Observed Adverse Effect Level Oral Rat = 112 mg/kg	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	a) acute toxicity	LD50 Oral Rat = 69 mg/kg	
		LD50 Skin Rabbit = 141 mg/kg LC50 Inhalation Rat = 0.33 mg/l 4h	
	b) skin corrosion/irritation	Skin Irritant Rabbit Positive	
	c) serious eye damage/irritation	Eye Corrosive Rabbit Positive	
	d) respiratory or skin sensitisation	Skin Sensitization Positive	

f) carcinogenicity	Genotoxicity Negative Carcinogenicity Skin Negative
g) reproductive toxicity	No Observed Adverse Effect Level Oral Rat = 22.7 mg/kg

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

No data available for the product

List of Eco-Toxicological properties of the components

Component	Ident. Numb.	Ecotox Data
Sulfuric acid, mono-C12-16-alkyl esters, sodium salts	CAS: 73296-89-6 - EINECS: 277-362-3	a) Aquatic acute toxicity : LC50 Fish Danio rerio = 1.3 mg/L 96h OECD 203 b) Aquatic chronic toxicity : NOEC Fish Pimephales promelas ≤ 1.35 mg/L - 42days a) Aquatic acute toxicity : LC50 Daphnia Daphnia magna = 2.8 mg/L 48h OECD 202 b) Aquatic chronic toxicity : NOEC = 0.47 mg/L a) Aquatic acute toxicity : EC50 Algae Desmodesmus subspicatus > 20 mg/L 72h EU Method C.3 a) Aquatic acute toxicity : EC50 Sludge activated sludge = 680 mg/L 3h EU Method C.11
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	CAS: 2634-33-5 - EINECS: 220-120-9 - INDEX: 613-088-00-6	a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss = 2.15 mg/L 96h OECD Guideline 203 a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = 2.9 mg/L 48h OECD Guideline 202 a) Aquatic acute toxicity : EC50 Algae green alga Selenastrum capricornutum freshwater algae = 110 μ g/L OECD Guideline 201 d) Terrestrial toxicity : EC50 Worm Eisenia fetida > 410.6 mg/kg OECD Guideline 207 - Duration 14d d) Terrestrial toxicity : EC10 soil microorganisms = 263.7 mg/kg - long term a) Aquatic acute toxicity : NOEC Sludge activated sludge 10.3 mg/L 3h OECD Guideline 209 e) Plant toxicity : LC50 Triticum aestivum = 200 mg/kg OECD Guideline 208
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS: 55965-84-9 - INDEX: 613-167-00-5	a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss = 0.19 mg/L 96h EPA OPP 72-1 (Fish Acute Toxicity Test) b) Aquatic chronic toxicity : NOEC Fish Danio rerio = 0.02 mg/L „OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) - 35days a) Aquatic acute toxicity : LC50 Daphnia Daphnia magna = 0.16 mg/L 48h EPA OPP 72-2 (Aquatic Invertebrate Acute Toxicity Test) b) Aquatic chronic toxicity : NOEC Daphnia Daphnia magna = 0.1 mg/L EPA OPP 72-4 (Fish Early Life-Stage and Aquatic Invertebrate Life-Cycle Studies) - 21days a) Aquatic acute toxicity : EC50 Algae Skeletonema costatum = 0 mg/L 96h „OECD Guideline 201 (Alga, Growth Inhibition Test)

a) Aquatic acute toxicity : EC50 Sludge activated sludge = 4.5 mg/L 3h ,,OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)

d) Terrestrial toxicity : LC50 Worm Eisenia fetida = 613 mg/kg ,,OECD Guideline 207 (Earthworm, Acute Toxicity Tests) - 14days

e) Plant toxicity : NOEC Trifolium pratense, Oryza sativa, Brassica napus = 1000 mg/L OECD Guideline 208 (Terrestrial Plants Test: Seedling Emergence and Seedling Growth Test) - 21days

12.2. Persistence and degradability

Component	Persitence/Degradability:	Test	Value	Notes:
Sulfuric acid, mono-C12-16-alkyl esters, sodium salts	Readily biodegradable	CO2 production	100.000	28days
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	Non-readily biodegradable	CO2 production		OECD Guideline 301C
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Non-readily biodegradable			

12.3. Bioaccumulative potential

Component	Bioaccumulation	Test	Value	Notes:
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	Bioaccumulative	BCF - Bioconcentration factor	6.620	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Bioaccumulative	BCF - Bioconcentration factor	54.000	≤ 54

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

No PBT or vPvB substances present in concentration $\geq 0.1\%$

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration $\geq 0.1\%$

12.7. Other adverse effects

N.A.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force. Disposal through discharge into wastewater is not permitted

The product disposed of as such, pursuant to Regulation (EU) 1357/2014, must be classified as non-hazardous waste

A waste code according to the European List of Wastes (LoW) cannot be specified, due to dependence on the usage. Contact an authorized waste disposal service.

Properties of waste which render it hazardous (Annex III, Directive 2008/98/EC):

N.A.

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

14.1. UN number or ID number

N/A

14.2. UN proper shipping name

ADR-Shipping Name: N/A

IATA-Shipping Name: N/A

IMDG-Shipping Name: N/A

14.3. Transport hazard class(es)

IATA-Class: N/A

IMDG-Class: N/A

14.4. Packing group

IATA-Packing group: N/A

IMDG-Packing group: N/A

14.5. Environmental hazards

N.A.

IMDG-EMS: N/A

14.6. Special precautions for user

Road and Rail (ADR-RID):

ADR-Label: N/A

ADR - Hazard identification number: N/A

ADR-Special Provisions: N/A

ADR-Transport category (Tunnel restriction code): N/A

ADR Limited Quantities: N/A

ADR Excepted Quantities: N/A

Air (IATA):

IATA-Passenger Aircraft: N/A

IATA-Cargo Aircraft: N/A

IATA-Label: N/A

IATA-Subsidiary hazards: N/A

IATA-Erg: N/A

IATA-Special Provisions: N/A

Sea (IMDG):

IMDG-Stowage and handling: N/A

IMDG-Segregation: N/A

IMDG-Subsidiary hazards: N/A

IMDG-Special Provisions: N/A

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP)

Regulation (EU) n. 2022/692 (ATP 18 CLP)

Regulation (EU) n. 2023/707

Regulation (EU) n. 2023/1434 (ATP 19 CLP)

Regulation (EU) n. 2023/1435 (ATP 20 CLP)

Regulation (EU) n. 2024/197 (ATP 21 CLP)

Regulation (EU) n. 2020/878

Regulation (EC) nr 648/2004 (Detergents).

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: None.

Restrictions related to the substances contained: 28, 30, 40, 72, 75, 76

Provisions related to directive EU 2012/18 (Seveso III):

None

Explosives precursors – Regulation 2019/1148

No substances listed

Regulation (EU) No 649/2012 (PIC regulation)

No substances listed

German Water Hazard Class.

3: Severe hazard to waters

German Lagerklasse according to TRGS 510:

LGK 10

SVHC Substances:

No SVHC substances present in concentration \geq 0.1%

REGULATION (EU) No 528/2012

The product is identified as an article treated pursuant to art. 58 of Regulation (EU) no. 528/2012 and subsequent amendments.

Substances included in Regulation (EU) n. 528/2012 (concerning the making available on the market and use of biocidal products):

Nomenclature IUPAC: 1,2-benzisothiazol-3(2H)-one

Nomenclature BPR: BIT

CAS number: 2634-33-5

Product-type 6: Preservatives for products during storage

Assessment status: Approved

Commission Implementing Regulation (EU) 2025/929

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Code	Description
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Code	Hazard class and hazard category	Description
3.1/2/Inhal	Acute Tox. 2	Acute toxicity (inhalation), Category 2
3.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4
3.2/2	Skin Irrit. 2	Skin irritation, Category 2
3.3/1	Eye Dam. 1	Serious eye damage, Category 1
3.4.2/1A	Skin Sens. 1A	Skin Sensitisation, Category 1A
4.1/A1	Aquatic Acute 1	Acute aquatic hazard, category 1
4.1/C1	Aquatic Chronic 1	Chronic (long term) aquatic hazard, category 1
4.1/C3	Aquatic Chronic 3	Chronic (long term) aquatic hazard, category 3

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index
BOD: Biochemical Oxygen Demand
CAS: Chemical Abstracts Service (division of the American Chemical Society).
CAV: Poison Center
CE: European Community
CLP: Classification, Labeling, Packaging.
CMR: Carcinogenic, Mutagenic and Reprotoxic
COD: Chemical Oxygen Demand
COV: Volatile Organic Compound
CSA: Chemical Safety Assessment
CSR: Chemical Safety Report
DMEL: Derived Minimal Effect Level
DNEL: Derived No Effect Level.
DPD: Dangerous Preparations Directive
DSD: Dangerous Substances Directive
EC50: Half Maximal Effective Concentration
ECHA: European Chemicals Agency
EINECS: European Inventory of Existing Commercial Chemical Substances.
ES: Exposure Scenario
GefStoffVO: Ordinance on Hazardous Substances, Germany.
GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
IARC: International Agency for Research on Cancer
IATA: International Air Transport Association.
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
IC50: half maximal inhibitory concentration
ICAO: International Civil Aviation Organization.
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG: International Maritime Code for Dangerous Goods.
INCI: International Nomenclature of Cosmetic Ingredients.
IRCCS: Scientific Institute for Research, Hospitalization and Health Care
KAFH: Keep Away From Heat
KSt: Explosion coefficient.
LC50: Lethal concentration, for 50 percent of test population.
LD50: Lethal dose, for 50 percent of test population.
LDLo: Leathal Dose Low
N.A.: Not Applicable
N/A: Not Applicable
N/D: Not defined/ Not available
NA: Not available
NIOSH: National Institute for Occupational Safety and Health
NOAEL: No Observed Adverse Effect Level
OSHA: Occupational Safety and Health Administration
PBT: Persistent, Bioaccumulative and Toxic
PGK: Packaging Instruction
PNEC: Predicted No Effect Concentration.
PSG: Passengers
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
vPvB: Very Persistent, Very Bioaccumulative.
WGK: German Water Hazard Class.

Paragraphs modified from the previous revision:

- SECTION 1: Identification of the substance/mixture and of the company/undertaking
- SECTION 2: Hazards identification
- SECTION 3: Composition/information on ingredients
- SECTION 7: Handling and storage
- SECTION 8: Exposure controls/personal protection
- SECTION 9: Physical and chemical properties
- SECTION 11: Toxicological information
- SECTION 12: Ecological information

- SECTION 13: Disposal considerations
- SECTION 14: Transport information
- SECTION 15: Regulatory information
- SECTION 16: Other information