

## Safety Data Sheet

Conforms to Regulation (EC) No. 1907/2006 (REACH), Article 31, Annex II, as amended by Commission Regulation (EU) 2020/878

### BIOCALCE FONDO

Date of first edition: 5/18/2021

Safety Data Sheet dated 1/27/2022

version 6

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Mixture identification:

Trade name: BIOCALCE FONDO

Trade code: 001043007-4 .050C

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: primer

Uses advised against: Data not available.

### 1.3. Details of the supplier of the safety data sheet

Company: KERAKOLL S.p.A.

Via dell'Artigianato, 9

41049 Sassuolo (MODENA) - ITALY

Tel.+39 0536 816511 Fax. +39 0536816581

safety@kerakoll.com

### 1.4. Emergency telephone number

European emergency phone number 112

Kerakoll Italy - +39-0536-816511

Ireland

Poison information centre: 01 809 2166 (Daily 8am-10pm)

In case of emergency call 999 or 112

Malta

In case of emergency call: +356 2395 2000 (24h)

## SECTION 2: Hazards identification



### 2.1. Classification of the substance or mixture

#### Regulation (EC) n. 1272/2008 (CLP)

Eye Dam. 1 Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:

No other hazards

### 2.2. Label elements

#### Regulation (EC) No 1272/2008 (CLP):

#### Pictograms and Signal Words



Danger

#### Hazard statements

H318 Causes serious eye damage.

#### Precautionary statements

P102 Keep out of reach of children.

P280 Wear protective gloves and eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with applicable regulations.

### Special Provisions:

EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.
EUH208	Contains octhlinone (ISO); 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.
EUH208	Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

### Contains

Calcium dihydroxide

Quartz

### Special provisions according to Annex XVII of REACH and subsequent amendments:

None

### 2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration  $\geq 0.1\%$ .

Other Hazards: Crystalline silica in breathable fraction present in the product does not contribute to the hazard classification according to the criteria laid down by the EC Regulation 1272/2008 (CLP) by virtue of the physical state of the product itself (liquid) as it is marketed and reasonably be expected to be used. (Position IMA-Europe, Classification of mixtures in liquid form containing crystalline silica (May 2020)). The liquid mixture, due to hardening or exposure to heat, can lose its liquid content (water and other liquid components) and appear in a solid state; in case of handling of the solid mixture for disposal (non-compliant product) it is necessary to apply the appropriate preventive measures referred to in section 13.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

N.A.

### 3.2. Mixtures

Mixture identification: BIOCALCE FONDO

### Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb.	Classification	Registration Number
2,5-4,9 %	Kieselguhr, soda ash flux-calcined	CAS:68855-54-9 EC:272-489-0	STOT RE 2, H373	01-2119488518-22
2,5-4,9 %	Calcium dihydroxide	CAS:1305-62-0 EC:215-137-3	Skin Irrit. 2, H315; Eye Dam. 1, H318; STOT SE 3, H335	01-2119475151-45
1-2,4 %	Quartz	CAS:14808-60-7 EC:238-878-4	STOT RE 1, H372	
< 0,01 %	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	CAS:2634-33-5 EC:220-120-9 Index:613-088-00-6	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Acute Tox. 4, H302 Skin Sens. 1, H317 Aquatic Chronic 2, H411, M-Acute:1	01-2120761540-60
			Specific Concentration Limits: C $\geq 0.05\%$ : Skin Sens. 1 H317	
< 0,0015 %	octhlinone (ISO); 2-octyl-2H-isothiazol-3-one	CAS:26530-20-1 EC:247-761-7 Index:613-112-00-5	Acute Tox. 2, H330 Acute Tox. 3, H311 Acute Tox. 3, H301 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Corrosive to the respiratory tract., M-Chronic:100, M-Acute:100	
			Specific Concentration Limits: C $\geq 0.0015\%$ : Skin Sens. 1A H317	
			Acute Toxicity Estimate: ATE - Oral: 125mg/kg bw ATE - Dermal: 311mg/kg bw	
< 0,0015 %	Pyrrithione zinc	CAS:13463-41-7 EC:236-671-3 Index:613-333-00-7	Acute Tox. 2, H330 Acute Tox. 3, H301 STOT RE 1, H372 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Repr. 1B, H360, M-Chronic:10, M-Acute:1000	

Acute Toxicity Estimate:  
ATE - Oral: 221mg/kg bw

< 0,0015 % reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS:55965-84-9 Index:613-167-00-5

Acute Tox. 2, H330 Acute Tox. 2, H310 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410, M-Chronic:100, M-Acute:100, EUH071

Specific Concentration Limits:  
C ≥ 0.6%: Skin Corr. 1C H314  
0.06% ≤ C < 0.6%: Skin Irrit. 2 H315  
C ≥ 0.6%: Eye Dam. 1 H318  
0.06% ≤ C < 0.6%: Eye Irrit. 2 H319  
C ≥ 0.0015%: Skin Sens. 1A H317

---

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and label hazardous.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

### 4.2. Most important symptoms and effects, both acute and delayed

Eye irritation

Eye damages

### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

---

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

### 5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

## 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

## 6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

## 6.4. Reference to other sections

See also section 8 and 13

# SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

## 7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

## 7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

### Community Occupational Exposure Limits (OEL)

Component	OEL Type	Country	Ceiling	Long Term mg/m <sup>3</sup>	Long Term ppm	Short Term mg/m <sup>3</sup>	Short Term ppm	Notes
Calcium carbonate	NATIONAL	AUSTRALIA		10.000				This value is for inhalable dust containing no asbestos and <1 % crystalline silica.
	NATIONAL	CANADA		10.000				
	NATIONAL	FRANCE		10.000				inhalable aerosol
	NATIONAL	HUNGARY		10.000				inhalable aerosol
	NATIONAL	IRELAND		10.000				Inhalable fraction
	NATIONAL	IRELAND		4.000				Respirable fraction
	NATIONAL	LATVIA		6.000				
	NATIONAL	NEW ZEALAND		10.000				The value for inhalable dust containing no asbestos and less than 1% free silica.
	NATIONAL	POLAND		10.000				
	NATIONAL	SINGAPORE		10.000				(limestone, marble)
	NATIONAL	SWITZERLAND		3.000				respirable aerosol
	NATIONAL	UNITED STATES OF AMERICA		15.000				total dust
	NATIONAL	UNITED STATES OF AMERICA		5.000				respirable dust
	NATIONAL	UNITED		10.000				inhalable aerosol

Quartz		KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND			
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	4.000		respirable aerosol
	NATIONAL	ITALY	10.000		
	NATIONAL	BELGIUM	10.000		
	NATIONAL	KOREA, REPUBLIC OF	10.000		
	NATIONAL	CROATIA	10.000		
	NATIONAL	NETHERLA NDS	10.000		
	NATIONAL	PORTUGAL	10.000		
	NATIONAL	SPAIN	10.000		
	NATIONAL	CHILE	5.000		respirable fraction
	NATIONAL	AUSTRALIA	0.100		Respirable fraction
	NATIONAL	AUSTRIA	0.150		Respirable aerosol
	NATIONAL	BELGIUM	0.100		
	NATIONAL	CANADA	0.100		Canada Ontario; Respirable aerosol
	NATIONAL	CANADA	0.100		Canada Quebec
	NATIONAL	DENMARK	0.300	0.600	Inhalable aerosol
	NATIONAL	DENMARK	0.100	0.200	Respirable aerosol
	NATIONAL	FINLAND	0.050		Respirable fraction
	NATIONAL	FRANCE	0.100		Respirable aerosol
	NATIONAL	HUNGARY	0.150		Respirable aerosol
	NATIONAL	IRELAND	0.100		Respirable fraction
	NATIONAL	NEW ZEALAND	0.200		Respirable aerosol
	NATIONAL	CHINA	1.000		Inhalable fraction. 10% <= free SiO2 <= 50%.
	NATIONAL	CHINA	0.700		Inhalable fraction. 50% < free SiO2 <= 80%.
	NATIONAL	CHINA	0.500		Inhalable fraction. Free SiO2 < 80%.
	NATIONAL	SINGAPORE	0.100		Respirable aerosol.
	NATIONAL	SPAIN	0.100		Respirable fraction
	NATIONAL	SWEDEN	0.100		Respirable aerosol
	NATIONAL	SWITZERLA ND	0.150		Respirable aerosol
	NATIONAL	NETHERLA NDS	0.075		Respirable dust
	NATIONAL	ITALY	0.050		Silice cristallina
	NATIONAL	ITALY	0.025		A2
	NATIONAL	ITALY	10.000		Come particelle non altrimenti specificate PNOC
	NATIONAL	KOREA, REPUBLIC OF	0.050		

	NATIONAL	UNITED STATES OF AMERICA	0.050		NIOSH
	NATIONAL	ARGENTINA	0.050		
	NATIONAL	CHILE	0.080		
	NATIONAL	CROATIA	0.100		
	NATIONAL	ESTONIA	0.100		
	NATIONAL	INDIA	10.000		
	NATIONAL	LITHUANIA	0.100		
	NATIONAL	MALAYSIA	0.100		
	NATIONAL	MEXICO	0.025		Respirable fraction
	NATIONAL	NORWAY	0.300		Total dust
	NATIONAL	NORWAY	0.100		Respirable dust
	NATIONAL	PORTUGAL	0.025		Respirable fraction
	NATIONAL	SLOVENIA	0.050	0.400	
	NATIONAL	SOUTH AFRICA	0.100		
	ACGIH	NNN	0.025		(R), A2 - Pulm fibrosis, lung cancer
Kieselguhr, soda ash flux-calcined	NATIONAL	GERMANY	0.300		AGS; respirable aerosol
	NATIONAL	GERMANY	0.300		DFG; respirable aerosol
	NATIONAL	IRELAND	1.200		Respirable fraction
	NATIONAL	SWITZERLAND	0.300		Respirable aerosol
	NATIONAL	AUSTRALIA	0.300		
	NATIONAL	NEW ZEALAND	10.000		Inspirable dust: no asbestos, <1% free silica
	NATIONAL	POLAND	2.000		Inhalable fraction
	NATIONAL	POLAND	1.000		Respirable fraction
	NATIONAL	SLOVENIA	0.300		
	NATIONAL	SOUTH AFRICA	1.500		Respirable particulate
Calcium dihydroxide	NATIONAL	AUSTRALIA	5.000		
	NATIONAL	AUSTRIA	1.000		Inhalable fraction
	NATIONAL	AUSTRIA C		4.000	Inhalable fraction
	NATIONAL	BELGIUM	5.000		
	NATIONAL	CANADA	5.000		Ontario
	NATIONAL	CANADA	5.000		Quebec
	NATIONAL	DENMARK	5.000	10.000	
	NATIONAL	FINLAND	1.000	4.000	
	NATIONAL	FRANCE	1.000	4.000	Italics type: Indicative statutory limit values; long term and short term: respirable fraction
	NATIONAL	GERMANY	1.000	2.000	ASG; Long term and short term: inhalable fraction
	NATIONAL	GERMANY	1.000	2.000	DFG; Long term and short term: inhalable aerosol
	NATIONAL	HUNGARY	5.000		
	NATIONAL	IRELAND	5.000		
	NATIONAL	LATVIA	1.000	4.000	Long term and short term: respirable fraction
	NATIONAL	NEW ZEALAND	5.000		

NATIONAL	ROMANIA	1.000	4.000	Long term and short term: respirable fraction
NATIONAL	SINGAPORE	5.000		
NATIONAL	SPAIN	5.000		
NATIONAL	SWEDEN	1.000	4.000	Long term and short term: respirable fraction
NATIONAL	SWITZERLAND	5.000		Inhalable aerosol
NATIONAL	TURKEY	5.000		
NATIONAL	UNITED STATES OF AMERICA	5.000		NIOSH
NATIONAL	UNITED STATES OF AMERICA	15.000		OSHA; inhalable aerosol
NATIONAL	UNITED STATES OF AMERICA	5.000		OSHA; respirable aerosol
NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	5.000		Inhalable fraction
NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	1.000		Respirable fraction
NATIONAL	ITALY	1.000	4.000	
NATIONAL	ARGENTINA	5.000		
NATIONAL	KOREA, REPUBLIC OF	5.000		
NATIONAL	INDONESIA	5.000		
NATIONAL	MALAYSIA	5.000		
NATIONAL	MEXICO	5.000		
NATIONAL	PORTUGAL	5.000		
NATIONAL	SOUTH AFRICA	5.000		
NATIONAL	TAIWAN, PROVINCE OF CHINA	5.000		
NATIONAL	BULGARIA	1.000	4.000	
NATIONAL	CZECHIA	1.000	4.000	
NATIONAL	CROATIA	1.000	4.000	Long term and short term: respirable dust
NATIONAL	ESTONIA	1.000	4.000	
NATIONAL	ICELAND	1.000	4.000	
NATIONAL	LITHUANIA	1.000	4.000	
NATIONAL	NORWAY	1.000	4.000	
NATIONAL	NETHERLANDS	1.000	4.000	
NATIONAL	SLOVAKIA	1.000	4.000	
NATIONAL	SLOVENIA	1.000	4.000	

Mica	NATIONAL	RUSSIAN FEDERATION		2.000	
	NATIONAL	POLAND	2.000	6.000	Long term and short term: inhalable fraction
	NATIONAL	POLAND	1.000	4.000	Long term and short term: respirable fraction
	ACGIH	NNN	5		Eye, URT and skin irr
	EU	NNN	1	4	Respirable fraction
	NATIONAL	AUSTRALIA	2.500		
	NATIONAL	AUSTRIA	10.000		Inhalable aerosol
	NATIONAL	BELGIUM	3.000		
	NATIONAL	CANADA	3.000		Ontario: respirable aerosol
	NATIONAL	CANADA	3.000		Quebec
	NATIONAL	DENMARK	0.300	0.300	Long term and short term: fibres per cm <sup>3</sup>
	NATIONAL	IRELAND	10.000		Inhalable fraction
	NATIONAL	IRELAND	0.800		respirable fraction
	NATIONAL	LATVIA	4.000		and phlogopite, muscovite
	NATIONAL	NEW ZEALAND	3.000		respirable dust
	NATIONAL	CHINA	2.000		Inhalable fraction
	NATIONAL	CHINA	1.500		Respirable fraction
	NATIONAL	SINGAPORE	3.000		respirable dust
	NATIONAL	KOREA, REPUBLIC OF	3.000		
	NATIONAL	SWITZERLAND	3.000		Respirable aerosol
	NATIONAL	UNITED STATES OF AMERICA	3.000		NIOSH: respirable fraction
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	10.000		Inhalable aerosol
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	0.800		Respirable aerosol
	NATIONAL	ITALY	3.000		
	NATIONAL	CHILE	2.630		
	NATIONAL	CROATIA	10.000		Total dust
	NATIONAL	CROATIA	0.800		Respirable dust
	NATIONAL	ARGENTINA	3.000		
	NATIONAL	MALAYSIA	3.000		
	NATIONAL	MEXICO	3.000		Respirable fraction
	NATIONAL	SPAIN	3.000		Respirable fraction
	NATIONAL	SOUTH AFRICA	10.000		Inhalable particulate
	NATIONAL	SOUTH AFRICA	1.000		Respirable particulate

Titanium dioxide	NATIONAL	TAIWAN, PROVINCE OF CHINA	3.000		
	ACGIH	NNN	3		(R) - Pneumoconiosis
	NATIONAL	AUSTRALIA	10.000		This value is for inhalable dust containing no asbestos and < 1% crystalline silica
	NATIONAL	BELGIUM	10.000		
	NATIONAL	CANADA	10.000		Ontario
	NATIONAL	CANADA	10.000		Quebec
	NATIONAL	DENMARK	6.000	12.000	Long term and short term: total dust
	NATIONAL	FRANCE	11.000		Inhalable aerosol
	NATIONAL	GERMANY	0.300	2.400	DFG; Long term and short term: excluding ultrafine particles; respirable fraction; multiplied by the material density;
	NATIONAL	IRELAND	10.000		Inhalable fraction
	NATIONAL	IRELAND	8.000		Respirable fraction
	NATIONAL	JAPAN	0.300		JSOH; Nanoparticle, as Ti
	NATIONAL	LATVIA	10.000		
	NATIONAL	NEW ZEALAND	10.000		The value for inhalable dust containing no asbestos and less than 1% free silica
	NATIONAL	CHINA	8.000		Inhalable fraction
	NATIONAL	POLAND	10.000	30.000	
	NATIONAL	ROMANIA	10.000	15.000	
	NATIONAL	SINGAPORE	10.000		
	NATIONAL	KOREA, REPUBLIC OF	10.000		
	NATIONAL	SPAIN	10.000		Inhalable aerosol
	NATIONAL	SWEDEN	5.000		Inhalable aerosol
	NATIONAL	SWITZERLA ND	3.000		Respirable aerosol
	NATIONAL	UNITED STATES OF AMERICA	15.000		OSHA; total dust
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	10.000		Inhalable aerosol
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	4.000		Respirable aerosol
	NATIONAL	ITALY	10.000		
	NATIONAL	ARGENTINA	10.000		
	NATIONAL	AUSTRIA	5.000	10.000	
	NATIONAL	BULGARIA	10.000		
	NATIONAL	CROATIA	10.000		Total dust
	NATIONAL	CROATIA	4.000		Respirable dust
	NATIONAL	ESTONIA	5.000		

Quartz	NATIONAL	GREECE	10.000		
	NATIONAL	GREECE	5.000		
	NATIONAL	INDONESIA	10.000		
	NATIONAL	LITHUANIA	5.000		
	NATIONAL	MALAYSIA	10.000		
	NATIONAL	MEXICO	10.000		
	NATIONAL	NORWAY	5.000		
	NATIONAL	PORTUGAL	10.000		
	NATIONAL	RUSSIAN FEDERATIO N	10.000		
	NATIONAL	SLOVAKIA	5.000		
	NATIONAL	SLOVENIA	6.000		
	NATIONAL	SOUTH AFRICA	10.000		Inhalable particulate
	NATIONAL	SOUTH AFRICA	5.000		Respirable particulate
	NATIONAL	TAIWAN, PROVINCE OF CHINA	10.000		
	ACGIH	NNN	10		A4 - LRT irr
	NATIONAL	AUSTRALIA	0.100		Respirable fraction
	NATIONAL	AUSTRIA	0.150		respirable aerosol
	NATIONAL	BELGIUM	0.100		
	NATIONAL	CANADA	0.100		Canada Ontario. Respirable aerosol
	NATIONAL	CANADA	0.100		Canada Quebec
	NATIONAL	DENMARK	0.300	0.600	Inhalable aerosol
	NATIONAL	DENMARK	0.100	0.200	Respirable aerosol
	NATIONAL	FINLAND	0.050		Respirable fraction
	NATIONAL	FRANCE	0.100		Respirable aerosol
	NATIONAL	HUNGARY	0.150		Respirable aerosol
	NATIONAL	IRELAND	0.100		Respirable fraction
	NATIONAL	NEW ZEALAND	0.200		Respirable aerosol
	NATIONAL	CHINA	1.000		Inhalable fraction. 10% <= free SiO2 <= 50%.
	NATIONAL	CHINA	0.700		Inhalable fraction. 50% < free SiO2 <= 80%.
	NATIONAL	CHINA	0.500		Inhalable fraction. Free SiO2 < 80%.
	NATIONAL	SINGAPORE	0.100		Respirable aerosol.
	NATIONAL	SPAIN	0.100		Respirable fraction
	NATIONAL	SWEDEN	0.100		Respirable aerosol
	NATIONAL	SWITZERLA ND	0.150		Respirable aerosol
	NATIONAL	NETHERLA NDS	0.075		Respirable dust
	NATIONAL	ITALY	0.050		Silice cristallina
	NATIONAL	ITALY	0.025		A2
	NATIONAL	UNITED STATES OF AMERICA	0.050		NIOSH
	NATIONAL	KOREA, REPUBLIC	0.050		

		OF			
Cellulose	NATIONAL	ARGENTINA	0.050	0.400	
	NATIONAL	CHILE	0.080		
	NATIONAL	CROATIA	0.100		
	NATIONAL	ESTONIA	0.100		
	NATIONAL	INDIA	10.000		
	NATIONAL	LITHUANIA	0.100		
	NATIONAL	MALAYSIA	0.100		
	NATIONAL	MEXICO	0.025		Respirable fraction
	NATIONAL	NORWAY	0.300		Total dust
	NATIONAL	NORWAY	0.100		Respirable dust
	NATIONAL	PORTUGAL	0.025		
	NATIONAL	SLOVENIA	0.050		
	NATIONAL	SOUTH AFRICA	0.100		
	ACGIH	NNN	0.025		(R), A2 - Pulm fibrosis, lung cancer
	EU	NNN	0.100		(R), A2 - Pulm fibrosis, lung cancer
	NATIONAL	AUSTRALIA	10.000		This value is for inhalable dust containing no asbestos and <1 % crystalline silica
	NATIONAL	BELGIUM	10.000		
	NATIONAL	CANADA	10.000		Ontario
	NATIONAL	CANADA	10.000		Quebec
	NATIONAL	FRANCE	10.000		Inhalable aerosol
	NATIONAL	IRELAND	10.000	20.000	Long term and short term: inhalable fraction
	NATIONAL	IRELAND	4.000		Respirable fraction
	NATIONAL	LATVIA	2.000		
	NATIONAL	NEW ZEALAND	10.000		The value for inhalable dust containing no asbestos and less than 1% free silica
	NATIONAL	CHINA	10.000		
	NATIONAL	SINGAPORE	10.000		
	NATIONAL	KOREA, REPUBLIC OF	10.000		
	NATIONAL	SPAIN	10.000		Inhalable aerosol
	NATIONAL	SWITZERLAND	3.000		Respirable aerosol
	NATIONAL	UNITED STATES OF AMERICA	10.000		NIOSH; Total dust
	NATIONAL	UNITED STATES OF AMERICA	5.000		NIOSH; Respirable aerosol
	NATIONAL	UNITED STATES OF AMERICA	15.000		OSHA; Total dust
	NATIONAL	UNITED STATES OF AMERICA	5.000		OSHA; Respirable dust
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN	10.000	20.000	Long term and short term: inhalable aerosol

		AND NORTHERN IRELAND			
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	5.000		Respirable aerosol
	NATIONAL	ITALY	10.000		
	NATIONAL	ARGENTINA	10.000		
	NATIONAL	ESTONIA	10.000		
	NATIONAL	INDONESIA	10.000		
	NATIONAL	MALAYSIA	10.000		
	NATIONAL	MEXICO	10.000		
	NATIONAL	PORTUGAL	10.000		
	NATIONAL	CHILE	8.800		
	NATIONAL	RUSSIAN FEDERATIO N		10.000	
	NATIONAL	CROATIA	10.000	20.000	Long term and short term: total dust
	NATIONAL	CROATIA	4.000		Respirable dust
	NATIONAL	SOUTH AFRICA	10.000	20.000	Long term and short term: inhalable particulate
	NATIONAL	SOUTH AFRICA	5.000		Respirable particulate
	ACGIH	NNN	10		URT irr
Poly(oxy-1,2- ethanediyl), $\alpha$ -hydro- $\omega$ - hydroxy- Ethane-1,2- diol, ethoxylated	NATIONAL	AUSTRIA	1000.000	4000.000	Long term and short term: INHALABLE FRACTION
	NATIONAL	DENMARK	1000.000	2000.000	
	NATIONAL	GERMANY	1000.000	8000.000	AGS; Long term and short term: inhalable aerosol
	NATIONAL	GERMANY	200.000	400.000	DFG; Long term and short term: inhalable aerosol
	NATIONAL	SWITZERLA ND		1000.000	
	NATIONAL	RUSSIAN FEDERATIO N		10.000	
	NATIONAL	SLOVAKIA	100.000		
Barium sulfate	NATIONAL	AUSTRALIA	10.000		
	NATIONAL	BELGIUM	5.000		Without asbestos fibers and <1% crystalline silica
	NATIONAL	CANADA	5.000		Ontario; This value is for particulate matter containing no asbestos and <1% crystalline silica
	NATIONAL	CANADA	10.000		Quebec
	NATIONAL	GERMANY	0.300	2.400	DFG; Multiplied by the density of the material; Long term and short term: respirable fraction
	NATIONAL	GERMANY	4.000		DFG; Inhalable fraction
	NATIONAL	IRELAND	2.000		Respirable fraction
	NATIONAL	LATVIA	6.000		

sodium hydroxide; caustic soda	NATIONAL	NEW ZEALAND	10.000			
	NATIONAL	CHINA	10.000			
	NATIONAL	CHINA	5.000			Inhalable fraction; barite
	NATIONAL	SINGAPORE	10.000			
	NATIONAL	SPAIN	10.000			Inhalable aerosol
	NATIONAL	UNITED STATES OF AMERICA	10.000			NIOSH; total dust
	NATIONAL	UNITED STATES OF AMERICA	5.000			NIOSH; respirable fraction
	NATIONAL	UNITED STATES OF AMERICA	15.000			OSHA; inhalable fraction
	NATIONAL	UNITED STATES OF AMERICA	5.000			OSHA; respirable aerosol
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	10.000			Inhalable aerosol
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	4.000			Respirable aerosol
	ACGIH	NNN	5			(I, E) - Pneumoconiosis
	NATIONAL	AUSTRALIA C		2		
	NATIONAL	AUSTRIA	2.000	4.000		Long term and short term: inhalable aerosol
	NATIONAL	BELGIUM	2.000			
	NATIONAL	CANADA C		2.000		Ontario
	NATIONAL	CANADA C		2.000		Quebec
	NATIONAL	DENMARK	2.000	2.000		
	NATIONAL	FINLAND C		2.000		
	NATIONAL	FRANCE	2.000			
	NATIONAL	HUNGARY	2.000	2.000		
	NATIONAL	IRELAND		2.000		
	NATIONAL	JAPAN C	2.000			JSOH; Reference value to the maximal exposure concentration of the substance during a working day
	NATIONAL	LATVIA	0.500			
	NATIONAL	NEW ZEALAND C		2.000		
	NATIONAL	CHINA C		2.000		
	NATIONAL	POLAND	0.500	1.000		
	NATIONAL	ROMANIA	1.000	3.000		
	NATIONAL	SINGAPORE		2.000		
	NATIONAL	KOREA, REPUBLIC OF C		2.000		

zinc oxide	NATIONAL	SPAIN	2.000		
	NATIONAL	SWEDEN	1.000	1.000	Long term and short term: inhalable fraction
	NATIONAL	SWITZERLAND	2.000	2.000	long term and short term: inhalable fraction
	NATIONAL	UNITED STATES OF AMERICA		2.000	NIOSH
	NATIONAL	UNITED STATES OF AMERICA	2.000		OSHA
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND		2.000	
	NATIONAL	BULGARIA	2.000		
	NATIONAL	CZECHIA	1.000	2.000	
	NATIONAL	ESTONIA	1.000	2.000	
	NATIONAL	GREECE	2.000	2.000	
	NATIONAL	SLOVAKIA	2.000		
	NATIONAL	SLOVENIA	2.000		
	NATIONAL	TAIWAN, PROVINCE OF CHINA	2.000		
	ACGIH	NNN		2	URT, eye, and skin irr
	NATIONAL	AUSTRALIA	10.000		This value is for inhalable dust containing no asbestos and < 1% crystalline silica
	NATIONAL	AUSTRALIA	10.000	5.000	Long term and short term: Fume
	NATIONAL	BELGIUM	10.000		
	NATIONAL	CANADA	2.000	10.000	Ontario; Long term and short term: respirable aerosol
	NATIONAL	CANADA	10.000		Quebec
	NATIONAL	FRANCE	10.000		
	NATIONAL	JAPAN	1.000		Respirable dust
	NATIONAL	JAPAN	4.000		Total dust: Total dust comprises particles with a flow speed of 50 to 80 cm/sec at the entry of a particle sampler
	NATIONAL	LATVIA	0.500		
	NATIONAL	NEW ZEALAND	10.000	10.000	
	NATIONAL	CHINA	3.000	5.000	
	NATIONAL	SINGAPORE	10.000		
	NATIONAL	SPAIN	10.000		
	NATIONAL	SWEDEN	5.000		
	NATIONAL	SWITZERLAND	3.000	3.000	Long term and short term: respirable fraction
	NATIONAL	UNITED STATES OF AMERICA	15.000	5.000	Total dust
	NATIONAL	ITALY	2.000	10.000	
	NATIONAL	ARGENTINA	5.000	10.000	Long term and short term: fume

	NATIONAL	ARGENTINA	10.000					Dust
	NATIONAL	AUSTRIA	5.000					
	NATIONAL	BULGARIA	5.000		10.000			
	NATIONAL	CZECHIA	2.000		5.000			
	NATIONAL	CHILE	10.000		4.400			
	NATIONAL	KOREA, REPUBLIC OF	5.000		10.000			
	NATIONAL	CROATIA	2.000		10.000			Long term: respirable dust
	NATIONAL	DENMARK	4.000					
	NATIONAL	ESTONIA	5.000					
	NATIONAL	FINLAND	2.000		10.000			
	NATIONAL	GREECE	5.000		10.000			
	NATIONAL	INDONESIA	2.000		10.000			
	NATIONAL	IRELAND	2.000		10.000			Long term: respirable fraction
	NATIONAL	LITHUANIA	5.000					
	NATIONAL	MALAYSIA	5.000		10.000			
	NATIONAL	NORWAY	5.000					
	NATIONAL	POLAND	5.000		10.000			
	NATIONAL	PORTUGAL	2.000		10.000			
	NATIONAL	ROMANIA	5.000		10.000			
	NATIONAL	RUSSIAN FEDERATIO N	0.500		1.500			
3-iodo-2-propynyl butylcarbamate; 3- iodoprop-2-yn-1-yl butylcarbamate	NATIONAL	SOUTH AFRICA	5.000		10.000			
	NATIONAL	TAIWAN, PROVINCE OF CHINA	5.000					
	NATIONAL	HUNGARY	5.000		20.000			
	ACGIH	NNN	2		10			(R) - Metal fume fever
	NATIONAL	GERMANY	0.058	0.005	0.116	0.010		AGS; long term and short term: inhalable fraction and vapour
octhilinone (ISO); 2- octyl-2H-isothiazol-3- one	NATIONAL	GERMANY	0.058	0.005	0.116	0.010		DFG
	NATIONAL	SWITZERLA ND	0.120	0.010	0.240	0.020		
	NATIONAL	SLOVENIA	0.120	0.010	0.240	0.020		
	NATIONAL	AUSTRIA	0.050		0.050			Long term and short term: inhalable aerosol
	NATIONAL	GERMANY	0.050		0.100			AGS; Long term and short term: inhalable aerosol
2-amino-2- methylpropanol	NATIONAL	GERMANY	0.050		0.100			DFG: Long term and short term: inhalable aerosol
	NATIONAL	SWITZERLA ND	0.050		0.100			Long term and short term: inhalable aerosol
	NATIONAL	SLOVENIA	0.050		0.100			Long term and short term: inhalable fraction
	NATIONAL	GERMANY	3.700	1.000	7.400	2.000		AGS; Long term and short term: inhalable fraction and vapour
	NATIONAL	GERMANY	3.700	1.000	7.400	2.000		DFG; Long term and short term: inhalable fraction and vapour

Kaolin	NATIONAL	SWITZERLAND	8.700	2.400	17.400	4.800	
	NATIONAL	SLOVENIA	3.700	1.000	17.400	4.800	
	NATIONAL	AUSTRALIA	10.000				This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
	NATIONAL	BELGIUM	2.000				
	NATIONAL	CANADA	2.000				Canada Ontario. Respirable aerosol. The value for this particulate matter containing no asbestos and <1 percent crystalline silica.
	NATIONAL	CANADA	5.000				Canada Québec
	NATIONAL	DENMARK	2.000	4.000			Respirable aerosol
	NATIONAL	FINLAND	2.000				Respirable fraction
	NATIONAL	FRANCE	10.000				Respirable aerosol
	NATIONAL	IRELAND	2.000				
	NATIONAL	NEW ZEALAND	10.000				Inhalable aerosol
	NATIONAL	NEW ZEALAND	2.000				Respirable aerosol
	NATIONAL	SWITZERLAND	3.000				Respirable aerosol
	NATIONAL	UNITED STATES OF AMERICA	15.000				OSHA: Total dust
	NATIONAL	UNITED STATES OF AMERICA	5.000				OSHA: Respirable dust
	NATIONAL	UNITED STATES OF AMERICA	10.000				NIOSH: Respirable dust
	NATIONAL	UNITED STATES OF AMERICA	5.000				NIOSH: Respirable fraction
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	2.000				Respirable aerosol
	ACGIH	NNN	2				(E,R), A4 - Pneumoconiosis
	NATIONAL	AUSTRIA	0.050				
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	NATIONAL	GERMANY	0.200		0.400		DFG; Long term and short term: inhalable fraction
	NATIONAL	SWITZERLAND	0.200		0.400		Inhalable fraction
	NATIONAL	KOREA, REPUBLIC OF	0.100				
	NATIONAL	NETHERLANDS	0.200				

## 8.2. Exposure controls

Eye protection:

Eye glasses with side protection.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

N.A.

Thermal Hazards:

N.A.

Environmental exposure controls:

N.A.

Hygienic and Technical measures

N.A.

---

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical State Liquid

Color: In compliance with the product description

Odour: Characteristic

Odour threshold: N.A.

pH: Not Relevant

Kinematic viscosity:  $\leq 20,5 \text{ mm}^2/\text{sec}$  (40 °C)

Melting point / freezing point: N.A.

Initial boiling point and boiling range: 100 °C (212 °F)

Flash point: Not Applicable

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A.

Vapour pressure: N.A.

Relative density: 1.01 g/cm<sup>3</sup>

Solubility in water: N.A.

Solubility in oil: N.A.

Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: N.A.

Decomposition temperature: N.A.

Flammability: N.A.

Volatile Organic compounds - VOCs = 0.64 % ; 6.40 g/l

#### Particle characteristics:

Particle size: N.A.

### 9.2. Other information

Miscibility: N.A.

Conductivity: N.A.

Evaporation rate: N.A.                      No other relevant information

---

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions

### 10.2. Chemical stability

Data not available.

### 10.3. Possibility of hazardous reactions

None.

### 10.4. Conditions to avoid

Stable under normal conditions.

### 10.5. Incompatible materials

None in particular.

### 10.6. Hazardous decomposition products

None.

---

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicological Information of the Preparation

a) acute toxicity                      Not classified

	Based on available data, the classification criteria are not met
b) skin corrosion/irritation	Not classified
	Based on available data, the classification criteria are not met
c) serious eye damage/irritation	The product is classified: Eye Dam. 1(H318)
d) respiratory or skin sensitisation	Not classified
	Based on available data, the classification criteria are not met
e) germ cell mutagenicity	Not classified
	Based on available data, the classification criteria are not met
f) carcinogenicity	Not classified
	Based on available data, the classification criteria are not met
g) reproductive toxicity	Not classified
	Based on available data, the classification criteria are not met
h) STOT-single exposure	Not classified
	Based on available data, the classification criteria are not met
i) STOT-repeated exposure	Not classified
	Based on available data, the classification criteria are not met
j) aspiration hazard	Not classified
	Based on available data, the classification criteria are not met

## 11.2 Information on other hazards

### Endocrine disrupting properties:

No endocrine disruptor substances present in concentration  $\geq 0.1\%$

---

## SECTION 12: Ecological information

### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

#### List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

No data available for the product

### 12.2. Persistence and degradability

N.A.

### 12.3. Bioaccumulative potential

N.A.

### 12.4. Mobility in soil

N.A.

### 12.5. Results of PBT and vPvB assessment

No PBT/vPvB Ingredients are present

### 12.6 Endocrine disrupting properties

No endocrine disruptor substances present in concentration  $\geq 0.1\%$

### 12.7 Other adverse effects

N.A.

---

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

A waste code according to European waste catalogue (EWC) cannot be specified, due to dependence on the usage. Contact an authorized waste disposal service.

#### Properties of waste which render it hazardous (Annex III, Directive 2008/98/EC):

HP 4: Irritant — skin irritation and eye damage; The liquid mixture, due to hardening or exposure to heat, loses its original technical characteristics and appears in a solid state upon disposal; in this case, employees must comply with the requirements of national legislation about safety in the workplace.

In particular, employees must take appropriate technical measures when handling the product, such as proceed with local ventilation and use airtight containers to limit dust dispersion; they must as well wear a respirator with P3 filter.

## SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

### 14.1. UN number or ID number

N.A.

### 14.2. UN proper shipping name

N.A.

### 14.3. Transport hazard class(es)

N.A.

### 14.4. Packing group

N.A.

### 14.5. Environmental hazards

N.A.

### 14.6. Special precautions for user

N.A.

Road and Rail ( ADR-RID ) :

N.A.

Air ( IATA ) :

N.A.

Sea ( IMDG ) :

N.A.

### 14.7. Maritime transport in bulk according to IMO instruments

N.A.

---

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2020/878

Regulation (EC) nr 648/2004 (Detergents).

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: 3

Restrictions related to the substances contained: 70, 75

Provisions related to directive EU 2012/18 (Seveso III):

N.A.

### Regulation (EU) 649/2012 (PIC regulation):

No Substance Listed

German Water Hazard Class.

NWG: Not hazardous for water

SVHC Substances:

No data available

### REGULATION (EU) No 528/2012

Nomenclature IUPAC: 1,2-benzisothiazol-3(2H)-one  
 Nomenclature BPR: BIT  
 CAS number: 2634-33-5  
 Product-type 6: Preservatives for products during storage  
 Assessment status: Initial application for approval in progress. Competent authority evaluation  
 ; Nomenclature IUPAC: octhlinone (ISO); 2-octyl-2H-isothiazol-3-one  
 Nomenclature BPR: OIT  
 CAS number: 26530-20-1  
 Product-type 6: Preservatives for products during storage  
 Assessment status: Initial application for approval in progress. Competent authority evaluation  
 Product-type 7: Film preservatives  
 Assessment status: Initial application for approval in progress. Competent authority evaluation  
 Product-type 8: Film preservatives  
 Assessment status: Approved  
 ; Nomenclature IUPAC: Bis [1-hydroxy-2(1H)-pyridinethionato-O,S](T-4)-zinc  
 Nomenclature BPR: Pyrithione zinc  
 CAS number:13463-41-7  
 Product-type 6: Preservatives for products during storage  
 Assessment status: Initial application for approval in progress. Competent authority evaluation  
 Product-type 7: Film preservatives  
 Assessment status: Initial application for approval in progress. Competent authority evaluation  
 ; Nomenclature IUPAC: 3-iodo-2-propynyl butylcarbamate  
 Nomenclature BPR: IPBC  
 CAS number: 55406-53-6  
 Product-type 6: Preservatives for products during storage  
 Assessment status: Approved  
 Product-type 7: Film preservatives  
 Assessment status: Initial application for approval in progress. Competent authority evaluation  
 Product-type 8: Film preservatives  
 Assessment status: Approved

## 15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for the mixture.

---

## SECTION 16: Other information

### Code Description

H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.

Code	Hazard class and hazard category	Description
3.2/2	Skin Irrit. 2	Skin irritation, Category 2
3.3/1	Eye Dam. 1	Serious eye damage, Category 1
3.8/3	STOT SE 3	Specific target organ toxicity — single exposure, Category 3
3.9/1	STOT RE 1	Specific target organ toxicity — repeated exposure, Category 1
3.9/2	STOT RE 2	Specific target organ toxicity — repeated exposure, Category 2

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

#### Classification according to Regulation (EC) Nr. 1272/2008 Classification procedure

3.3/1 Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists  
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ATE: Acute Toxicity Estimate  
ATEmix: Acute toxicity Estimate (Mixtures)  
BCF: Biological Concentration Factor  
BEI: Biological Exposure Index  
BOD: Biochemical Oxygen Demand  
CAS: Chemical Abstracts Service (division of the American Chemical Society).  
CAV: Poison Center  
CE: European Community  
CLP: Classification, Labeling, Packaging.  
CMR: Carcinogenic, Mutagenic and Reprotoxic  
COD: Chemical Oxygen Demand  
COV: Volatile Organic Compound  
CSA: Chemical Safety Assessment  
CSR: Chemical Safety Report  
DMEL: Derived Minimal Effect Level  
DNEL: Derived No Effect Level.  
DPD: Dangerous Preparations Directive  
DSD: Dangerous Substances Directive  
EC50: Half Maximal Effective Concentration  
ECHA: European Chemicals Agency  
EINECS: European Inventory of Existing Commercial Chemical Substances.  
ES: Exposure Scenario  
GefStoffVO: Ordinance on Hazardous Substances, Germany.  
GHS: Globally Harmonized System of Classification and Labeling of Chemicals.  
IARC: International Agency for Research on Cancer  
IATA: International Air Transport Association.  
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).  
IC50: half maximal inhibitory concentration  
ICAO: International Civil Aviation Organization.  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).  
IMDG: International Maritime Code for Dangerous Goods.  
INCI: International Nomenclature of Cosmetic Ingredients.  
IRCCS: Scientific Institute for Research, Hospitalization and Health Care  
KAFH: Keep Away From Heat  
KSt: Explosion coefficient.  
LC50: Lethal concentration, for 50 percent of test population.  
LD50: Lethal dose, for 50 percent of test population.  
LDLo: Leathal Dose Low  
N.A.: Not Applicable  
N/A: Not Applicable  
N/D: Not defined/ Not available  
NA: Not available  
NIOSH: National Institute for Occupational Safety and Health  
NOAEL: No Observed Adverse Effect Level  
OSHA: Occupational Safety and Health Administration.  
PBT: Persistent, Bioaccumulative and Toxic  
PGK: Packaging Instruction  
PNEC: Predicted No Effect Concentration.  
PSG: Passengers  
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.  
STEL: Short Term Exposure limit.  
STOT: Specific Target Organ Toxicity.  
TLV: Threshold Limiting Value.  
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).  
vPvB: Very Persistent, Very Bioaccumulative.  
WGK: German Water Hazard Class.

**Paragraphs modified from the previous revision:**

- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 4. FIRST AID MEASURES
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 13. DISPOSAL CONSIDERATIONS
- 14. TRANSPORT INFORMATION
- 15. REGULATORY INFORMATION
- 16. OTHER INFORMATION