

Safety Data Sheet

Conforms to Regulation (EC) No. 1907/2006 (REACH), Article 31, Annex II, as amended by Commission Regulation (EU) 2020/878

FINISH

Date of first edition: 3/1/2021

Safety Data Sheet dated 15/07/2026 version 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: FINISH

Trade code: S100B0348 14

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Paints/coatings - Protective and functional

Uses advised against: All uses other than recommended ones

1.3. Details of the supplier of the safety data sheet

Company: KERAKOLL S.p.A.

Via dell'Artigianato, 9

41049 Sassuolo (MODENA) - ITALY

Tel. +39 0536 816511 Fax. +39 0536816581

safety@kerakoll.com

1.4. Emergency telephone number

European emergency phone number 112

Ireland Emergency medical information: (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland.

Members of the public Number (8 am-10 pm): +353 (0)1 809 2166

Healthcare professional telephone Number (24hrs): +353 (0)1 809 2566

Malta In case of emergency call: +356 2395 2000 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) n. 1272/2008 (CLP)

The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).

Special Provisions:

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Dir. 2004/42/EC (VOC directive)

Interior/exterior trim varnishes and woodstains, including opaque woodstains

EU limit value for this product (cat. A/e): 130 g/l

This product contains max 49.34 g/l VOC.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None.

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Mixture identification: FINISH

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb.	Classification	Registration Number
≥1-<3 %	(2-methoxymethylethoxy)propanol	CAS:34590-94-8 EC:252-104-2	Substance with a Union workplace exposure limit.	01-2119450011-60
<0.036 %	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	CAS:2634-33-5 EC:220-120-9 Index:613-088-00-6	Acute Tox. 2, H330; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Dam. 1, H318; Skin Sens. 1A, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410, M-Chronic:1, M-Acute:1 Specific Concentration Limits: C ≥ 0.036%: Skin Sens. 1A H317 Acute Toxicity Estimate: ATE - Oral: 450mg/kg bw ATE - Inhalation (Dust/mist): 0.21mg/l	
<0.0015 %	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS:55965-84-9 Index:613-167-00-5	Acute Tox. 2, H330; Acute Tox. 2, H310; Acute Tox. 3, H301; Skin Corr. 1C, H314; Eye Dam. 1, H318; Skin Sens. 1A, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410, M-Chronic:100, M-Acute:100, EUH071 Specific Concentration Limits: C ≥ 0.6%: Skin Corr. 1C H314 0.06% ≤ C < 0.6%: Skin Irrit. 2 H315 C ≥ 0.6%: Eye Dam. 1 H318 0.06% ≤ C < 0.6%: Eye Irrit. 2 H319 C ≥ 0.0015%: Skin Sens. 1A H317	

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and label hazardous.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

N.A.

4.3. Indication of any immediate medical attention and special treatment needed

N.A.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

Recommendation(s)

This product contains microplastics: do not release the product into the environment during use or disposal. Do not clean tools under running water. Do not pour product residues, water, or other washing solutions into household drains or sewers.

None in particular

Industrial sector specific solutions:

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Community Occupational Exposure Limits (OEL)

silicon dioxide, chemically prepared

CAS: 7631-86-9	NATION AUSTRIA AL	Notes: MAK Source: BGBl. II Nr. 156/2021
	NATION BELGIUM AL	Long Term: 10 mg/m3 Source: Code du bien-être au travail, Livre VI, Titre 1er, Annexe VI.1-1
	NATION GERMANY AL	Long Term: 4 mg/m3 Notes: DFG, 2, Y, E Source: TRGS 900
	NATION ESTONIA AL	Long Term: 2 mg/m3 Notes: 1 Source: Vabariigi Valitsuse, 20. märtsi 2001. a määrus nr 105

NATION UNITED AL	KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	Long Term: 6 mg/m ³ Notes: Inhalable aerosol Source: EH40/2005 Workplace exposure limits
		Long Term: 2.4 mg/m ³ Notes: Respirable aerosol Source: EH40/2005 Workplace exposure limits
NATION IRELAND AL		Long Term: 6 mg/m ³ Notes: Inhalable fraction Source: 2021 Code of Practice
		Long Term: 2.4 mg/m ³ Notes: Respirable fraction Source: 2021 Code of Practice
NATION LATVIA AL		Long Term: 1 mg/m ³ Source: KN325P1
NATION SLOVENIA AL		Long Term: 4 mg/m ³ Notes: Y, (I) Source: UL št. 72, 11. 5. 2021
SUVA	SWITZERLAND	Notes: SSC, Fibpulm / Lungenfibrose, Des VMEs se trouvent sous les substances associées / MAK- Werte finden sich unter den zugeordneten Stoffen Source: suva.ch/valeurs-limites
		Long Term: 4 mg/m ³ Notes: TWA mg/m ³ : (i), SSC, Fibpulm / Lungenfibrose Source: suva.ch/valeurs-limites
(2-methoxymethylethoxy)propanol		
CAS: 34590-94-8	ACGIH	Long Term: 50 ppm (8h) Notes: Liver & CNS eff
	EU	Long Term: 308 mg/m ³ - 50 ppm (8h) Notes: Skin
NATION AUSTRIA AL		Long Term: 307 mg/m ³ - 50 ppm; Short Term: Ceiling - 614 mg/m ³ - 100 ppm Notes: 5(Mow), 8x, MAK, H Source: GKV, BGBl. II Nr. 156/2021
NATION BELGIUM AL		Long Term: 308 mg/m ³ - 50 ppm Notes: D Source: Code du bien-être au travail, Livre VI, Titre 1er, Annexe VI.1-1
NATION BULGARIA AL		Long Term: 308 mg/m ³ - 50 ppm Notes: Кожа Source: НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г.
NATION CYPRUS AL		Long Term: 308 mg/m ³ - 50 ppm Notes: δέρμα Source: Οι περί Ασφάλειας και Υγείας στην Εργασία (Χημικοί Παράγοντες) Κανονισμοί του 2001 έως 2021
NATION CZECHIA AL		Long Term: 270 mg/m ³ ; Short Term: Ceiling - 550 mg/m ³ Notes: D Source: Nařízení vlády č. 361-2007 Sb
NATION GERMANY AL		Long Term: 310 mg/m ³ - 50 ppm Notes: DFG, EU, 11, 1(I) Source: TRGS 900
NATION DENMARK AL		Long Term: 309 mg/m ³ - 50 ppm Notes: EH Source: BEK nr 2203 af 29/11/2021
NATION SPAIN AL		Long Term: 308 mg/m ³ - 50 ppm Notes: vía dérmica, VLI Source: LEP 2022
NATION ESTONIA AL		Long Term: 308 mg/m ³ - 50 ppm Notes: A Source: Vabariigi Valitsuse, 20. märtsi 2001. a määrus nr 105

NATION FINLAND AL	Long Term: 310 mg/m3 - 50 ppm Notes: iho Source: HTP-ARVOT 2020
NATION FRANCE AL	Long Term: 308 mg/m3 - 50 ppm Notes: Risque de pénétration percutanée Source: INRS outil65, article R. 4412-149 du Code du travail
NATION GREECE AL	Long Term: 600 mg/m3 - 100 ppm; Short Term: 900 mg/m3 - 150 ppm Notes: Δ Source: ΦΕΚ 94/A` 13.5.1999
NATION CROATIA AL	Long Term: 308 mg/m3 - 50 ppm Notes: koža Source: 2000/39/EZ
NATION HUNGARY AL	Long Term: 308 mg/m3 Notes: EU1, R Source: 5/2020. (II. 6.) ITM rendelet
NATION IRELAND AL	Long Term: 308 mg/m3 - 50 ppm Notes: Sk, IOELV Source: 2021 Code of Practice
NATION ITALY AL	Long Term: 308 mg/m3 - 50 ppm Notes: Cute Source: D.lgs. 81/2008, Allegato XXXVIII
NATION LITHUANIA AL	Long Term: 300 mg/m3 - 50 ppm; Short Term: 450 mg/m3 - 75 ppm Notes: O Source: 2011 m. rugsėjo 1 d. Nr. V-824/A1-389
NATION LUXEMBOUR AL G	Long Term: 308 mg/m3 - 50 ppm Notes: Peau Source: Mémorial A n.226 du 22 mars 2021
NATION LATVIA AL	Long Term: 308 mg/m3 - 50 ppm Notes: Āda Source: KN325P1
NATION MALTA AL	Long Term: 308 mg/m3 - 50 ppm Notes: skin Source: S.L.424.24
NATION NETHERLAND AL S	Long Term: 300 mg/m3 Source: Arbeidsomstandighedenregeling - Lijst A
NATION NORWAY AL	Long Term: 300 mg/m3 - 50 ppm Notes: H E Source: FOR-2021-06-28-2248
NATION POLAND AL	Long Term: 240 mg/m3; Short Term: 480 mg/m3 Notes: skóra Source: Dz.U. 2018 poz. 1286
NATION PORTUGAL AL	Long Term: 308 mg/m3 - 50 ppm Notes: Cutânea Source: Decreto-Lei n.º 1/2021
NATION ROMANIA AL	Long Term: 308 mg/m3 - 50 ppm Notes: P, Dir. 2000/39 Source: Republicarea 1 - nr. 743 din 29 iulie 2021
NATION SLOVAKIA AL	Long Term: 308 mg/m3 - 50 ppm Notes: K Source: 355 NARIADENIE VLÁDY z 10. mája 2006
NATION SLOVENIA AL	Long Term: 308 mg/m3 - 50 ppm; Short Term: 308 mg/m3 - 50 ppm Notes: K, EU1 Source: UL št. 72, 11. 5. 2021
NATION SWEDEN AL	Long Term: 300 mg/m3 - 50 ppm; Short Term: 450 mg/m3 - 75 ppm Notes: H, V Source: AFS 2021:3
WEL- EH40	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN Long Term: 308 mg/m3 - 50 ppm Notes: Sk Source: EH40/2005 Workplace exposure limits (Fourth Edition 2020)

IRELAND

SUVA SWITZERLAND Long Term: 300 mg/m³ - 50 ppm; Short Term: 300 mg/m³ - 50 ppm
 Notes: VR Yeux Nez / AW Auge Nase, NIOSH, La substance peut être présente sous forme de vapeur et d'aérosol en même temps / Der Stoff kann gleichzeitig als Dampf und Aerosol vorliegen
 Source: suva.ch/valeurs-limites

2-(2-ethoxyethoxy)ethanol

CAS: 111-90-0

NATION AUSTRIA
AL

Long Term: 35 mg/m³ - 6 ppm; Short Term: 140 mg/m³ - 24 ppm
 Notes: 15(Miw), 4x, MAK
 Source: GKV, BGBl. II Nr. 156/2021

NATION GERMANY
AL

Long Term: 35 mg/m³ - 6 ppm
 Notes: AGS, Y, 11, 2(I)
 Source: TRGS 900

NATION SLOVENIA
AL

Long Term: 35 mg/m³ - 6 ppm; Short Term: 70 mg/m³ - 12 ppm
 Notes: Y
 Source: UL št. 72, 11. 5. 2021

NATION SWEDEN
AL

Long Term: 80 mg/m³ - 15 ppm; Short Term: 170 mg/m³ - 30 ppm
 Notes: H, V
 Source: AFS 2021:3

SUVA SWITZERLAND

Long Term: 50 mg/m³; Short Term: 100 mg/m³
 Notes: TWA mg/m³: (i), SSC, VRS / OAW, La substance peut être présente sous forme de vapeur et d'aérosol en même temps / Der Stoff kann gleichzeitig als Dampf und Aerosol vorliegen
 Source: suva.ch/valeurs-limites

2-dimethylaminoethanol; N,N-dimethylethanolamine

CAS: 108-01-0

NATION DENMARK
AL

Long Term: 10 ppm
 Source: At-vejledning C.0.1-1

NATION CROATIA
AL

Long Term: 7.4 mg/m³ - 2 ppm; Short Term: 22 mg/m³ - 6 ppm
 Source: NN 1/2021

NATION LATVIA
AL

Long Term: 5 mg/m³
 Source: KN325P1

WEL- UNITED KINGDOM OF GREAT
EH40 BRITAIN AND NORTHERN IRELAND

Long Term: 7.4 mg/m³ - 2 ppm; Short Term: 22 mg/m³ - 6 ppm
 Source: EH40/2005 Workplace exposure limits (Fourth Edition 2020)

2-amino-2-methylpropanol

CAS: 124-68-5

NATION GERMANY
AL

Long Term: 3.7 mg/m³ - 1 ppm
 Notes: DFG, H, Y, 11, 2(II)
 Source: TRGS 900

NATION DENMARK
AL

Long Term: 3 ppm
 Source: At-vejledning C.0.1-1

NATION SLOVENIA
AL

Long Term: 3.7 mg/m³ - 1 ppm; Short Term: 7.4 mg/m³ - 2 ppm
 Notes: K, Y
 Source: UL št. 72, 11. 5. 2021

SUVA SWITZERLAND

Long Term: 8.7 mg/m³ - 2.4 ppm; Short Term: 17.4 mg/m³ - 4.8 ppm
 Notes: R/H, SSC, Foie / Leber, La substance peut être présente sous forme de vapeur et d'aérosol en même temps / Der Stoff kann gleichzeitig als Dampf und Aerosol vorliegen
 Source: suva.ch/valeurs-limites

formaldehyde

CAS: 50-00-0

ACGIH

Long Term: 0.1 ppm (8h); Short Term: 0.3 ppm
 Notes: DSEN, RSEN, A1 - URT and eye irr, URT cancer

EU

Long Term: 0.37 mg/m³ - 0.3 ppm (8h); Short Term: 0.74 mg/m³ - 0.6 ppm
 Notes: Dermal sensitisation

NATION AUSTRIA
AL

Long Term: 0.37 mg/m³ - 0.3 ppm; Short Term: Ceiling - 0.74 mg/m³ - 0.6 ppm
 Notes: Mow, MAK, III A2, Sh
 Source: BGBl. II Nr. 156/2021

NATION BELGIUM
AL

Short Term: 0.38 mg/m³ - 0.3 ppm
 Notes: C, M
 Source: Code du bien-être au travail, Livre VI, Titre 1er, Annexe VI.1-1

NATION BULGARIA AL	Long Term: 0.37 mg/m ³ - 0.3 ppm; Short Term: 0.74 mg/m ³ - 0.6 ppm Notes: Кожна сенсibiliза-ция (13) (В сила от 11.07.2021 г., а за секторите на здравеопазването, погребалните услуги и балсамирането - от 11.07.2027 г.) Source: НАРЕДБА № 10 ОТ 26 СЕПТЕМВРИ 2003
NATION CZECHIA AL	Long Term: 0.37 mg/m ³ ; Short Term: Ceiling - 0.74 mg/m ³ Notes: I, K, S Source: Nařízení vlády č. 361-2007 Sb Long Term: 0.5 mg/m ³ ; Short Term: Ceiling - 0.74 mg/m ³ Notes: I, K, S Source: Nařízení vlády č. 361-2007 Sb
NATION GERMANY AL	Long Term: 0.37 mg/m ³ - 0.3 ppm Notes: AGS, Sh, Y, X, 2(I) Source: TRGS 900
NATION DENMARK AL	Short Term: Ceiling - 0.37 mg/m ³ - 0.28 ppm Notes: LEK. Hudsensibiliserende Source: BEK nr 2203 af 29/11/2021
NATION SPAIN AL	Long Term: 0.37 mg/m ³ - 0.3 ppm; Short Term: 0.74 mg/m ³ - 0.6 ppm Notes: C1B, Sen, s Source: LEP 2022
NATION ESTONIA AL	Long Term: 0.37 mg/m ³ - 0.3 ppm; Short Term: 0.74 mg/m ³ - 0.6 ppm Notes: C, S, Tervishoiu-, matuse- ja palsameerimise sektoris Source: Vabariigi Valitsuse, 20. märtsi 2001. a määrus nr 105 Long Term: 0.62 mg/m ³ - 0.5 ppm Notes: C, S, Tervishoiu-, matuse- ja palsameerimise sektoris Source: Vabariigi Valitsuse, 20. märtsi 2001. a määrus nr 105
NATION FINLAND AL	Long Term: 0.37 mg/m ³ - 0.3 ppm; Short Term: 0.74 mg/m ³ - 0.6 ppm Notes: liite 3 Source: HTP-ARVOT 2020
NATION FRANCE AL	Long Term: 0.37 mg/m ³ - 0.3 ppm; Short Term: 0.74 mg/m ³ - 0.6 ppm Notes: Cancérogène de catégorie 1B, Mutagène de catégorie 2. La substance peut provoquer une sensibilisation cutanée. Source: INRS outil65, article R. 4412-149 du Code du travail
NATION GREECE AL	Long Term: 0.37 mg/m ³ ; Short Term: 0.74 mg/m ³ Notes: ευαισθητοποίηση τοι] δέρματος (13) Οριακή τιμή 0, 62 mg/m ³ ή 0, 5 ppm για τους τομείς υγειονομικής περίθαλψης, κηδείων και ταρίχευσης έως ΤΙς 1 1 Ιουλίου 2024. Source: Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020)
NATION CROATIA AL	Long Term: 0.37 mg/m ³ - 0.3 ppm; Short Term: 0.74 mg/m ³ - 0.6 ppm Notes: Alergen koža (8), Karc 1 B. Granična vrijednost 0, 62 mg/m ³ ili 0, 5 ppm za zdravstveni i pogrebni sektor te sektor balzimiranje do 11. srpnja 2024. Source: 2019/983
NATION HUNGARY AL	Long Term: 0.37 mg/m ³ ; Short Term: 0.74 mg/m ³ Notes: k(1B), b, m, sz, EU8, T Source: 5/2020. (II. 6.) ITM rendelet
NATION IRELAND AL	Long Term: 0.37 mg/m ³ - 0.3 ppm; Short Term: 0.738 mg/m ³ - 0.6 ppm Notes: BOELV, Carc 1B, Sens, Limit value 0.5ppm/0.62mg/m ³ for the healthcare, funeral and embalming sectors until 11 July 2024, see footnote 21 Source: 2021 Code of Practice
NATION ITALY AL	Long Term: 0.37 mg/m ³ - 0.3 ppm; Short Term: 0.6 mg/m ³ - 0.74 ppm Notes: Sensibilizzazione cutanea. Source: D.lgs. 81/2008, Allegato XLIII
NATION LITHUANIA AL	Long Term: 0.6 mg/m ³ - 0.5 ppm; Short Term: Ceiling - 1.2 mg/m ³ - 1 ppm Notes: Ū J K Source: 2011 m. rugsėjo 1 d. Nr. V-824/A1-389
NATION LATVIA AL	Long Term: 0.37 mg/m ³ - 0.3 ppm; Short Term: 0.74 mg/m ³ - 0.6 ppm Notes: Viela var izraisīt ādas sensibilizāciju Source: KN325P1
NATION NETHERLAND AL S	Long Term: 0.15 mg/m ³ ; Short Term: 0.5 mg/m ³ Notes: TGG 8 uur mg/m ³ (4) Source: Arbeidsomstandighedenregeling - Lijst B1
NATION NORWAY AL	Long Term: 0.37 mg/m ³ - 0.3 ppm; Short Term: 0.74 mg/m ³ - 0.6 ppm Notes: A K G S

Source: FOR-2021-06-28-2248

Short Term: Ceiling - 1.2 mg/m³ - 1 ppm

Notes: T

Source: FOR-2021-06-28-2248

NATION POLAND
AL

Long Term: 0.37 mg/m³; Short Term: 0.74 mg/m³

Notes: skóra 22)

Source: Dz.U. 2018 poz. 1286

NATION PORTUGAL
AL

Long Term: 0.37 mg/m³ - 0.3 ppm; Short Term: 0.74 mg/m³ - 0.6 ppm

Notes: sensibilização cutânea (14). Valor -limite de 0, 62 mg/m³ ou de 0, 5 ppm (3) para os setores dos cuidados de saúde, funerário e de embalsamamento até 11 de julho de 2024.

Source: Decreto-Lei n.º 102-A/2020

NATION ROMANIA
AL

Long Term: 0.37 mg/m³ - 0.3 ppm; Short Term: 0.74 mg/m³ - 0.6 ppm

Notes: P, C2, (15), Dir. 2019/983, Valoare-limită de 0, 62 mg/mc sau 0, 5 ppm pentru sectorul asistenței medicale, sectorul serviciilor funerare și de îmbalsamare până la 11 iulie 2024

Source: Republicarea 1 - nr. 743 din 29 iulie 2021

NATION SLOVENIA
AL

Long Term: 0.37 mg/m³ - 0.3 ppm; Short Term: 0.74 mg/m³ - 0.6 ppm

Notes: EU, K, SK, R1B, M2, MV 0, 62 mg/mi ali 0, 5 ppm za dejavnost zdravstvene oskrbe, pogrebno dejavnosti in dejavnost balzamiranja se uporabljajo do 11.7.2024

Source: UL št. 89, 1. 7. 2022

NATION SWEDEN
AL

Long Term: 0.37 mg/m³ - 0.3 ppm; Short Term: 0.74 mg/m³ - 0.6 ppm

Notes: C, H, S

Source: AFS 2021:3

WEL- UNITED
EH40 KINGDOM OF
GREAT
BRITAIN AND
NORTHERN
IRELAND

Long Term: 2.5 mg/m³ - 2 ppm; Short Term: 2.5 mg/m³ - 2 ppm

Notes: Carc

Source: EH40/2005 Workplace exposure limits (Fourth Edition 2020)

SUVA SWITZERLAN
D

Long Term: 0.37 mg/m³ - 0.3 ppm; Short Term: 0.74 mg/m³ - 0.6 ppm

Notes: S, C1#B, SSC, Yeux / Auge, HSE NIOSH DFG OSHA, Pas de risque accru de cancer si la VME est respectée / Kein erhöhtes Krebsrisiko bei Einhalten des MAK-Werts

Source: suva.ch/valeurs-limites

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

CAS: 55965-84-9

NATION AUSTRIA
AL

Long Term: 0.05 mg/m³

Notes: MAK, Sh

Source: GKV, BGBl. II Nr. 156/2021

NATION GERMANY
AL

Long Term: 0.2 mg/m³; Short Term: 0.4 mg/m³

Notes: DFG; Long term and short term: inhalable fraction

Source: TRGS900

SUVA SWITZERLAN
D

Long Term: 0.2 mg/m³; Short Term: 0.4 mg/m³

Notes: TWA mg/m³: (i), S, SSC, VRS Peau Yeux / OAW Haut Auge

Source: suva.ch/valeurs-limites

octamethylcyclotetrasiloxane

CAS: 556-67-2

NATION AUSTRIA
AL

Notes: f

Source: BGBl. II Nr. 156/2021

Predicted No Effect Concentration (PNEC) values

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one

CAS: 2634-33-5 Exposure Route: Fresh Water; PNEC Limit: 4.03 mg/m³

Exposure Route: Intermittent releases (fresh water); PNEC Limit: 1.1 mg/m³

Exposure Route: Marine water; PNEC Limit: 403 ng/l

Exposure Route: Intermittent releases (marine water); PNEC Limit: 110 ng/l

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 1.03 mg/l

Exposure Route: Freshwater sediments; PNEC Limit: 49.9 µg/kg

Exposure Route: Marine water sediments; PNEC Limit: 4.99 µg/kg

Exposure Route: Soil; PNEC Limit: 3 mg/kg

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

CAS: 55965-84-9 Exposure Route: Fresh Water; PNEC Limit: 3.39 mg/m³

Exposure Route: Intermittent releases (fresh water); PNEC Limit: 3.39 mg/m³

Exposure Route: Marine water; PNEC Limit: 3.39 mg/m³
Exposure Route: Intermittent releases (marine water); PNEC Limit: 3.39 mg/m³
Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 230 mg/m³
Exposure Route: Freshwater sediments; PNEC Limit: 27 mg/m³
Exposure Route: Marine water sediments; PNEC Limit: 27 mg/m³
Exposure Route: Soil; PNEC Limit: 10 mg/m³

Derived No Effect Level (DNEL) values

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one

CAS: 2634-33-5 Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects
Worker Professional: 6.81 mg/kg/day; Consumer: 1.2 mg/kg/day

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects
Worker Professional: 966 µg/kg; Consumer: 345 µg/kg

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

CAS: 55965-84-9 Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects
Worker Professional: 20 µg/m³; Consumer: 20 µg/m³

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, local effects
Worker Professional: 40 µg/m³; Consumer: 20 µg/m³

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects
Consumer: 90 µg/kg

Exposure Route: Human Oral; Exposure Frequency: Short Term, systemic effects
Consumer: 110 µg/kg

8.2. Exposure controls

Eye protection:

Eye glasses with side protection.(EN166)

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Nitrile rubber .

Respiratory protection:

N.A.

Thermal Hazards:

Not expected if used as intended

Environmental exposure controls:

Prevent the product from entering sewers or surface and underground water. This product contains microplastics: do not release the product into the environment during use or disposal. Do not clean tools under running water. Do not pour product residues, water, or other washing solutions into household drains or sewers

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Whitish
Odour:	Characteristic
pH:	>7.50<8.50
Kinematic viscosity:	Not Relevant Notes: Not determined, as it is not required for CLP classification
Melting point/freezing point:	N.A.
Boiling point or initial boiling point and boiling range:	100 °C (212 °F)
Flash point:	> 93°C
Lower and upper explosion limit:	Not Relevant Notes: Not applicable as the mixture is not flammable
Relative vapour density:	N.A.

Vapour pressure:	N.A.
Density and/or relative density:	0.99 g/cm ³
Solubility in water:	Soluble
Solubility in oil:	Not Relevant Notes: Not determined, as it is not required for CLP classification
Partition coefficient n-octanol/water (log value):	Not Relevant Notes: Not applicable to mixtures
Auto-ignition temperature:	Not Relevant Notes: Not applicable as the mixture is not flammable
Decomposition temperature:	Not Relevant Notes: Not applicable, as the mixture is not self-reactive
Flammability:	Not Relevant Notes: Not applicable as the mixture is not flammable
Volatile Organic compounds - VOCs =	4.98%; 49.34g/L

Particle characteristics:

Particle size:	N.A.
----------------	------

9.2. Other information

Explosive properties:	Not Relevant Notes: Not applicable, the mixture contains no explosive groups
Evaporation rate:	Not Relevant Notes: Some data is not known
No other relevant information	

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Data not available.

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological Information of the Preparation

a) acute toxicity	Not classified Based on available data, the classification criteria are not met
b) skin corrosion/irritation	Not classified Based on available data, the classification criteria are not met
c) serious eye damage/irritation	Not classified Based on available data, the classification criteria are not met
d) respiratory or skin sensitisation	Not classified Based on available data, the classification criteria are not met
e) germ cell mutagenicity	Not classified Based on available data, the classification criteria are not met
f) carcinogenicity	Not classified

	Based on available data, the classification criteria are not met
g) reproductive toxicity	Not classified
	Based on available data, the classification criteria are not met
h) STOT-single exposure	Not classified
	Based on available data, the classification criteria are not met
i) STOT-repeated exposure	Not classified
	Based on available data, the classification criteria are not met
j) aspiration hazard	Not classified
	Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one

CAS: 2634-33-5	a) acute toxicity	ATE - Oral: 450 mg/kg bw ATE - Inhalation (Dust/mist): 0.21 mg/l LD50 Oral Rat = 670 mg/kg LD50 Skin Rat > 2000 mg/kg
	b) skin corrosion/irritation	Skin Irritant Rabbit Negative
	c) serious eye damage/irritation	Eye Corrosive Positive
	d) respiratory or skin sensitisation	Skin Sensitization Guinea pig Positive
	f) carcinogenicity	Genotoxicity Rat Negative
	g) reproductive toxicity	No Observed Adverse Effect Level Oral Rat = 112 mg/kg

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

CAS: 55965-84-9	a) acute toxicity	LD50 Oral Rat = 69 mg/kg LD50 Skin Rabbit = 141 mg/kg LC50 Inhalation Rat = 0.33 mg/l 4h
	b) skin corrosion/irritation	Skin Irritant Rabbit Positive
	c) serious eye damage/irritation	Eye Corrosive Rabbit Positive
	d) respiratory or skin sensitisation	Skin Sensitization Positive
	f) carcinogenicity	Genotoxicity Negative Carcinogenicity Skin Negative
	g) reproductive toxicity	No Observed Adverse Effect Level Oral Rat = 22.7 mg/kg

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

No data available for the product

List of Eco-Toxicological properties of the components

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one

CAS: 2634-33-5	a) Aquatic acute toxicity: LC50 Fish <i>Oncorhynchus mykiss</i> = 2.15 mg/L 96h
	a) Aquatic acute toxicity: EC50 <i>Daphnia magna</i> = 2.9 mg/L 48h
	a) Aquatic acute toxicity: EC50 Algae green alga <i>Selenastrum capricornutum</i> freshwater algae = 110 µg/L
	d) Terrestrial toxicity: EC50 Worm <i>Eisenia fetida</i> > 410.6 mg/kg
	d) Terrestrial toxicity: EC10 soil microorganisms = 263.7 mg/kg

a) Aquatic acute toxicity: NOEC Sludge activated sludge 10.3 mg/L 3h

e) Plant toxicity: LC50 Triticum aestivum = 200 mg/kg

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

CAS: 55965-84-9 a) Aquatic acute toxicity: LC50 Fish Oncorhynchus mykiss = 0.19 mg/L 96h

b) Aquatic chronic toxicity: NOEC Fish Danio rerio = 0.02 mg/L

a) Aquatic acute toxicity: LC50 Daphnia Daphnia magna = 0.16 mg/L 48h

b) Aquatic chronic toxicity: NOEC Daphnia Daphnia magna = 0.1 mg/L

a) Aquatic acute toxicity: EC50 Algae Skeletonema costatum = 0 mg/L 96h

a) Aquatic acute toxicity: EC50 Sludge activated sludge = 4.5 mg/L 3h

d) Terrestrial toxicity: LC50 Worm Eisenia fetida = 613 mg/kg

e) Plant toxicity: NOEC Trifolium pratense, Oryza sativa, Brassica napus = 1000 mg/L

12.2. Persistence and degradability

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one

CAS: 2634-33-5 Non-readily biodegradable

Test: CO2 production

Notes: OECD Guideline 301C

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

CAS: 55965-84-9 Non-readily biodegradable

12.3. Bioaccumulative potential

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one

CAS: 2634-33-5 Bioaccumulative

Test: BCF - Bioconcentration factor; Value: 6.62

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

CAS: 55965-84-9 Bioaccumulative

Test: BCF - Bioconcentration factor; Value: 54

Notes: ≤ 54

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

No PBT or vPvB substances present in concentration ≥ 0.1%

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration ≥ 0.1%

12.7. Other adverse effects

N.A.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

The product disposed of as such, pursuant to Regulation (EU) 1357/2014, must be classified as non-hazardous waste

A waste code according to the European List of Wastes (LoW) cannot be specified, due to dependence on the usage. Contact an authorized waste disposal service.

Properties of waste which render it hazardous (Annex III, Directive 2008/98/EC):

N.A.

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

14.1. UN number or ID number

N/A

14.2. UN proper shipping name

ADR-Shipping Name: N/A

IATA-Shipping Name: N/A

IMDG-Shipping Name: N/A

14.3. Transport hazard class(es)

ADR-Class: N/A

IATA-Class: N/A

IMDG-Class: N/A

14.4. Packing group

ADR-Packing Group: N/A

IATA-Packing group: N/A

IMDG-Packing group: N/A

14.5. Environmental hazards

Marine pollutant: No

Environmental Pollutant: No

IMDG-EMS: N/A

14.6. Special precautions for user

Road and Rail (ADR-RID):

ADR-Label: N/A

ADR - Hazard identification number: N/A

ADR-Special Provisions: N/A

ADR-Transport category (Tunnel restriction code): N/A

ADR Limited Quantities: N/A

ADR Excepted Quantities: N/A

Air (IATA):

IATA-Passenger Aircraft: N/A

IATA-Cargo Aircraft: N/A

IATA-Label: N/A

IATA-Subsidiary hazards: N/A

IATA-Erg: N/A

IATA-Special Provisions: N/A

Sea (IMDG):

IMDG-Stowage and handling: N/A

IMDG-Segregation: N/A

IMDG-Subsidiary hazards: N/A

IMDG-Special Provisions: N/A

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EU) n. 2020/878

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP)

Regulation (EU) n. 2022/692 (ATP 18 CLP)

Regulation (EU) n. 2023/707

Regulation (EU) n. 2023/1434 (ATP 19 CLP)

Regulation (EU) n. 2023/1435 (ATP 20 CLP)

Regulation (EU) n. 2024/197 (ATP 21 CLP)

Regulation (EU) n. 2024/2564 (ATP 22 CLP)

Regulation (EU) n. 2024/2865

Regulation (EU) n. 2025/1222 (ATP 23 CLP)

Regulation (EC) nr 648/2004 (Detergents).

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: None.

Restrictions related to the substances contained: 28, 40, 70, 72, 75, 77

The supplied synthetic polymer microparticles are subject to the conditions of Annex XVII, entry 78, of Regulation (EC) No 1907/2006 of the European Parliament and of the Council. See section 7,8 for the instructions for use and disposal.

Provisions related to directive EU 2012/18 (Seveso III):

None

Explosives precursors – Regulation 2019/1148

No substances listed

Regulation (EU) No 649/2012 (PIC regulation)

No substances listed

German Water Hazard Class.

Class 2: hazardous for water.

German Lagerklasse according to TRGS 510:

LGK 10

SVHC Substances:

No SVHC substances present in concentration $\geq 0.1\%$

Dir. 2004/42/EC (VOC directive)

(ready to use)

Volatile Organic compounds - VOCs = 4.98 %

Volatile Organic compounds - VOCs = 49.34 g/L

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Code	Description
EUH071	Corrosive to the respiratory tract.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Code	Hazard class and hazard category	Description
3.1/2/Dermal	Acute Tox. 2	Acute toxicity (dermal), Category 2
3.1/2/Inhal	Acute Tox. 2	Acute toxicity (inhalation), Category 2
3.1/3/Oral	Acute Tox. 3	Acute toxicity (oral), Category 3
3.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4
3.2/1C	Skin Corr. 1C	Skin corrosion, Category 1C
3.2/2	Skin Irrit. 2	Skin irritation, Category 2
3.3/1	Eye Dam. 1	Serious eye damage, Category 1
3.3/2	Eye Irrit. 2	Eye irritation, Category 2
3.4.2/1A	Skin Sens. 1A	Skin Sensitisation, Category 1A
4.1/A1	Aquatic Acute 1	Acute aquatic hazard, category 1
4.1/C1	Aquatic Chronic 1	Chronic (long term) aquatic hazard, category 1

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)
 BCF: Biological Concentration Factor
 BEI: Biological Exposure Index
 BOD: Biochemical Oxygen Demand
 CAS: Chemical Abstracts Service (division of the American Chemical Society).
 CAV: Poison Center
 CE: European Community
 CLP: Classification, Labeling, Packaging.
 CMR: Carcinogenic, Mutagenic and Reprotoxic
 COD: Chemical Oxygen Demand
 COV: Volatile Organic Compound
 CSA: Chemical Safety Assessment
 CSR: Chemical Safety Report
 DMEL: Derived Minimal Effect Level
 DNEL: Derived No Effect Level.
 DPD: Dangerous Preparations Directive
 DSD: Dangerous Substances Directive
 EC50: Half Maximal Effective Concentration
 ECHA: European Chemicals Agency
 EINECS: European Inventory of Existing Commercial Chemical Substances.
 ES: Exposure Scenario
 GefStoffVO: Ordinance on Hazardous Substances, Germany.
 GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
 IARC: International Agency for Research on Cancer
 IATA: International Air Transport Association.
 IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
 IC50: half maximal inhibitory concentration
 ICAO: International Civil Aviation Organization.
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).
 IMDG: International Maritime Code for Dangerous Goods.
 INCI: International Nomenclature of Cosmetic Ingredients.
 IRCCS: Scientific Institute for Research, Hospitalization and Health Care
 KAFH: Keep Away From Heat
 KSt: Explosion coefficient.
 LC50: Lethal concentration, for 50 percent of test population.
 LD50: Lethal dose, for 50 percent of test population.
 LDLo: Leathal Dose Low
 N.A.: Not Applicable
 N/A: Not Applicable
 N/D: Not defined/ Not available
 NA: Not available
 NIOSH: National Institute for Occupational Safety and Health
 NOAEL: No Observed Adverse Effect Level
 OSHA: Occupational Safety and Health Administration
 PBT: Persistent, Bioaccumulative and Toxic
 PGK: Packaging Instruction
 PNEC: Predicted No Effect Concentration.
 PSG: Passengers
 RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.
 STEL: Short Term Exposure limit.
 STOT: Specific Target Organ Toxicity.
 TLV: Threshold Limiting Value.
 TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
 vPvB: Very Persistent, Very Bioaccumulative.
 WGK: German Water Hazard Class.

Paragraphs modified from the previous revision:

- Safety Data Sheet
- SECTION 1: Identification of the substance/mixture and of the company/undertaking
- SECTION 2: Hazards identification
- SECTION 3: Composition/information on ingredients
- SECTION 7: Handling and storage
- SECTION 8: Exposure controls/personal protection

- SECTION 9: Physical and chemical properties
- SECTION 11: Toxicological information
- SECTION 12: Ecological information
- SECTION 15: Regulatory information
- SECTION 16: Other information