

## Safety Data Sheet

Conforms to Regulation (EC) No. 1907/2006 (REACH), Article 31, Annex II, as amended by Commission Regulation (EU) 2020/878

### GEOLITE 10

Date of first edition: 3/18/2021

Safety Data Sheet dated 31/05/2024

version 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Mixture identification:

Trade name: GEOLITE 10

Trade code: S100K0204 .067

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Mortar for strengthening/repair

Uses advised against: All uses other than recommended ones

### 1.3. Details of the supplier of the safety data sheet

Company: KERAKOLL S.p.A.

Via dell'Artigianato, 9

41049 Sassuolo (MODENA) - ITALY

Tel.+39 0536 816511 Fax. +39 0536816581

safety@kerakoll.com

### 1.4. Emergency telephone number

European emergency phone number 112 Kerakoll Italy - +39-0536-816511 Ireland Poison information centre: 01 809 2166 (Daily 8am-10pm) In case of emergency call 999 or 112 Malta In case of emergency call: +356 2395 2000 (24h)

## SECTION 2: Hazards identification



### 2.1. Classification of the substance or mixture

#### Regulation (EC) n. 1272/2008 (CLP)

|               |                                      |
|---------------|--------------------------------------|
| Skin Irrit. 2 | Causes skin irritation.              |
| Eye Dam. 1    | Causes serious eye damage.           |
| Skin Sens. 1B | May cause an allergic skin reaction. |
| STOT SE 3     | May cause respiratory irritation.    |

Adverse physicochemical, human health and environmental effects:

No other hazards

### 2.2. Label elements

#### Regulation (EC) No 1272/2008 (CLP):

#### Hazard pictograms and Signal Word



Danger

#### Hazard statements

|      |                                      |
|------|--------------------------------------|
| H315 | Causes skin irritation.              |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage.           |
| H335 | May cause respiratory irritation.    |

#### Precautionary statements

|      |                                            |
|------|--------------------------------------------|
| P102 | Keep out of reach of children.             |
| P260 | Do not breathe dust.                       |
| P280 | Wear protective gloves and eye protection. |

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with applicable regulations.

Contains

Portland Cement (Cr VI < 0,0002%)  
aluminous cement (Cr VI < 0,0002%)  
Flue Dust, Portland Cement  
Calcium dihydroxide

Special provisions according to Annex XVII of REACH and subsequent amendments:

None.

2.3. Other hazards

When mixtures containing cement react with water, for instance when making concrete or mortar, or when the cement becomes wet, a strong alkaline solution is produced (high pH caused by the formation of calcium, sodium and potassium hydroxides).  
Cement and mixtures containing cement may irritate the eyes, the mucous system, the throat and the respiratory system and cause coughing. Frequent inhalation of cement dust or mixtures containing cement over a long period of time increases the risk of developing lung diseases.  
In case of prolonged contact with the skin, both cement and mixtures containing cement, including pastes, may cause skin sensitisation due to the presence of trace amounts of chromium VI salts. Where necessary, such an effect can be minimized by incorporating a special reducing agent to maintain the water-soluble chromium VI content to concentration rates below 0.0002% (2 ppm) on the total dry weight of cement.

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Mixture identification: GEOLITE 10

Hazardous components within the meaning of the CLP regulation and related classification:

| Qty       | Name                               | Ident. Numb.                   | Classification                                                              | Registration Number |
|-----------|------------------------------------|--------------------------------|-----------------------------------------------------------------------------|---------------------|
| ≥20-<50 % | Portland Cement (Cr VI < 0,0002%)  | CAS:65997-15-1<br>EC:266-043-4 | Skin Irrit. 2, H315; Eye Dam. 1, H318; Skin Sens. 1B, H317; STOT SE 3, H335 |                     |
| ≥5-<10 %  | aluminous cement (Cr VI < 0,0002%) | CAS:65997-16-2<br>EC:266-045-5 | Skin Irrit. 2, H315; Eye Dam. 1, H318                                       |                     |
| ≥1-<3 %   | Flue Dust, Portland Cement         | CAS:68475-76-3<br>EC:270-659-9 | Skin Irrit. 2, H315; Eye Dam. 1, H318; Skin Sens. 1, H317; STOT SE 3, H335  | 01-2119486767-17    |
| ≥1-<3 %   | Calcium dihydroxide                | CAS:1305-62-0<br>EC:215-137-3  | Skin Irrit. 2, H315; Eye Dam. 1, H318; STOT SE 3, H335                      | 01-2119475151-45    |
| <0.05 %   | Quartz                             | CAS:14808-60-7<br>EC:238-878-4 | STOT RE 1, H372                                                             |                     |

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.  
OBTAIN IMMEDIATE MEDICAL ATTENTION.  
Remove contaminated clothing immediately and dispose off safely.  
After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.  
Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and label hazardous.

In case of Inhalation:

In case of inhalation, consult a doctor immediately and show him packing or label.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Eye irritation  
Eye damages  
Skin Irritation  
Erythema

#### **4.3. Indication of any immediate medical attention and special treatment needed**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

---

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

Suitable extinguishing media:

Water.  
Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

#### **5.2. Special hazards arising from the substance or mixture**

Do not inhale explosion and combustion gases.  
Burning produces heavy smoke.

#### **5.3. Advice for firefighters**

Use suitable breathing apparatus .  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Move undamaged containers from immediate hazard area if it can be done safely.

---

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

**For non emergency personnel:**

Wear personal protection equipment.  
Wear breathing apparatus if exposed to vapours/dusts/aerosols.  
Provide adequate ventilation.  
Use appropriate respiratory protection.  
See protective measures under point 7 and 8.

**For emergency responders:**

Wear personal protection equipment.

#### **6.2. Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.  
Retain contaminated washing water and dispose it.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.  
Suitable material for taking up: absorbing material, organic, sand

#### **6.3. Methods and material for containment and cleaning up**

Suitable material for taking up: absorbing material, organic, sand  
Wash with plenty of water.

#### **6.4. Reference to other sections**

See also section 8 and 13

---

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

Avoid contact with skin and eyes, inhalation of vapours and mists.  
Use localized ventilation system.  
Don't use empty container before they have been cleaned.  
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.  
Contaminated clothing should be changed before entering eating areas.  
Do not eat or drink while working.  
See also section 8 for recommended protective equipment.

**Advice on general occupational hygiene:**

#### **7.2. Conditions for safe storage, including any incompatibilities**

The product must be stored in waterproof, dry, clean conditions and protected from contamination. Do not use aluminum containers due to incompatibility of the materials.

The product contains cement with an addition of a Chromium reducing agent (VI) and its effectiveness decreases with time. Consequently, packagings of the material indicate information about the production date, storing conditions and the appropriate storage period for the maintaining of the activity of the reducing agent and for maintaining the soluble Chromium (VI) amount under 2ppm over the total dry weight referred to cement (EN 196-10).

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

### 7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

---

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Community Occupational Exposure Limits (OEL)

|                                                      | OEL Type | Country                                              | Occupational Exposure Limit                                                                                                        |
|------------------------------------------------------|----------|------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Portland Cement (Cr VI < 0,0002%)<br>CAS: 65997-15-1 | ACGIH    |                                                      | Long Term: 1 mg/m <sup>3</sup> (8h)<br>E,R, A4 - Pulm func, resp symptoms, asthma                                                  |
|                                                      | NATIONAL | AUSTRALIA                                            | Long Term: 10 mg/m <sup>3</sup> (8h)<br>This value is for inhalable dust containing no asbestos and < 1% crystalline silica.       |
|                                                      | NATIONAL | BELGIUM                                              | Long Term: 1 mg/m <sup>3</sup><br>Source: Code du bien-être au travail, Livre VI, Titre 1er, Annexe VI.1-1                         |
|                                                      | NATIONAL | CROATIA                                              | Long Term: 10 mg/m <sup>3</sup><br>U<br>Source: NN 1/2021                                                                          |
|                                                      | NATIONAL | CROATIA                                              | Long Term: 4 mg/m <sup>3</sup><br>R<br>Source: NN 1/2021                                                                           |
|                                                      | NATIONAL | IRELAND                                              | Long Term: 1 mg/m <sup>3</sup><br>R<br>Source: 2021 Code of Practice                                                               |
|                                                      | NATIONAL | SPAIN                                                | Long Term: 4 mg/m <sup>3</sup><br>e, d<br>Source: LEP 2022                                                                         |
|                                                      | NATIONAL | AUSTRIA                                              | Long Term: 5 mg/m <sup>3</sup><br>MAK, E<br>Source: BGBl. II Nr. 156/2021                                                          |
|                                                      | NATIONAL | FINLAND                                              | Long Term: 5 mg/m <sup>3</sup><br>hengittyvä pöly<br>Source: HTP-ARVOT 2020                                                        |
|                                                      | NATIONAL | FINLAND                                              | Long Term: 1 mg/m <sup>3</sup><br>alveolijae<br>Source: HTP-ARVOT 2020                                                             |
|                                                      | NATIONAL | HUNGARY                                              | Long Term: 10 mg/m <sup>3</sup><br>N<br>Source: 5/2020. (II. 6.) ITM rendelet                                                      |
|                                                      | NATIONAL | LATVIA                                               | Long Term: 6 mg/m <sup>3</sup><br>Source: KN325P1                                                                                  |
|                                                      | NATIONAL | POLAND                                               | Long Term: 6 mg/m <sup>3</sup><br>4)<br>Source: Dz.U. 2018 poz. 1286                                                               |
|                                                      | NATIONAL | POLAND                                               | Long Term: 2 mg/m <sup>3</sup><br>6), 7)<br>Source: Dz.U. 2018 poz. 1286                                                           |
|                                                      | SUVA     | SWITZERLAND                                          | Long Term: 5 mg/m <sup>3</sup><br>TWA mg/m <sup>3</sup> : (i), S, Poumons Asthme / Lunge Asthma<br>Source: suva.ch/valeurs-limites |
|                                                      | WEL-EH40 | UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND | Long Term: 10 mg/m <sup>3</sup><br>Source: EH40/2005 Workplace exposure limits (Fourth Edition 2020)                               |

|                                               |                                                      |                                                                                                                                                            |  |
|-----------------------------------------------|------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| WEL-EH40                                      | UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND | Long Term: 4 mg/m3<br>Source: EH40/2005 Workplace exposure limits (Fourth Edition 2020)                                                                    |  |
|                                               |                                                      |                                                                                                                                                            |  |
| Flue Dust, Portland Cement<br>CAS: 68475-76-3 | NATIONAL AUSTRIA                                     | Long Term: 5 mg/m3<br>MAK, E<br>Source: BGBl. II Nr. 156/2021                                                                                              |  |
| Calcium dihydroxide<br>CAS: 1305-62-0         | ACGIH                                                | Long Term: 5 mg/m3 (8h)<br>Eye, URT and skin irr                                                                                                           |  |
|                                               | EU                                                   | Long Term: 1 mg/m3 (8h); Short Term: 4 mg/m3<br>Respirable fraction                                                                                        |  |
|                                               | NATIONAL AUSTRALIA                                   | Long Term: 5 mg/m3 (8h)                                                                                                                                    |  |
|                                               | NATIONAL BELGIUM                                     | Long Term: 1 mg/m3; Short Term: 4 mg/m3<br>Source: Code du bien-être au travail, Livre VI, Titre 1er, Annexe VI.1-1                                        |  |
|                                               | NATIONAL CROATIA                                     | Long Term: 1 mg/m3; Short Term: 4 mg/m3<br>R (14)<br>Source: 2017/164/EU                                                                                   |  |
|                                               | NATIONAL CYPRUS                                      | Long Term: 1 mg/m3; Short Term: 4 mg/m3<br>9 (2019)<br>Source: Οι περί Ασφάλειας και Υγείας στην Εργασία (Χημικοί Παράγοντες) Κανονισμοί του 2001 έως 2021 |  |
|                                               | NATIONAL GERMANY                                     | Long Term: 1 mg/m3<br>Y, EU, DFG, E, 2 (I)<br>Source: TRGS 900                                                                                             |  |
|                                               | NATIONAL GREECE                                      | Long Term: 1 mg/m3; Short Term: 4 mg/m3<br>9)<br>Source: Π.Δ. 82/2018 (ΦΕΚ 152/Α` 21.8.2018)                                                               |  |
|                                               | NATIONAL IRELAND                                     | Long Term: 1 mg/m3; Short Term: 4 mg/m3<br>IOELV, R<br>Source: 2021 Code of Practice                                                                       |  |
|                                               | NATIONAL ITALY                                       | Long Term: 1 mg/m3; Short Term: 4 mg/m3<br>Frazione respirabile<br>Source: D.lgs. 81/2008, Allegato XXXVIII                                                |  |
|                                               | NATIONAL LATVIA                                      | Long Term: 1 mg/m3; Short Term: 4 mg/m3<br>Source: KN325P1                                                                                                 |  |
|                                               | NATIONAL LUXEMBOURG                                  | Long Term: 5 mg/m3<br>11, 14<br>Source: Mémorial A n.226 du 22 mars 2021                                                                                   |  |
|                                               | NATIONAL LUXEMBOURG                                  | Long Term: 1 mg/m3; Short Term: 4 mg/m3<br>9, 14<br>Source: Mémorial A n.226 du 22 mars 2021                                                               |  |
|                                               | NATIONAL MALTA                                       | Long Term: 1 mg/m3; Short Term: 4 mg/m3<br>10<br>Source: S.L.424.24                                                                                        |  |
|                                               | NATIONAL PORTUGAL                                    | Long Term: 1 mg/m3<br>(9)<br>Source: Decreto-Lei n.º 1/2021                                                                                                |  |
|                                               | NATIONAL ROMANIA                                     | Long Term: 1 mg/m3; Short Term: 4 mg/m3<br>Frațiune respirabilă, Dir. 2017/164<br>Source: Republicarea 1 - nr. 743 din 29 iulie 2021                       |  |
|                                               | NATIONAL SLOVENIA                                    | Long Term: 1 mg/m3; Short Term: 4 mg/m3<br>Y, EU4, (A)<br>Source: UL št. 72, 11. 5. 2021                                                                   |  |
|                                               | NATIONAL SPAIN                                       | Long Term: 1 mg/m3; Short Term: 4 mg/m3<br>VLI, d<br>Source: LEP 2022                                                                                      |  |
|                                               | NATIONAL AUSTRIA                                     | Long Term: 1 mg/m3; Short Term: Ceiling - 4 mg/m3<br>5(Mow), 8x, MAK, E                                                                                    |  |

Source: GKV, BGBl. II Nr. 156/2021

|                           |                                                      |                                                                                                                                                              |
|---------------------------|------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NATIONAL                  | BULGARIA                                             | Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup><br>5<br>Source: НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г.                                         |
| NATIONAL                  | CZECHIA                                              | Long Term: 1 mg/m <sup>3</sup> ; Short Term: Ceiling - 4 mg/m <sup>3</sup><br>I, R<br>Source: Nařízení vlády č. 361-2007 Sb                                  |
| NATIONAL                  | DENMARK                                              | Long Term: 5 mg/m <sup>3</sup><br>E<br>Source: BEK nr 2203 af 29/11/2021                                                                                     |
| NATIONAL                  | DENMARK                                              | Long Term: 1 mg/m <sup>3</sup><br>E<br>Source: BEK nr 2203 af 29/11/2021                                                                                     |
| NATIONAL                  | ESTONIA                                              | Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup><br>1<br>Source: Vabariigi Valitsuse, 20. märtsi 2001. a määrus nr 105                       |
| NATIONAL                  | FINLAND                                              | Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup><br>Source: HTP-ARVOT 2020                                                                   |
| NATIONAL                  | FRANCE                                               | Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup><br>Source: INRS outil65, article R. 4412-149 du Code du travail                             |
| NATIONAL                  | HUNGARY                                              | Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup><br>resp, EU4, N<br>Source: 5/2020. (II. 6.) ITM rendelet                                    |
| NATIONAL                  | LITHUANIA                                            | Long Term: 5 mg/m <sup>3</sup><br>O<br>Source: 2011 m. rugsėjo 1 d. Nr. V-824/A1-389                                                                         |
| NATIONAL                  | NETHERLANDS                                          | Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup><br>(2)<br>Source: Arbeidsomstandighedenregeling - Lijst A                                   |
| NATIONAL                  | NORWAY                                               | Long Term: 1 mg/m <sup>3</sup><br>E<br>Source: FOR-2021-06-28-2248                                                                                           |
| NATIONAL                  | NORWAY                                               | Short Term: 4 mg/m <sup>3</sup><br>S<br>Source: FOR-2021-06-28-2248                                                                                          |
| NATIONAL                  | POLAND                                               | Long Term: 2 mg/m <sup>3</sup> ; Short Term: 6 mg/m <sup>3</sup><br>4)<br>Source: Dz.U. 2018 poz. 1286                                                       |
| NATIONAL                  | POLAND                                               | Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup><br>6)<br>Source: Dz.U. 2018 poz. 1286                                                       |
| NATIONAL                  | SLOVAKIA                                             | Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup><br>11)<br>Source: 355 NARIADENIE VLÁDY z 10. mája 2006                                      |
| NATIONAL                  | SWEDEN                                               | Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup><br>3<br>Source: AFS 2021:3                                                                  |
| SUVA                      | SWITZERLAND                                          | Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup><br>TWA mg/m <sup>3</sup> : (i), SSC, VRS / OAW, NIOSH<br>Source: suva.ch/valeurs-limites    |
| WEL-EH40                  | UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND | Long Term: 5 mg/m <sup>3</sup><br>Source: EH40/2005 Workplace exposure limits (Fourth Edition 2020)                                                          |
| Quartz<br>CAS: 14808-60-7 | EU                                                   | Long Term: 0.1 mg/m <sup>3</sup><br>Polvere di silice cristallina respirabile, frazione inalabile. (R), A2 - Pulm fibrosis, lung cancer. Directive 2017/2398 |
|                           | ACGIH                                                | Long Term: 0.025 mg/m <sup>3</sup> (8h)                                                                                                                      |

|          |             |                                                                                                                                                                   |
|----------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          |             | R, A2 - Pulm fibrosis, lung cancer                                                                                                                                |
| NATIONAL | AUSTRALIA   | Long Term: 0.05 mg/m3 (8h)<br>Respirable fraction                                                                                                                 |
| NATIONAL | HUNGARY     | Long Term: 0.1 mg/m3 (8h)<br>Respirable aerosol<br>Source: 5/2020. (II. 6.) ITM rendelet                                                                          |
| NATIONAL | INDIA       | Long Term: 10 mg/m3                                                                                                                                               |
| NATIONAL | IRELAND     | Long Term: 0.1 mg/m3 (8h)<br>Respirable fraction<br>Source: 2021 Code of Practice                                                                                 |
| NATIONAL | ITALY       | Long Term: 0.1 mg/m3 (8h)<br>Polvere di silice cristallina respirabile (frazione inalabile). D.Lgs 81/2008<br>Source: D.lgs. 81/2008, Allegato XXXVIII            |
| NATIONAL | SPAIN       | Long Term: 0.05 mg/m3 (8h)<br>Respirable fraction<br>Source: LEP 2022                                                                                             |
| NATIONAL | CROATIA     | Long Term: 0.1 mg/m3<br>Source: NN 1/2021                                                                                                                         |
| NATIONAL | AUSTRIA     | Long Term: 0.05 mg/m3<br>MAK, III C, A<br>Source: BGBl. II Nr. 156/2021                                                                                           |
| NATIONAL | BELGIUM     | Long Term: 0.1 mg/m3<br>C<br>Source: Code du bien-être au travail, Livre VI, Titre 1er, Annexe VI.1-1                                                             |
| NATIONAL | DENMARK     | Long Term: 0.3 mg/m3<br>Source: BEK nr 2203 af 29/11/2021                                                                                                         |
| NATIONAL | DENMARK     | Long Term: 0.1 mg/m3<br>EK<br>Source: BEK nr 2203 af 29/11/2021                                                                                                   |
| NATIONAL | ESTONIA     | Long Term: 0.1 mg/m3<br>1, C<br>Source: Vabariigi Valitsuse, 20. märtsi 2001. a määrus nr 105                                                                     |
| NATIONAL | FINLAND     | Long Term: 0.05 mg/m3<br>alveolijae, liite 3<br>Source: HTP-ARVOT 2020                                                                                            |
| NATIONAL | FRANCE      | Long Term: 0.1 mg/m3<br>La VLEP s'applique à la fraction alvéolaire. Forme de silice cristalline.<br>Source: INRS outil65, article R. 4412-149 du Code du travail |
| NATIONAL | LITHUANIA   | Long Term: 0.1 mg/m3<br>Žiūrėti 1 priedo 3 punktą.<br>Source: 2011 m. rugsėjo 1 d. Nr. V-824/A1-389                                                               |
| NATIONAL | NETHERLANDS | Long Term: 0.075 mg/m3<br>(2)<br>Source: Arbeidsomstandighedenregeling - Lijst B1                                                                                 |
| NATIONAL | NORWAY      | Long Term: 0.3 mg/m3<br>K 7<br>Source: FOR-2021-06-28-2248                                                                                                        |
| NATIONAL | NORWAY      | Long Term: 0.05 mg/m3<br>K G 7 21<br>Source: FOR-2021-06-28-2248                                                                                                  |
| NATIONAL | POLAND      | Long Term: 0.1 mg/m3<br>6)<br>Source: Dz.U. 2018 poz. 1286                                                                                                        |
| NATIONAL | SWEDEN      | Long Term: 0.1 mg/m3<br>C, M, 3<br>Source: AFS 2021:3                                                                                                             |
| SUVA     | SWITZERLAND | Long Term: 0.15 mg/m3<br>TWA mg/m3: (a), C1A, SSC, P, Cancpulm Silicose / Lugenkrebs Silikose, HSE NIOSH OSHA<br>Source: suva.ch/valeurs-limites                  |

### Predicted No Effect Concentration (PNEC) values

aluminous cement (Cr VI < 0,0002%)  
CAS: 65997-16-2 Exposure Route: Fresh Water; PNEC Limit: 260 mg/l

Exposure Route: Intermittent releases (fresh water); PNEC Limit: 260 mg/l

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 10 mg/l

Flue Dust, Portland Cement  
CAS: 68475-76-3

Exposure Route: Fresh Water; PNEC Limit: 282 µg/l

Exposure Route: Intermittent releases (fresh water); PNEC Limit: 282 µg/l

Exposure Route: Marine water; PNEC Limit: 28 µg/l

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 6 mg/kg

Exposure Route: Marine water sediments; PNEC Limit: 88 µg/kg

Exposure Route: Freshwater sediments; PNEC Limit: 875 µg/kg

Calcium dihydroxide  
CAS: 1305-62-0

Exposure Route: Fresh Water; PNEC Limit: 490 µg/l

Exposure Route: Intermittent releases (fresh water); PNEC Limit: 490 µg/l

Exposure Route: Marine water; PNEC Limit: 320 µg/l

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 3 mg/l

Exposure Route: Soil; PNEC Limit: 1080 mg/kg

### Derived No Effect Level (DNEL) values

aluminous cement (Cr VI < 0,0002%)  
CAS: 65997-16-2 Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects  
Worker Professional: 2.5 mg/m<sup>3</sup>

Flue Dust, Portland Cement  
CAS: 68475-76-3

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects  
Worker Professional: 840 µg/m<sup>3</sup>; Consumer: 840 µg/m<sup>3</sup>

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, local effects  
Worker Professional: 4 mg/m<sup>3</sup>

Calcium dihydroxide  
CAS: 1305-62-0

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects  
Worker Professional: 1 mg/m<sup>3</sup>; Consumer: 1 mg/m<sup>3</sup>

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, local effects  
Worker Professional: 4 mg/m<sup>3</sup>; Consumer: 4 mg/m<sup>3</sup>

## 8.2. Exposure controls

Eye protection:

Eye glasses with side protection.(EN166)

Protection for skin:

Chemical protection clothing. Safety shoes.

Protection for hands:

Protection for hands:

Suitable materials for safety gloves; EN 374:

Nitrile rubber - NBR: thickness ≥0,35mm; breakthrough time ≥480min.

Respiratory protection:

Particle filter P2 .

Thermal Hazards:

No data available

Environmental exposure controls:

Data not available.

Hygienic and Technical measures

N.A.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: Solid

Colour: Grey

Odour: Odourless

Odour threshold: N.A.

pH: >12.50<=13.00 Notes: 1%  
Kinematic viscosity: N.A.  
Melting point/freezing point: N.A.  
Boiling point or initial boiling point and boiling range: N.A.  
Flash point: > 93°C  
Lower and upper explosion limit: N.A.  
Relative vapour density: N.A.  
Vapour pressure: N.A.  
Density and/or relative density: 1.32 g/cm<sup>3</sup>  
Solubility in water: Slightly soluble  
Solubility in oil: N.A.  
Partition coefficient n-octanol/water (log value): N.A.  
Auto-ignition temperature: Not Relevant  
Decomposition temperature: Not Relevant  
Flammability: N.A.  
Volatile Organic compounds - VOCs = 0.00 % ; 0.00 g/l

**Particle characteristics:**

Particle size: N.A.

**9.2. Other information**

Not Relevant

No other relevant information

---

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

Stable under normal conditions

**10.2. Chemical stability**

The product is stable as long as it is properly stored (see Section 7).

Wet product is alkaline and incompatible with acids, with ammonium salts, with aluminium or other base metals. When in contact with hydrofluoric acid, mixtures containing cement dissolve to produce corrosive silicon tetrafluoride gas. Mixtures containing cement react with water to form silicates and calcium hydroxide. Silicates in cement react with powerful oxidizers such as fluorine, boron trifluoride, chlorine trifluoride, manganese trifluoride and oxygen difluoride.

Intact packaging and compliance with the appropriate storage conditions as indicated in Subsection 7.2 (adequate tightly closed and sealed containers, dry and cool place, no ventilation) are the essential conditions to keep the effectiveness of the reducing agent unaltered throughout the shelf life declared on bag.

**10.3. Possibility of hazardous reactions**

None.

**10.4. Conditions to avoid**

Stable under normal conditions.

**10.5. Incompatible materials**

Acids, ammonium salts, aluminium or other base metals. Uncontrolled use of aluminium dust in wet cement-containing products is to be avoided because it causes the production of hydrogen.

**10.6. Hazardous decomposition products**

None.

---

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Toxicological Information of the Preparation**

|                                      |                                                                                    |
|--------------------------------------|------------------------------------------------------------------------------------|
| a) acute toxicity                    | Not classified<br>Based on available data, the classification criteria are not met |
| b) skin corrosion/irritation         | The product is classified: Skin Irrit. 2(H315)                                     |
| c) serious eye damage/irritation     | The product is classified: Eye Dam. 1(H318)                                        |
| d) respiratory or skin sensitisation | The product is classified: Skin Sens. 1B(H317)                                     |
| e) germ cell mutagenicity            | Not classified<br>Based on available data, the classification criteria are not met |
| f) carcinogenicity                   | Not classified<br>Based on available data, the classification criteria are not met |
| g) reproductive toxicity             | Not classified<br>Based on available data, the classification criteria are not met |
| h) STOT-single exposure              | The product is classified: STOT SE 3(H335)                                         |
| i) STOT-repeated exposure            | Not classified                                                                     |

j) aspiration hazard Based on available data, the classification criteria are not met  
Not classified  
Based on available data, the classification criteria are not met

#### Toxicological information on main components of the mixture:

|                                    |                                      |                                                       |                  |
|------------------------------------|--------------------------------------|-------------------------------------------------------|------------------|
| aluminous cement (Cr VI < 0,0002%) | a) acute toxicity                    | LD50 Oral Rat > 2000 mg/kg                            |                  |
|                                    |                                      | LC50 Inhalation of aerosol Rat = 7.6 mg/l 1h          |                  |
|                                    |                                      | LD50 Skin Rat > 2000 mg/kg 24h                        |                  |
|                                    | b) skin corrosion/irritation         | Skin Irritant Negative                                |                  |
|                                    | c) serious eye damage/irritation     | Eye Irritant Rabbit Yes 24h                           |                  |
|                                    | d) respiratory or skin sensitisation | Skin Sensitization Guinea pig Negative                |                  |
|                                    | f) carcinogenicity                   | Genotoxicity Negative                                 | Mouse oral route |
|                                    | g) reproductive toxicity             | No Observed Adverse Effect Level Oral Rat = 266 mg/kg |                  |
| Flue Dust, Portland Cement         | a) acute toxicity                    | LD50 Oral Rat > 1848 mg/kg                            |                  |
|                                    |                                      | LC50 Inhalation Dust Rat > 6.04 mg/l 4h               |                  |
|                                    |                                      | LD50 Skin Rat >= 2000 mg/kg 24h                       |                  |
|                                    | b) skin corrosion/irritation         | Skin Irritant Negative                                |                  |
|                                    | c) serious eye damage/irritation     | Eye Irritant Yes                                      |                  |
|                                    | d) respiratory or skin sensitisation | Skin Sensitization Positive                           |                  |
|                                    | f) carcinogenicity                   | Genotoxicity Rat Negative                             |                  |
|                                    | g) reproductive toxicity             | No Observed Adverse Effect Level Oral Rat = 16 mg/kg  |                  |
| Calcium dihydroxide                | a) acute toxicity                    | LD50 Oral Rat > 2000 mg/kg                            |                  |
|                                    |                                      | LC50 Inhalation Dust Rat > 6.04 mg/l 4h               |                  |
|                                    |                                      | LD50 Skin Rabbit > 2500 mg/kg                         |                  |
|                                    | b) skin corrosion/irritation         | Skin Irritant Rabbit Positive                         |                  |
|                                    | c) serious eye damage/irritation     | Eye Irritant Rabbit Yes                               |                  |
|                                    | d) respiratory or skin sensitisation | Skin Sensitization Negative                           |                  |
|                                    | f) carcinogenicity                   | Carcinogenicity Oral Rat = 517 mg/kg                  | NOAEL            |
| Quartz                             | a) acute toxicity                    | LD50 Oral > 2000 mg/kg                                |                  |

#### 11.2. Information on other hazards

##### Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

## SECTION 12: Ecological information

### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

#### List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

No data available for the product

#### List of Eco-Toxicological properties of the components

| Component                          | Ident. Numb.                        | Ecotox Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------------|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| aluminous cement (Cr VI < 0,0002%) | CAS: 65997-16-2 - EINECS: 266-045-5 | a) Aquatic acute toxicity : LC50 Fish freshwater fish = 100 mg/L<br><br>a) Aquatic acute toxicity : LC50 freshwater invertebrates = 8.5 mg/L<br>a) Aquatic acute toxicity : LC50 Algae freshwater algae = 5.84 mg/L<br>a) Aquatic acute toxicity : EC50 microorganisms = 1000 mg/L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Flue Dust, Portland Cement         | CAS: 68475-76-3 - EINECS: 270-659-9 | a) Aquatic acute toxicity : NOEC Fish zebrafish = 11.1 mg/L 96h ECHA<br><br>a) Aquatic acute toxicity : LC50 Daphnia Daphnia magna = 100 mg/L 48h OECD 202<br><br>b) Aquatic chronic toxicity : NOELR Daphnia Daphnia magna = 50 mg/L 48h OECD 211<br><br>b) Aquatic chronic toxicity : EL10 Daphnia Daphnia magna = 68.2 mg/L 48h OECD 211 - 21 days<br><br>a) Aquatic acute toxicity : EC50 Algae Desmodesmus subspicatus = 28.2 mg/L 72h OECD 20<br><br>a) Aquatic acute toxicity : EC50 Sludge activated sludge = 596 mg/L OECD Guideline No. 209<br><br>b) Aquatic chronic toxicity : EC50 = 9931 mg/kg „PARCOM (1994): MAFF/ERT Harmonised Protocol: A sediment Bioassay using an Amphipod, Corophium sp. Draft 1994. - sediment<br><br>d) Terrestrial toxicity : EC50 Worm Eisenia fetida = 1000 mg/kg „OECD Guideline 207 (Earthworm, Acute Toxicity Tests) |
| Calcium dihydroxide                | CAS: 1305-62-0 - EINECS: 215-137-3  | a) Aquatic acute toxicity : LC50 Fish rainbow trout = 50.6 mg/L 96h<br><br>a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = 49.1 mg/L 48h<br>b) Aquatic chronic toxicity : NOEC Crangon septemspinosa = 32 mg/L 48h - 14days<br><br>a) Aquatic acute toxicity : EC50 Algae Pseudokirchneriella subcapitata = 184.57 mg/L 72h „OECD Guideline 201 (Alga, Growth Inhibition Test)<br><br>a) Aquatic acute toxicity : EC50 Sludge activated sludge = 300.4 mg/L 3h „OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)<br><br>d) Terrestrial toxicity : NOEC Worm Eisenia fetida = 2000 mg/kg „OECD Guideline 207 (Earthworm, Acute Toxicity Tests)<br><br>d) Terrestrial toxicity : EC10 soil microorganisms = 4000 mg/kg „Guideline: BBA VI, 1-1 (1990) under consideration of OECD 216 (2000) and OECD 217 (2000).                          |

## 12.2. Persistence and degradability

N.A.

## 12.3. Bioaccumulative potential

N.A.

## 12.4. Mobility in soil

N.A.

## 12.5. Results of PBT and vPvB assessment

No PBT or vPvB substances present in concentration  $\geq 0.1\%$

## 12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration  $\geq 0.1\%$

## 12.7. Other adverse effects

N.A.

# SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force. Disposal through discharge into wastewater is not permitted

A waste code according to the European List of Wastes (LoW) cannot be specified, due to dependence on the usage. Contact an authorized waste disposal service.

The product disposed of as such, pursuant to Regulation (EU) 1357/2014, must be classified as hazardous waste

---

## SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

### 14.1. UN number or ID number

N/A

### 14.2. UN proper shipping name

ADR-Shipping Name: N/A

IATA-Technical name: N/A

IMDG-Technical name: N/A

### 14.3. Transport hazard class(es)

IATA-Class: N/A

IMDG-Class: N/A

### 14.4. Packing group

IATA-Packing group: N/A

IMDG-Packing group: N/A

### 14.5. Environmental hazards

N.A.

IMDG-EMS: N/A

### 14.6. Special precautions for user

Road and Rail (ADR-RID):

ADR-Label: N/A

ADR - Hazard identification number: N/A

ADR-Special Provisions: N/A

ADR-Transport category (Tunnel restriction code): N/A

ADR Limited Quantities: N/A

ADR Excepted Quantities: N/A

Air (IATA):

IATA-Passenger Aircraft: N/A

IATA-Cargo Aircraft: N/A

IATA-Label: N/A

IATA-Subsidiary hazards: N/A

IATA-Erg: N/A

IATA-Special Provisions: N/A

Sea (IMDG):

IMDG-Stowage Code: N/A

IMDG-Stowage Note: N/A

IMDG-Subsidiary hazards: N/A

IMDG-Special Provisions: N/A

### 14.7. Maritime transport in bulk according to IMO instruments

N.A.

---

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EN 196-10 – "Methods of Testing Cement - Part 10: Determination of the water-soluble chromium (VI) content of cement"

According to Annex XVII, Point 47, under Regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as amended by Regulation No. 552/2009, cement and mixtures containing cement shall not be placed on the market or used if they contain, after mixing with water, more than 0.0002% (2 ppm) of soluble chromium (VI) of the total dry weight of the cement. Compliance with this threshold limit is ensured through the introduction of a reducing agent into the preparation, the effectiveness of which is guaranteed for a certain period of time (shelf life), and the maintenance of the appropriate storage conditions (see Subsection 7.2 and Section 10).

Cement is a mixture and, as such, is not subject to REACH registration, which is mandatory for substances. Cement clinker is a substance, but it is exempt from registration pursuant to article 2.7 (b) and Annex V.10 of REACH.

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)  
Regulation (EU) n. 487/2013 (ATP 4 CLP)  
Regulation (EU) n. 944/2013 (ATP 5 CLP)  
Regulation (EU) n. 605/2014 (ATP 6 CLP)  
Regulation (EU) n. 2015/1221 (ATP 7 CLP)  
Regulation (EU) n. 2016/918 (ATP 8 CLP)  
Regulation (EU) n. 2016/1179 (ATP 9 CLP)  
Regulation (EU) n. 2017/776 (ATP 10 CLP)  
Regulation (EU) n. 2018/669 (ATP 11 CLP)  
Regulation (EU) n. 2018/1480 (ATP 13 CLP)  
Regulation (EU) n. 2019/521 (ATP 12 CLP)  
Regulation (EU) n. 2020/217 (ATP 14 CLP)  
Regulation (EU) n. 2020/1182 (ATP 15 CLP)  
Regulation (EU) n. 2021/643 (ATP 16 CLP)  
Regulation (EU) n. 2021/849 (ATP 17 CLP)  
Regulation (EU) n. 2022/692 (ATP 18 CLP)  
Regulation (EU) n. 2020/878  
Regulation (EC) nr 648/2004 (Detergents).  
Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:  
Restrictions related to the product: None.  
Restrictions related to the substances contained: 75  
Provisions related to directive EU 2012/18 (Seveso III):

None  
**Explosives precursors – Regulation 2019/1148**

No substances listed  
**Regulation (EU) No 649/2012 (PIC regulation)**

No substances listed  
**German Water Hazard Class.**  
3: Severe hazard to waters  
**German Lagerklasse according to TRGS 510:**  
LGK 11

SVHC Substances:  
No SVHC substances present in concentration >= 0.1%

**15.2. Chemical safety assessment**  
No Chemical Safety Assessment has been carried out for the mixture.  
**Substances for which a Chemical Safety Assessment has been carried out:**  
Flue Dust, Portland Cement  
Calcium dihydroxide

**SECTION 16: Other information**

| Code     | Description                                                     |                                                                |
|----------|-----------------------------------------------------------------|----------------------------------------------------------------|
| H315     | Causes skin irritation.                                         |                                                                |
| H317     | May cause an allergic skin reaction.                            |                                                                |
| H318     | Causes serious eye damage.                                      |                                                                |
| H335     | May cause respiratory irritation.                               |                                                                |
| H372     | Causes damage to organs through prolonged or repeated exposure. |                                                                |
| Code     | Hazard class and hazard category                                | Description                                                    |
| 3.2/2    | Skin Irrit. 2                                                   | Skin irritation, Category 2                                    |
| 3.3/1    | Eye Dam. 1                                                      | Serious eye damage, Category 1                                 |
| 3.4.2/1  | Skin Sens. 1                                                    | Skin Sensitisation, Category 1                                 |
| 3.4.2/1B | Skin Sens. 1B                                                   | Skin Sensitisation, Category 1B                                |
| 3.8/3    | STOT SE 3                                                       | Specific target organ toxicity — single exposure, Category 3   |
| 3.9/1    | STOT RE 1                                                       | Specific target organ toxicity — repeated exposure, Category 1 |

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

**Classification according to Regulation (EC) Nr. 1272/2008**      **Classification procedure**

|                     |                            |
|---------------------|----------------------------|
| Skin Irrit. 2, H315 | Calculation method         |
| Eye Dam. 1, H318    | On basis of test data (pH) |
| Skin Sens. 1B, H317 | Calculation method         |
| STOT SE 3, H335     | Calculation method         |

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAHF: Keep Away From Heat

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low

N.A.: Not Applicable

N/A: Not Applicable

N/D: Not defined/ Not available


NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level  
OSHA: Occupational Safety and Health Administration  
PBT: Persistent, Bioaccumulative and Toxic  
PGK: Packaging Instruction  
PNEC: Predicted No Effect Concentration.  
PSG: Passengers  
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.  
STEL: Short Term Exposure limit.  
STOT: Specific Target Organ Toxicity.  
TLV: Threshold Limiting Value.  
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).  
vPvB: Very Persistent, Very Bioaccumulative.  
WGK: German Water Hazard Class.

**Paragraphs modified from the previous revision:**

- SECTION 1: Identification of the substance/mixture and of the company/undertaking
- SECTION 2: Hazards identification
- SECTION 3: Composition/information on ingredients
- SECTION 4: First aid measures
- SECTION 7: Handling and storage
- SECTION 8: Exposure controls/personal protection
- SECTION 9: Physical and chemical properties
- SECTION 11: Toxicological information
- SECTION 12: Ecological information
- SECTION 13: Disposal considerations
- SECTION 14: Transport information
- SECTION 15: Regulatory information
- SECTION 16: Other information



## Exposure Scenario

### Calcium dihydroxide

## Exposure Scenario, 24/06/2021

| Substance identity  |                     |
|---------------------|---------------------|
|                     | Calcium dihydroxide |
| CAS No.             | 1305-62-0           |
| EINECS No.          | 215-137-3           |
| Registration number | 01-2119475151-45    |

## Table of contents

1. **ES 1** Widespread use by professional workers; Various products (PC9a, PC9b, PC15)

|                                                                                                                                                                                |                                                                                                                                                        |                                                                             |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|--|
| 1. ES 1                                                                                                                                                                        |                                                                                                                                                        | Widespread use by professional workers; Various products (PC9a, PC9b, PC15) |  |
| <b>1.1 TITLE SECTION</b>                                                                                                                                                       |                                                                                                                                                        |                                                                             |  |
| Exposure Scenario name                                                                                                                                                         | Professional application of coatings and inks - Use in rigid foams, coatings, adhesives and sealants                                                   |                                                                             |  |
| Date - Version                                                                                                                                                                 | 24/06/2021 - 1.0                                                                                                                                       |                                                                             |  |
| Life Cycle Stage                                                                                                                                                               | Widespread use by professional workers                                                                                                                 |                                                                             |  |
| Main user group                                                                                                                                                                | Professional uses                                                                                                                                      |                                                                             |  |
| Sector(s) of use                                                                                                                                                               | Professional uses (SU22)                                                                                                                               |                                                                             |  |
| Product Categories                                                                                                                                                             | Coatings and paints, thinners, paint removers (PC9a) - Fillers, putties, plasters, modelling clay (PC9b) - Non-metal surface treatment products (PC15) |                                                                             |  |
| <b>Environment Contributing Scenario</b>                                                                                                                                       |                                                                                                                                                        |                                                                             |  |
| CS1                                                                                                                                                                            | ERC8c - ERC8f                                                                                                                                          |                                                                             |  |
| <b>Worker Contributing Scenario</b>                                                                                                                                            |                                                                                                                                                        |                                                                             |  |
| CS2 Material transfers                                                                                                                                                         | PROC8a                                                                                                                                                 |                                                                             |  |
| CS3 Hand application - finger paints, pastels, adhesives - Rolling, Brushing                                                                                                   | PROC10                                                                                                                                                 |                                                                             |  |
| CS4 Mixing operations - Manual                                                                                                                                                 | PROC19                                                                                                                                                 |                                                                             |  |
| <b>1.2 Conditions of use affecting exposure</b>                                                                                                                                |                                                                                                                                                        |                                                                             |  |
| <b>1.2. CS1: Environment Contributing Scenario (ERC8c, ERC8f)</b>                                                                                                              |                                                                                                                                                        |                                                                             |  |
| Environmental release categories                                                                                                                                               | Widespread use leading to inclusion into/onto article (indoor) - Widespread use leading to inclusion into/onto article (outdoor) (ERC8c, ERC8f)        |                                                                             |  |
| <i>Product (article) characteristics</i>                                                                                                                                       |                                                                                                                                                        |                                                                             |  |
| <b>Physical form of product:</b><br>Solid, medium dustiness                                                                                                                    |                                                                                                                                                        |                                                                             |  |
| <b>Vapour pressure:</b><br>< 1E-05 Pa                                                                                                                                          |                                                                                                                                                        |                                                                             |  |
| <b>1.2. CS2: Worker Contributing Scenario: Material transfers (PROC8a)</b>                                                                                                     |                                                                                                                                                        |                                                                             |  |
| Process Categories                                                                                                                                                             | Transfer of substance or mixture (charging and discharging) at non-dedicated facilities (PROC8a)                                                       |                                                                             |  |
| <i>Product (article) characteristics</i>                                                                                                                                       |                                                                                                                                                        |                                                                             |  |
| <b>Physical form of product:</b><br>Solid, medium dustiness                                                                                                                    |                                                                                                                                                        |                                                                             |  |
| <i>Amount used, frequency and duration of use/exposure</i>                                                                                                                     |                                                                                                                                                        |                                                                             |  |
| <b>Duration:</b><br>Exposure duration <= 480 min                                                                                                                               |                                                                                                                                                        |                                                                             |  |
| <i>Technical and organisational conditions and measures</i>                                                                                                                    |                                                                                                                                                        |                                                                             |  |
| <b>Technical and organisational measures</b>                                                                                                                                   |                                                                                                                                                        |                                                                             |  |
| Ensure operatives are trained to minimise exposures.<br>Avoid direct eye contact with product, also via contamination on hands.<br>Do not ingest.<br>Local exhaust ventilation |                                                                                                                                                        | Inhalation - minimum efficiency of: 72 %                                    |  |
| <i>Conditions and measures related to personal protection, hygiene and health evaluation</i>                                                                                   |                                                                                                                                                        |                                                                             |  |

|                                                                                                                                                                                                                           |                                                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| <b>Personal protection</b><br>Wear suitable gloves tested to EN374.<br>Use suitable eye protection.<br>Wear suitable face shield.                                                                                         |                                                   |
| <i>Other conditions affecting worker exposure</i>                                                                                                                                                                         |                                                   |
| Covers indoor and outdoor use<br>Professional use<br><b>Temperature:</b> Covers use at ambient temperatures.<br><b>Body parts exposed:</b><br>Assumes that potential dermal contact is limited to upper part of the body. |                                                   |
| <i>Additional good practice advice. Obligations according to Article 37(4) of REACH do not apply.</i>                                                                                                                     |                                                   |
| <b>Additional Good Practice Advice:</b><br>Ensure control measures are regularly inspected and maintained. Open doors and windows. Prevent leaks and prevent soil / water pollution caused by leaks.                      |                                                   |
| <b>1.2. CS3: Worker Contributing Scenario: Hand application - finger paints, pastels, adhesives - Rolling, Brushing (PROC10)</b>                                                                                          |                                                   |
| <b>Process Categories</b>                                                                                                                                                                                                 | Roller application or brushing (PROC10)           |
| <i>Product (article) characteristics</i>                                                                                                                                                                                  |                                                   |
| <b>Physical form of product:</b><br>Solid, medium dustiness                                                                                                                                                               |                                                   |
| <i>Amount used, frequency and duration of use/exposure</i>                                                                                                                                                                |                                                   |
| <b>Duration:</b><br>Exposure duration <= 480 min                                                                                                                                                                          |                                                   |
| <i>Technical and organisational conditions and measures</i>                                                                                                                                                               |                                                   |
| <b>Technical and organisational measures</b><br>Ensure operatives are trained to minimise exposures.<br>Avoid direct eye contact with product, also via contamination on hands.<br>Do not ingest.                         |                                                   |
| <i>Conditions and measures related to personal protection, hygiene and health evaluation</i>                                                                                                                              |                                                   |
| <b>Personal protection</b><br>Wear suitable gloves tested to EN374.<br>Use suitable eye protection.<br>Wear suitable face shield.                                                                                         |                                                   |
| <i>Other conditions affecting worker exposure</i>                                                                                                                                                                         |                                                   |
| Covers indoor and outdoor use<br>Professional use<br><b>Temperature:</b> Covers use at ambient temperatures.                                                                                                              |                                                   |
| <i>Additional good practice advice. Obligations according to Article 37(4) of REACH do not apply.</i>                                                                                                                     |                                                   |
| <b>Additional Good Practice Advice:</b><br>Ensure control measures are regularly inspected and maintained. Prevent leaks and prevent soil / water pollution caused by leaks.                                              |                                                   |
| <b>1.2. CS4: Worker Contributing Scenario: Mixing operations - Manual (PROC19)</b>                                                                                                                                        |                                                   |
| <b>Process Categories</b>                                                                                                                                                                                                 | Manual activities involving hand contact (PROC19) |
| <i>Product (article) characteristics</i>                                                                                                                                                                                  |                                                   |
| <b>Physical form of product:</b><br>Solid, medium dustiness                                                                                                                                                               |                                                   |
| <i>Amount used, frequency and duration of use/exposure</i>                                                                                                                                                                |                                                   |
| <b>Duration:</b><br>Exposure duration <= 240 min                                                                                                                                                                          |                                                   |
| <i>Technical and organisational conditions and measures</i>                                                                                                                                                               |                                                   |
| <b>Technical and organisational measures</b><br>Ensure operatives are trained to minimise exposures.<br>Avoid direct eye contact with product, also via contamination on hands.<br>Do not ingest.                         |                                                   |

Local exhaust ventilation  
Provide a good standard of general ventilation (not less than 3 to 5 air changes per hour).

### *Conditions and measures related to personal protection, hygiene and health evaluation*

#### **Personal protection**

Wear suitable gloves tested to EN374.  
Use suitable eye protection.  
Wear suitable face shield.

#### *Other conditions affecting worker exposure*

Outdoor use  
Professional use

**Temperature:** Covers use at ambient temperatures.

#### **Body parts exposed:**

Assumes that potential dermal contact is limited to upper part of the body.

*Additional good practice advice. Obligations according to Article 37(4) of REACH do not apply.*

#### **Additional Good Practice Advice:**

Ensure control measures are regularly inspected and maintained. Open doors and windows. Prevent leaks and prevent soil / water pollution caused by leaks.

## 1.3 Exposure estimation and reference to its source

### 1.3. CS1: Environment Contributing Scenario (ERC8c, ERC8f)

| protection target | Exposure level | Calculation method | Risk Characterization Ratio (RCR) |
|-------------------|----------------|--------------------|-----------------------------------|
| soil              | N/A            | N/A                | = 0.65                            |

### 1.3. CS2: Worker Contributing Scenario: Material transfers (PROC8a)

| Exposure route, Health effect, Exposure indicator | Exposure level        | Calculation method | Risk Characterization Ratio (RCR) |
|---------------------------------------------------|-----------------------|--------------------|-----------------------------------|
| inhalative                                        | < 1 mg/m <sup>3</sup> | MEASE              | N/A                               |

### 1.3. CS3: Worker Contributing Scenario: Hand application - finger paints, pastels, adhesives - Rolling, Brushing (PROC10)

| Exposure route, Health effect, Exposure indicator | Exposure level        | Calculation method | Risk Characterization Ratio (RCR) |
|---------------------------------------------------|-----------------------|--------------------|-----------------------------------|
| inhalative                                        | < 1 mg/m <sup>3</sup> | MEASE              | N/A                               |

#### **Additional information on exposure estimation:**

If repeated and/or prolonged skin exposure to the substance is likely, then wear suitable gloves tested to EN374.

### 1.3. CS4: Worker Contributing Scenario: Mixing operations - Manual (PROC19)


| Exposure route, Health effect, Exposure indicator | Exposure level        | Calculation method | Risk Characterization Ratio (RCR) |
|---------------------------------------------------|-----------------------|--------------------|-----------------------------------|
| inhalative                                        | < 1 mg/m <sup>3</sup> | MEASE              | N/A                               |

## 1.4 Guidance to DU to evaluate whether he works inside the boundaries set by the ES

#### **Guidance to check compliance with the exposure scenario:**

Where other risk management measures/operational conditions are adopted, then users should ensure that risks are managed to at least

equivalent levels.



## Exposure Scenario

### Flue dust, portland cement

## Exposure Scenario, 08/06/2021

| Substance identity  |                            |
|---------------------|----------------------------|
|                     | Flue dust, portland cement |
| CAS No.             | 68475-76-3                 |
| EINECS No.          | 270-659-9                  |
| Registration number | 01-2119486767-17           |

## Table of contents

1. **ES 1** Widespread use by professional workers; Various products (PC9b, PC9a, PC1, PC15)

|                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|--|
| 1. ES 1                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Widespread use by professional workers; Various products (PC9b, PC9a, PC1, PC15) |  |
| <b>1.1 TITLE SECTION</b>                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |  |
| Exposure Scenario name                                                                                                                                                                                                                                                                                                                                                                     | Road and construction applications - Professional use of floor care products - Tackifier                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                  |  |
| Date - Version                                                                                                                                                                                                                                                                                                                                                                             | 25/03/2021 - 1.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                  |  |
| Life Cycle Stage                                                                                                                                                                                                                                                                                                                                                                           | Widespread use by professional workers                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                  |  |
| Main user group                                                                                                                                                                                                                                                                                                                                                                            | Professional uses                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                  |  |
| Sector(s) of use                                                                                                                                                                                                                                                                                                                                                                           | Professional uses (SU22)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                  |  |
| Product Categories                                                                                                                                                                                                                                                                                                                                                                         | Fillers, putties, plasters, modelling clay (PC9b) - Coatings and paints, thinners, paint removers (PC9a) - Adhesives, sealants (PC1) - Non-metal surface treatment products (PC15)                                                                                                                                                                                                                                                                                                                                  |                                                                                  |  |
| Article Category(ies)                                                                                                                                                                                                                                                                                                                                                                      | Stone, plaster, cement, glass and ceramic articles: Large surface area articles (AC4a)                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                  |  |
| <b>Environment Contributing Scenario</b>                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |  |
| CS1 Low environmental release                                                                                                                                                                                                                                                                                                                                                              | ERC2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                  |  |
| <b>Worker Contributing Scenario</b>                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |  |
| CS2 Mixing operations - Transfer from/pouring from containers - Hand application - finger paints, pastels, adhesives - Filling of equipment from drums or containers - Manual - Equipment cleaning and maintenance - Roller, spreader, flow application - Equipment maintenance                                                                                                            | PROC5 - PROC8a - PROC8b - PROC10 - PROC11 - PROC19 - PROC26 - PROC28                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                  |  |
| <b>1.2 Conditions of use affecting exposure</b>                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |  |
| <b>1.2. CS1: Environment Contributing Scenario: Low environmental release (ERC2)</b>                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |  |
| Environmental release categories                                                                                                                                                                                                                                                                                                                                                           | Formulation into mixture (ERC2)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |  |
| <i>Product (article) characteristics</i>                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |  |
| <b>Physical form of product:</b><br>Solid, very high dustiness                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |  |
| <b>Vapour pressure:</b><br>< 1E-05 Pa                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |  |
| <b>1.2. CS2: Worker Contributing Scenario: Mixing operations - Transfer from/pouring from containers - Hand application - finger paints, pastels, adhesives - Filling of equipment from drums or containers - Manual - Equipment cleaning and maintenance - Roller, spreader, flow application - Equipment maintenance (PROC5, PROC8a, PROC8b, PROC10, PROC11, PROC19, PROC26, PROC28)</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |  |
| Process Categories                                                                                                                                                                                                                                                                                                                                                                         | Mixing or blending in batch processes - Transfer of substance or mixture (charging and discharging) at non-dedicated facilities - Transfer of substance or mixture (charging and discharging) at dedicated facilities - Roller application or brushing - Non industrial spraying - Manual activities involving hand contact - Handling of solid inorganic substances at ambient temperature - Manual maintenance (cleaning and repair) of machinery (PROC5, PROC8a, PROC8b, PROC10, PROC11, PROC19, PROC26, PROC28) |                                                                                  |  |
| <i>Product (article) characteristics</i>                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |  |
| <b>Physical form of product:</b><br>Solid, very high dustiness<br>Solid in solution<br>pasty                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |  |
| <b>Concentration of substance in product:</b><br>Covers percentage substance in the product up to 5 %.                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |  |
| <i>Amount used, frequency and duration of use/exposure</i>                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |  |
| <b>Duration:</b><br>Exposure duration <= 480 min                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |  |
| <b>Frequency:</b>                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |  |

Use frequency = 8 h/event

### *Technical and organisational conditions and measures*

#### **Technical and organisational measures**

Supervision in place to check that the risk management measures in place are being used correctly and operation conditions followed.  
Other skin protection measures such as impervious suits and face shields may be required during high dispersion activities which are likely to lead to substantial aerosol release, e.g. spraying.  
Ensure operatives are trained to minimise exposures.  
For measures to control risks from physicochemical properties, refer to main body of the SDS, section 7 and/or 8.  
Do not ingest.

### *Conditions and measures related to personal protection, hygiene and health evaluation*

#### **Personal protection**

Wear suitable gloves tested to EN374.  
Use eye protection according to EN 166.  
Wear a respirator conforming to EN140.

### *Other conditions affecting worker exposure*

Covers indoor and outdoor use  
Professional use

**Temperature:** Covers use at ambient temperatures. 23°C

#### **Body parts exposed:**

Assumes that potential dermal contact is limited to hands and forearms.

### *Additional good practice advice. Obligations according to Article 37(4) of REACH do not apply.*

#### **Additional Good Practice Advice:**

Ensure regular inspection, cleaning and maintenance of equipment and machines. Ensure procedures and training for emergency decontamination and disposal are in place. Ensure control measures are regularly inspected and maintained.

## 1.3 Exposure estimation and reference to its source

**1.3. CS2: Worker Contributing Scenario: Mixing operations - Transfer from/pouring from containers - Hand application - finger paints, pastels, adhesives - Filling of equipment from drums or containers - Manual - Equipment cleaning and maintenance - Roller, spreader, flow application - Equipment maintenance (PROC5, PROC8a, PROC8b, PROC10, PROC11, PROC19, PROC26, PROC28)**

| Exposure route, Health effect, Exposure indicator | Exposure level        | Calculation method | Risk Characterization Ratio (RCR) |
|---------------------------------------------------|-----------------------|--------------------|-----------------------------------|
| inhalative, local, short-term                     | < 1 mg/m <sup>3</sup> | MEASE              | <= 0.83                           |

#### **Additional information on exposure estimation:**

Available hazard data do not enable the derivation of a DNEL for dermal irritant effects.

## 1.4 Guidance to DU to evaluate whether he works inside the boundaries set by the ES

#### **Guidance to check compliance with the exposure scenario:**

Where other risk management measures/operational conditions are adopted, then users should ensure that risks are managed to at least equivalent levels.