

Safety Data Sheet

Skladno z Uredbo ES št. 1907/2006 (REACH), Člen 31, Priloga II, kot spremenjeno z Uredbo Komisije (EU) št. 2020/878

GRINTAK M

Date of first edition: 14. 10. 2020

Safety Data Sheet dated 29/07/2026 version 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Mixture identification:

Trade name: GRINTAK M

Trade code: S100B0207 60

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Lepila / tesnilne mase za prožne materiale in tekstil

Uses advised against: Uporabe, ki niso priporočene

1.3. Details of the supplier of the safety data sheet

Company: KERAKOLL S.p.A.

Via dell'Artigianato, 9

41049 Sassuolo (MODENA) - ITALY

Tel. +39 0536 816511 Fax. +39 0536816581

safety@kerakoll.com

1.4. Emergency telephone number

112 v primeru zastrupitve v sil/ in case of emergency poisoning

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) n. 1272/2008 (CLP)**

The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).

Special Provisions:

EUH208 Contains 1,2-benzizotiazol-3(2H)-on; 1,2-benzizotiazolin-3-on. May produce an allergic reaction.

EUH208 Contains reakcijska zmes 5-kloro-2-metil-2h-izotiazol-3-ona in 2-metil-2h-izotiazol-3-ona (3:1). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Special provisions according to Annex XVII of REACH and subsequent amendments:

Nobena

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards: Vsebuje biocidni proizvod: C(M)IT/MIT (3:1)

; BIT; Označevanje proizvoda je v skladu z 58. členom Uredbe EU št. 528/2012 in kasnejšimi spremembami. Preprečiti je treba morebitno izpostavljenost kože. Potrebna je uporaba zaščitnih rokavic in delovnih oblačil. Preprečite izpust izdelka v okolje. Vode za pranje delovnih pripomočkov se ne sme zlivati po tleh ali v površinske vode

SECTION 3: Composition/information on ingredients**3.1. Substances**

N.A.

3.2. Mixtures

Mixture identification: GRINTAK M

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb.	Classification	Registration Number
-----	------	--------------	----------------	---------------------

≥3-<5 %	Propane-1,2-diol, propoxylated	CAS:25322-69-4 EC:500-039-8	Acute Tox. 4, H302
<0.01 %	1,2-benzizotiazol-3(2H)-on; 1,2-benzizotiazolin-3-on	CAS:2634-33-5 EC:220-120-9 Index:613-088-00-6	Acute Tox. 2, H330; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Dam. 1, H318; Skin Sens. 1A, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410, M-Chronic:1, M-Acute:1 Specific Concentration Limits: C ≥ 0.036%: Skin Sens. 1A H317 Acute Toxicity Estimate: ATE - Oral: 450mg/kg bw ATE - Inhalation (Dust/mist): 0.21mg/l
<0.0015 %	reakcijska zmes 5-kloro-2-metil-2h-izotiazol-3-ona in 2-metil-2h-izotiazol-3-ona (3:1)	CAS:55965-84-9 Index:613-167-00-5	Acute Tox. 2, H330; Acute Tox. 2, H310; Acute Tox. 3, H301; Skin Corr. 1C, H314; Eye Dam. 1, H318; Skin Sens. 1A, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410, M-Chronic:100, M-Acute:100, EUH071 Specific Concentration Limits: C ≥ 0.6%: Skin Corr. 1C H314 0.06% ≤ C < 0.6%: Skin Irrit. 2 H315 C ≥ 0.6%: Eye Dam. 1 H318 0.06% ≤ C < 0.6%: Eye Irrit. 2 H319 C ≥ 0.0015%: Skin Sens. 1A H317

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and label hazardous.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

N.A.

4.3. Indication of any immediate medical attention and special treatment needed

N.A.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

- Wear personal protection equipment.
- Remove persons to safety.
- See protective measures under point 7 and 8.

For emergency responders:

- Wear personal protection equipment.

6.2. Environmental precautions

- Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
- Retain contaminated washing water and dispose it.
- In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
- Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

- Suitable material for taking up: absorbing material, organic, sand
- Wash with plenty of water.

6.4. Reference to other sections

- See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Avoid contact with skin and eyes, inhalation of vapours and mists.
- Do not eat or drink while working.
- See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials:

- None in particular.

Instructions as regards storage premises:

- Adequately ventilated premises.

7.3. Specific end use(s)

Recommendation(s)

- None in particular

Industrial sector specific solutions:

- None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Community Occupational Exposure Limits (OEL)

Calcium Carbonate

CAS: 471-34-1	NATION Francija AL	Long Term: 10 mg/m ³ Source: INRS outil65
	NATION Hrvatska AL	Long Term: 10 mg/m ³ Notes: U Source: NN 1/2021
		Long Term: 4 mg/m ³ Notes: R Source: NN 1/2021
	NATION Mađarska AL	Long Term: 10 mg/m ³ Notes: inhalable aerosol Source: 5/2020. (II. 6.) ITM
	NATION Irska AL	Long Term: 10 mg/m ³ Notes: Inhalable fraction Source: 2021 Code of Practice
		Long Term: 4 mg/m ³ Notes: Respirable fraction Source: 2021 Code of Practice
	NATION Latvija AL	Long Term: 6 mg/m ³ Source: KN325P1

NATION Poljska AL	Long Term: 10 mg/m3 Notes: 4) Source: Dz.U. 2018 poz. 1286
SUVA Švicar	Long Term: 3 mg/m3 Notes: TWA mg/m3: (a), Formel / Formal, NIOSH Source: suva.ch/valeurs-limites

natrijev hidroksid kavstična soda

CAS: 1310-73-2	ACGIH	Short Term: Ceiling - 2 mg/m3 Notes: URT, eye, and skin irr
NATION AL	Avstrija	Long Term: 2 mg/m3; Short Term: Ceiling - 4 mg/m3 Notes: 5(Mow), 8x, MAK, E Source: BGBl. II Nr. 156/2021
NATION AL	Belgija	Long Term: 2 mg/m3 Notes: M Source: Code du bien-être au travail, Livre VI, Titre 1er, Annexe VI.1-1
NATION AL	Bolgarija	Long Term: 2 mg/m3 Source: НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г.
NATION AL	Češka	Long Term: 1 mg/m3; Short Term: Ceiling - 2 mg/m3 Notes: I Source: Nařízení vlády č. 361-2007 Sb
NATION AL	Danska	Short Term: Ceiling - 2 mg/m3 Notes: L Source: BEK nr 2203 af 29/11/2021
NATION AL	Španija	Short Term: 2 mg/m3 Source: LEP 2022
NATION AL	Estonija	Long Term: 1 mg/m3; Short Term: 2 mg/m3 Notes: * Source: Vabariigi Valitsuse, 20. märtsi 2001. a määrus nr 105
NATION AL	Finska	Short Term: Ceiling - 2 mg/m3 Notes: kattoarvo Source: HTP-ARVOT 2020
NATION AL	Francija	Long Term: 2 mg/m3 Source: INRS outil65
NATION AL	Grčija	Long Term: 2 mg/m3; Short Term: 2 mg/m3 Source: ФЕК 94/А` 13.5.1999
NATION AL	Hrvaška	Short Term: 2 mg/m3 Source: NN 1/2021
NATION AL	Madžarska	Long Term: 1 mg/m3; Short Term: 2 mg/m3 Notes: m, N Source: 5/2020. (II. 6.) ITM rendelet
NATION AL	Irska	Short Term: 2 mg/m3 Source: 2021 Code of Practice
NATION AL	Litva	Short Term: Ceiling - 2 mg/m3 Notes: Ū Source: 2011 m. rugsėjo 1 d. Nr. V-824/A1-389
NATION AL	Latvija	Long Term: 0.5 mg/m3 Source: KN325P1
NATION AL	Norveška	Short Term: Ceiling - 2 mg/m3 Notes: T Source: FOR-2021-06-28-2248
NATION AL	Poljska	Long Term: 0.5 mg/m3; Short Term: 1 mg/m3 Source: Dz.U. 2018 poz. 1286
NATION AL	Romunija	Long Term: 1 mg/m3; Short Term: 3 mg/m3
NATION AL	Slovaška	Long Term: 2 mg/m3 Source: 355 NARIADENIE VLÁDY z 10. mája 2006

NATION Švedska AL	Long Term: 1 mg/m ³ ; Short Term: 2 mg/m ³ Notes: 3 Source: AFS 2021:3
SUVA Švicar	Long Term: 2 mg/m ³ ; Short Term: 2 mg/m ³ Notes: TWA mg/m ³ : (i), SSC, VRS Peau Yeux / OAW Haut Auge, NIOSH OSHA Source: suva.ch/valeurs-limites

reakcijska zmes 5-kloro-2-metil-2h-izotiazol-3-ona in 2-metil-2h-izotiazol-3-ona (3:1)

CAS: 55965-84-9	NATION Avstrija AL	Long Term: 0.05 mg/m ³ Notes: MAK, Sh Source: GKV, BGBl. II Nr. 156/2021
	NATION Nemčija AL	Long Term: 0.2 mg/m ³ ; Short Term: 0.4 mg/m ³ Notes: DFG; Long term and short term: inhalable fraction Source: TRGS900
	SUVA Švicar	Long Term: 0.2 mg/m ³ ; Short Term: 0.4 mg/m ³ Notes: TWA mg/m ³ : (i), S, SSC, VRS Peau Yeux / OAW Haut Auge Source: suva.ch/valeurs-limites

Predicted No Effect Concentration (PNEC) values

Propane-1,2-diol, propoxylated

CAS: 25322-69-4	Exposure Route: Fresh Water; PNEC Limit: 150 mg/m ³
	Exposure Route: Intermittent releases (fresh water); PNEC Limit: 1 mg/l
	Exposure Route: Mikroorganizmi v čiščenju odpad; PNEC Limit: 100 mg/l
	Exposure Route: Freshwater sediments; PNEC Limit: 592 µg/kg
	Exposure Route: Freshwater sediments; PNEC Limit: 59.2 µg/kg
	Exposure Route: Zemlja; PNEC Limit: 69.8 µg/kg

1,2-benzizotiazol-3(2H)-on; 1,2-benzizotiazolin-3-on

CAS: 2634-33-5	Exposure Route: Fresh Water; PNEC Limit: 4.03 mg/m ³
	Exposure Route: Intermittent releases (fresh water); PNEC Limit: 1.1 mg/m ³
	Exposure Route: Marine water; PNEC Limit: 403 ng/L
	Exposure Route: Intermittent releases (marine water); PNEC Limit: 110 ng/L
	Exposure Route: Mikroorganizmi v čiščenju odpad; PNEC Limit: 1.03 mg/l
	Exposure Route: Freshwater sediments; PNEC Limit: 49.9 µg/kg
	Exposure Route: Usedline morske vode; PNEC Limit: 4.99 µg/kg
	Exposure Route: Zemlja; PNEC Limit: 3 mg/kg

reakcijska zmes 5-kloro-2-metil-2h-izotiazol-3-ona in 2-metil-2h-izotiazol-3-ona (3:1)

CAS: 55965-84-9	Exposure Route: Fresh Water; PNEC Limit: 3.39 mg/m ³
	Exposure Route: Intermittent releases (fresh water); PNEC Limit: 3.39 mg/m ³
	Exposure Route: Marine water; PNEC Limit: 3.39 mg/m ³
	Exposure Route: Intermittent releases (marine water); PNEC Limit: 3.39 mg/m ³
	Exposure Route: Mikroorganizmi v čiščenju odpad; PNEC Limit: 230 mg/m ³
	Exposure Route: Freshwater sediments; PNEC Limit: 27 mg/m ³
	Exposure Route: Usedline morske vode; PNEC Limit: 27 mg/m ³
	Exposure Route: Zemlja; PNEC Limit: 10 mg/m ³

Derived No Effect Level (DNEL) values

Propane-1,2-diol, propoxylated

CAS: 25322-69-4	Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects Worker Professional: 98 mg/kg/day; Consumer: 29 mg/kg/day
	Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects Worker Professional: 10 mg/kg/day; Consumer: 10 mg/kg/day
	Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects Worker Professional: 13.9 mg/kg/day; Consumer: 8.3 mg/kg/day
	Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects Consumer: 8.3 mg/kg

1,2-benzizotiazol-3(2H)-on; 1,2-benzizotiazolin-3-on

CAS: 2634-33-5 Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects
Worker Professional: 6.81 mg/kg/day; Consumer: 1.2 mg/kg/day

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects
Worker Professional: 966 µg/kg; Consumer: 345 µg/kg

reakcijska zmes 5-kloro-2-metil-2h-izotiazol-3-ona in 2-metil-2h-izotiazol-3-ona (3:1)

CAS: 55965-84-9 Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects
Worker Professional: 20 µg/m³; Consumer: 20 µg/m³

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, local effects
Worker Professional: 40 µg/m³; Consumer: 20 µg/m³

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects
Consumer: 90 µg/kg

Exposure Route: Human Oral; Exposure Frequency: Short Term, systemic effects
Consumer: 110 µg/kg

8.2. Exposure controls

Eye protection:

Očala s stransko zaščito.(EN166)

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Nitrilkavčuk.

Respiratory protection:

N.A.

Thermal Hazards:

Ni predvideno, če se uporablja, kot je predvideno

Environmental exposure controls:

Ne dovolite, da izdelek pride v kanalizacijo ali v površinske ali podzemne vode.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	yellow
Odour:	acidic
pH:	=8.10 Method: OECD 122
Kinematic viscosity:	N.A.
Melting point/freezing point:	98 °C (208 °F)
Boiling point or initial boiling point and boiling range:	98 °C (208 °F)
Flash point:	> 93°C
Lower and upper explosion limit:	Not Relevant Notes: Se ne uporablja, ker zmes ni vnetljiva
Relative vapour density:	N.A.
Vapour pressure:	23.00 (kPa 50°C). hPa
Density and/or relative density:	1.43 g/cm ³
Solubility in water:	Rahlo topno
Solubility in oil:	Not Relevant Notes: Ni določeno, ker ni potrebno za CLP-razvrstitev
Partition coefficient n-octanol/water (log value):	Not Relevant Notes: Ni uporabljivo za zmesi
Auto-ignition temperature:	Not Relevant

	Notes: Se ne uporablja, ker zmes ni vnetljiva
Decomposition temperature:	Not Relevant
	Notes: Ni uporabljivo, ker zmes ni samoreaktivna
Flammability:	Not Relevant
	Notes: Se ne uporablja, ker zmes ni vnetljiva
Volatile Organic compounds - VOCs =	0.00%; 0.00g/L
Particle characteristics:	
Particle size:	N.A.

9.2. Other information

Viscosity:	23,000.00 cPo
No other relevant information	

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Data not available.

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological Information of the Preparation

a) acute toxicity	Not classified
	Based on available data, the classification criteria are not met
b) skin corrosion/irritation	Not classified
	Based on available data, the classification criteria are not met
c) serious eye damage/irritation	Not classified
	Based on available data, the classification criteria are not met
d) respiratory or skin sensitisation	Not classified
	Based on available data, the classification criteria are not met
e) germ cell mutagenicity	Not classified
	Based on available data, the classification criteria are not met
f) carcinogenicity	Not classified
	Based on available data, the classification criteria are not met
g) reproductive toxicity	Not classified
	Based on available data, the classification criteria are not met
h) STOT-single exposure	Not classified
	Based on available data, the classification criteria are not met
i) STOT-repeated exposure	Not classified
	Based on available data, the classification criteria are not met
j) aspiration hazard	Not classified
	Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

Propane-1,2-diol, propoxylated

CAS: 25322-69-4	a) acute toxicity	LD50 Oral Rat > 5000 mg/kg
		LC50 Inhalation Vapour Rat = 0.17 mg/l 1h

		LD50 Skin Rabbit > 3000 mg/kg 1h
b) skin corrosion/irritation	Skin Irritant Rabbit	Negative
c) serious eye damage/irritation	Eye Irritant Rabbit	No
d) respiratory or skin sensitisation	Respiratory Sensitization	Negative
	Skin Sensitization	Negative
g) reproductive toxicity	No Observed Adverse Effect Level Oral Rat	>= 1000 mg/kg
1,2-benzizotiazol-3(2H)-on; 1,2-benzizotiazolin-3-on		
CAS: 2634-33-5	a) acute toxicity	ATE - Oral: 450 mg/kg bw ATE - Inhalation (Dust/mist): 0.21 mg/l LD50 Oral Rat = 670 mg/kg LD50 Skin Rat > 2000 mg/kg
	b) skin corrosion/irritation	Skin Irritant Rabbit Negative
	c) serious eye damage/irritation	Eye Corrosive Positive
	d) respiratory or skin sensitisation	Skin Sensitization Guineapig Positive
	f) carcinogenicity	Genotoxicity Rat Negative
	g) reproductive toxicity	No Observed Adverse Effect Level Oral Rat = 112 mg/kg
reakcijska zmes 5-kloro-2-metil-2h-izotiazol-3-ona in 2-metil-2h-izotiazol-3-ona (3:1)		
CAS: 55965-84-9	a) acute toxicity	LD50 Oral Rat = 69 mg/kg LD50 Skin Rabbit = 141 mg/kg LC50 Inhalation Rat = 0.33 mg/l 4h
	b) skin corrosion/irritation	Skin Irritant Rabbit Positive
	c) serious eye damage/irritation	Eye Corrosive Rabbit Positive
	d) respiratory or skin sensitisation	Skin Sensitization Positive
	f) carcinogenicity	Genotoxicity Negative Carcinogenicity Skin Negative
	g) reproductive toxicity	No Observed Adverse Effect Level Oral Rat = 22.7 mg/kg

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

No data available for the product

List of Eco-Toxicological properties of the components

Propane-1,2-diol, propoxylated

- CAS: 25322-69-4
- a) Aquatic acute toxicity: LC50 Fish Danio rerio > 100 mg/L 96h
 - a) Aquatic acute toxicity: EC50 Daphnia Daphnia magna = 105.8 mg/L 48h
 - b) Aquatic chronic toxicity: NOEC Daphnia Daphnia magna = 10 mg/L
 - a) Aquatic acute toxicity: EC50 Algae Desmodesmus subspicatus > 100 mg/L 72h
 - a) Aquatic acute toxicity: NOEC Sludge activated sludge = 1000 mg/L 3h

1,2-benzizotiazol-3(2H)-on; 1,2-benzizotiazolin-3-on

- CAS: 2634-33-5
- a) Aquatic acute toxicity: LC50 Fish Oncorhynchus mykiss = 2.15 mg/L 96h
 - a) Aquatic acute toxicity: EC50 Daphnia Daphnia magna = 2.9 mg/L 48h

a) Aquatic acute toxicity: EC50 Algae green alga *Selenastrum capricornutum* freshwater algae = 110 µg/L

d) Terrestrial toxicity: EC50 Worm *Eisenia fetida* > 410.6 mg/kg

d) Terrestrial toxicity: EC10 soil microorganisms = 263.7 mg/kg

a) Aquatic acute toxicity: NOEC Sludge activated sludge 10.3 mg/L 3h

e) Plant toxicity: LC50 *Triticum aestivum* = 200 mg/kg

reakcijska zmes 5-kloro-2-metil-2h-izotiazol-3-ona in 2-metil-2h-izotiazol-3-ona (3:1)

CAS: 55965-84-9 a) Aquatic acute toxicity: LC50 Fish *Oncorhynchus mykiss* = 0.19 mg/L 96h

b) Aquatic chronic toxicity: NOEC Fish *Danio rerio* = 0.02 mg/L

a) Aquatic acute toxicity: LC50 *Daphnia magna* = 0.16 mg/L 48h

b) Aquatic chronic toxicity: NOEC *Daphnia magna* = 0.1 mg/L

a) Aquatic acute toxicity: EC50 Algae *Skeletonema costatum* = 0 mg/L 96h

a) Aquatic acute toxicity: EC50 Sludge activated sludge = 4.5 mg/L 3h

d) Terrestrial toxicity: LC50 Worm *Eisenia fetida* = 613 mg/kg

e) Plant toxicity: NOEC *Trifolium pratense*, *Oryza sativa*, *Brassica napus* = 1000 mg/L

12.2. Persistence and degradability

Propane-1,2-diol, propoxylated

CAS: 25322-69-4 Readily biodegradable

Value: 100

Notes: %; OECD Guideline 301 F

1,2-benzizotiazol-3(2H)-on; 1,2-benzizotiazolin-3-on

CAS: 2634-33-5 Non-readily biodegradable

Test: CO2 production

Notes: OECD Guideline 301C

reakcijska zmes 5-kloro-2-metil-2h-izotiazol-3-ona in 2-metil-2h-izotiazol-3-ona (3:1)

CAS: 55965-84-9 Non-readily biodegradable

12.3. Bioaccumulative potential

1,2-benzizotiazol-3(2H)-on; 1,2-benzizotiazolin-3-on

CAS: 2634-33-5 Bioaccumulative

Test: BCF - Bioconcentration factor; Value: 6.62

reakcijska zmes 5-kloro-2-metil-2h-izotiazol-3-ona in 2-metil-2h-izotiazol-3-ona (3:1)

CAS: 55965-84-9 Bioaccumulative

Test: BCF - Bioconcentration factor; Value: 54

Notes: ≤ 54

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

Ni sestavine PBT/vPvB.

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration ≥ 0.1%

12.7. Other adverse effects

N.A.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Če je mogoče, predelajte. Ravajte se po lokalnih in državnih normah. Odstranjevanje z izpustom v odpadno vodo ni dovoljeno

Odstranjeni izdelek mora biti v skladu z Uredbo (EU) 1357/2014 razvrščen kot nenevaren odpad

Šifre odpadkov v skladu z Evropski seznam odpadkov (ESO) ni mogoče določiti zaradi odvisnosti od uporabe. Obrnite se na pooblaščen službo za odstranjevanje odpadkov.

Properties of waste which render it hazardous (Annex III, Directive 2008/98/EC):

N.A.

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

14.1. UN number or ID number

N/A

14.2. UN proper shipping name

ADR-Shipping Name: N/A
IATA-Shipping Name: N/A
IMDG-Shipping Name: N/A

14.3. Transport hazard class(es)

ADR-Class: N/A
IATA-Class: N/A
IMDG-Class: N/A

14.4. Packing group

ADR-Packing Group: N/A
IATA-Packing group: N/A
IMDG-Packing group: N/A

14.5. Environmental hazards

Marine pollutant: No
Environmental Pollutant: No
IMDG-EMS: N/A

14.6. Special precautions for user

Road and Rail (ADR-RID):

ADR-Label: N/A
ADR - Hazard identification number: N/A
ADR-Special Provisions: N/A
ADR-Transport category (Tunnel restriction code): N/A
ADR Limited Quantities: N/A
ADR Excepted Quantities: N/A

Air (IATA):

IATA-Passenger Aircraft: N/A
IATA-Cargo Aircraft: N/A
IATA-Label: N/A
IATA-Subsidiary hazards: N/A
IATA-Erg: N/A
IATA-Special Provisions: N/A

Sea (IMDG):

IMDG-Stowage and handling: N/A
IMDG-Segregation: N/A
IMDG-Subsidiary hazards: N/A
IMDG-Special Provisions: N/A

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EU) n. 2020/878

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2022/692 (ATP 18 CLP)

Regulation (EU) n. 2023/1434 (ATP 19 CLP)

Regulation (EU) n. 2024/197 (ATP 21 CLP)

Regulation (EU) n. 2024/2865

Regulation (EC) nr 648/2004 (Detergents).

Omejčitve, povezane z izdelkom ali vsebovanimi snovmi, v skladu s Prilogo XVII Uredbe (ES) 1907/2006 (REACH) in poznejše spremembe:

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP)

Regulation (EU) n. 2023/707

Regulation (EU) n. 2023/1435 (ATP 20 CLP)

Regulation (EU) n. 2024/2564 (ATP 22 CLP)

Regulation (EU) n. 2025/1222 (ATP 23 CLP)

Restrictions related to the product: Nobena

Restrictions related to the substances contained: 28, 75

Provisions related to directive EU 2012/18 (Seveso III):

None

Explosives precursors – Regulation 2019/1148

No substances listed

Regulation (EU) No 649/2012 (PIC regulation)

No substances listed

German Water Hazard Class.

Razred 3: izjemno nevarna.

German Lagerklasse according to TRGS 510:

LGK 10

SVHC Substances:

No SVHC substances present in concentration $\geq 0.1\%$

UREDBA (EU) No 528/2012:

Označevanje proizvoda je v skladu z 58. členom Uredbe EU št. 528/2012 in kasnejšimi spremembami.

snovi, vključene v Uredbo (EU) n. 528/2012 (o dostopnosti na trgu in uporabi biocidnih proizvodov): Nomenclature IUPAC: Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT)

Nomenclature BPR: C(M)IT/MIT (3:1)

CAS number: 55965-84-9

Product-type 6: Preservatives for products during storage

Assessment status: Approved

IZVEDBENA UREDBA KOMISIJE (EU) 2016/131 ; Nomenclature IUPAC: 1,2-benzisothiazol-3(2H)-one

Nomenclature BPR: BIT

CAS number: 2634-33-5

Product-type 6: Preservatives for products during storage

Assessment status: Approved

Commission Implementing Regulation (EU) 2025/929

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Code	Description
EUH071	Corrosive to the respiratory tract.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Code	Hazard class and hazard category	Description
3.1/2/Dermal	Acute Tox. 2	Acute toxicity (dermal), Category 2
3.1/2/Inhal	Acute Tox. 2	Acute toxicity (inhalation), Category 2
3.1/3/Oral	Acute Tox. 3	Acute toxicity (oral), Category 3
3.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4
3.2/1C	Skin Corr. 1C	Skin corrosion, Category 1C
3.2/2	Skin Irrit. 2	Skin irritation, Category 2
3.3/1	Eye Dam. 1	Serious eye damage, Category 1

3.3/2	Eye Irrit. 2	Eye irritation, Category 2
3.4.2/1A	Skin Sens. 1A	Skin Sensitisation, Category 1A
4.1/A1	Aquatic Acute 1	Acute aquatic hazard, category 1
4.1/C1	Aquatic Chronic 1	Chronic (long term) aquatic hazard, category 1

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: Keep Away From Heat

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low

N.A.: Not Applicable

N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

Paragraphs modified from the previous revision:

- Safety Data Sheet
- SECTION 1: Identification of the substance/mixture and of the company/undertaking
- SECTION 2: Hazards identification
- SECTION 3: Composition/information on ingredients
- SECTION 8: Exposure controls/personal protection
- SECTION 9: Physical and chemical properties
- SECTION 11: Toxicological information
- SECTION 12: Ecological information
- SECTION 15: Regulatory information
- SECTION 16: Other information