

Safety Data Sheet

Conforms to Regulation (EC) No. 1907/2006 (REACH), Article 31, Annex II, as amended by Commission Regulation (EU) 2020/878

ROLLER CLEAN

Date of first edition: 11/23/2022

Safety Data Sheet dated 23/11/2022

version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: ROLLER CLEAN

Trade code: S100B0121 .011

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: detergent

Uses advised against: Data not available.

1.3. Details of the supplier of the safety data sheet

Company: KERAKOLL S.p.A.

Via dell'Artigianato, 9

41049 Sassuolo (MODENA) - ITALY

Tel.+39 0536 816511 Fax. +39 0536816581

safety@kerakoll.com

1.4. Emergency telephone number

European emergency phone number 112

Ireland Poison information centre: 01 809 2166 (Daily 8am-10pm) In case of emergency call 999 or 112

Malta In case of emergency call: +356 2395 2000 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) n. 1272/2008 (CLP)

0 The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Special Provisions:

EUH210 Safety data sheet available on request.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None.

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Mixture identification: ROLLER CLEAN

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb.	Classification	Registration Number
5-9,9 %	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	CAS:112-34-5 EC:203-961-6	Eye Irrit. 2, H319	01-2119475104-44

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and label hazardous.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

N.A.

4.3. Indication of any immediate medical attention and special treatment needed

N.A.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Community Occupational Exposure Limits (OEL)

Component	OEL Type	Country	Ceiling	Long Term mg/m ³	Long Term ppm	Short Term mg/m ³	Short Term ppm	Behaviour	Notes
2-(2-butoxyethoxy) ethanol; diethylene glycol monobutyl ether	EU	NNN		67.5	10	101.2	15		Indicative Occupational Exposure Limit Value (IOELV)
	NATIONAL	BELGIUM		67.500	10.000	101.200	15.000		
	NATIONAL	DENMARK		100.000		200.000			
	NATIONAL	FINLAND		68.000	10.000				
	NATIONAL	FRANCE		67.500	10.000	101.200	15.000		Italic type: Indicative statutory limit values
	NATIONAL	GERMANY		67.000	10.000	100.000	15.000		AGS; Long term and short term: inhalable aerosol and vapour
	NATIONAL	GERMANY		67.000	10.000	100.500	15.000		DFG; MAK value applies for the sum of the concentrations of diethylene glycol monobutyl ether and its acetate in the air; Long term and short term: Inhalable fraction and vapour
	NATIONAL	HUNGARY		67.500		101.200			
	NATIONAL	IRELAND		67.500	10.000	101.200	15.000		
	NATIONAL	LATVIA		67.500	10.000	101.200	15.000		
	NATIONAL	POLAND		67.000		100.000			
	NATIONAL	ROMANIA		67.500	10.000	101.200	15.000		
	NATIONAL	SPAIN		67.500	10.000	101.200	15.000		
	NATIONAL	SWEDEN		68.000	10.000	101.000	15.000		
	NATIONAL	SWITZERLAND		67.000	10.000	101.200	15.000		
	NATIONAL	NETHERLANDS		50.000		100.000			
	NATIONAL	TURKEY		67.500	10.000	101.200	15.000		
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND		67.500	10.000	101.200	15.000		
	NATIONAL	ITALY		67.500	10.000	101.200	15.000		
	NATIONAL	BULGARIA		67.500	10.000	101.200	15.000		
	NATIONAL	CROATIA		67.500	10.000	101.200	15.000		
	NATIONAL	GREECE		67.500	10.000	101.200	15.000		
	NATIONAL	ICELAND		67.500	10.000	101.200	15.000		
	NATIONAL	SLOVAKIA		67.500	10.000	101.200	15.000		
	NATIONAL	CZECHIA		70.000		100.000			
	NATIONAL	KOREA, REPUBLIC OF			10.000				
	NATIONAL	NORWAY		68.000	10.000				
	NATIONAL	RUSSIAN FEDERATION				10.000			
	NATIONAL	UNITED STATES OF		67.500	10.000				Inhalable fraction and vapour

AMERICA

NATIONAL	PORTUGAL	10.000
ACGIH	NNN	10

(IFV) - Hematologic, liver and kidney eff

2-amino-2-methylpropanol

EU	NNN	67.5	10	101.2	15
NATIONAL	GERMANY	3.700	1.000	7.400	2.000
NATIONAL	GERMANY	3.700	1.000	7.400	2.000
NATIONAL	SWITZERLAND	8.700	2.400	17.400	4.800
NATIONAL	SLOVENIA	3.700	1.000	17.400	4.800

AGS; Long term and short term: inhalable fraction and vapour

DFG; Long term and short term: inhalable fraction and vapour

Predicted No Effect Concentration (PNEC) values

Component	CAS-No.	PNEC Limit	Exposure Route	Exposure Frequency	Remark
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	112-34-5	1.100 mg/l	Fresh Water		
		11.000 mg/l	Intermittent releases (fresh water)		
		110.000 µg/l	Marine water		
		200.000 mg/l	Microorganisms in sewage treatments		
		4.400 mg/kg	Freshwater sediments		
		440.000 µg/kg	Marine water sediments		
		320.000 µg/kg	Soil		
		56.000 mg/kg	Secondary poisoning		

Derived No Effect Level (DNEL) values

Component	CAS-No.	Worker Industrial	Worker Professional	Consumer	Exposure Route	Exposure Frequency	Remark
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	112-34-5		67.500 mg/m ³	40.500 mg/m ³	Human Inhalation	Long Term, systemic effects	
			67.500 mg/m ³	40.500 mg/m ³	Human Inhalation	Long Term, local effects	
			101.200 mg/m ³	60.700 mg/m ³	Human Inhalation	Long Term, systemic effects	
			83.000 mg/kg	50.000 mg/kg	Human Dermal	Long Term, systemic effects	
				5.000 mg/kg	Human Oral	Long Term, systemic effects	

8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.
Respiratory protection:
N.A.
Thermal Hazards:
N.A.
Environmental exposure controls:
N.A.
Hygienic and Technical measures
N.A.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid
Colour: Colourless
Odour: Characteristic
Odour threshold: N.A.
pH: N.A.
Kinematic viscosity: $\leq 20,5 \text{ mm}^2/\text{sec}$ (40 °C)
Melting point / freezing point: N.A.
Initial boiling point and boiling range: N.A.
Flash point: $> 93^\circ\text{C}$
Upper/lower flammability or explosive limits: N.A.
Vapour density: N.A.
Vapour pressure: N.A.
Relative density: 0.99 g/cm^3
Solubility in water: N.A.
Solubility in oil: N.A.
Partition coefficient (n-octanol/water): N.A.
Auto-ignition temperature: N.A.
Decomposition temperature: N.A.
Flammability: N.A.
Volatile Organic compounds - VOCs = 9.98% ; 98.80 g/l

Particle characteristics:

Particle size: N.A.

9.2. Other information

Miscibility: N.A.
Conductivity: N.A.
Evaporation rate: N.A. No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Data not available.

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological Information of the Preparation

a) acute toxicity	Not classified Based on available data, the classification criteria are not met
b) skin corrosion/irritation	Not classified Based on available data, the classification criteria are not met

c) serious eye damage/irritation	Not classified Based on available data, the classification criteria are not met
d) respiratory or skin sensitisation	Not classified Based on available data, the classification criteria are not met
e) germ cell mutagenicity	Not classified Based on available data, the classification criteria are not met
f) carcinogenicity	Not classified Based on available data, the classification criteria are not met
g) reproductive toxicity	Not classified Based on available data, the classification criteria are not met
h) STOT-single exposure	Not classified Based on available data, the classification criteria are not met
i) STOT-repeated exposure	Not classified Based on available data, the classification criteria are not met
j) aspiration hazard	Not classified Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	a) acute toxicity	LD50 Oral Mouse = 2410.00000 mg/kg	LD50 2 410 - 5 530 mg/kg
		LD50 Skin Rabbit = 2764.00000 mg/kg	LD50 2 410 - 5 530 mg/kg
	b) skin corrosion/irritation	Skin Irritant Rabbit Negative 1h	
	c) serious eye damage/irritation	Eye Irritant Rabbit Yes	
	d) respiratory or skin sensitisation	Skin Sensitization Guinea pig Negative	
	f) carcinogenicity	Genotoxicity Negative	Mouse oral route
	g) reproductive toxicity	No Observed Adverse Effect Level Oral Rodent = 720.00000 mg/kg	

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

No data available for the product

List of Eco-Toxicological properties of the components

Component	Ident. Numb.	Ecotox Data
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	CAS: 112-34-5 - EINECS: 203- 961-6 - INDEX: 603-096-00-8	a) Aquatic acute toxicity : LC50 Fish <i>Leopomis macrochirus</i> = 1.30000 mg/L 96h
		b) Aquatic chronic toxicity : LC10 Fish freshwater fish = 396.00000 mg/L QSAR model
		a) Aquatic acute toxicity : EC50 <i>Daphnia magna</i> = 1101.00000 mg/L 48h OECD 202
		b) Aquatic chronic toxicity : LC10 <i>Daphnia</i> freshwater invertebrates = 112.00000 mg/L protocol: QSAR - 14days
		a) Aquatic acute toxicity : EC50 Algae <i>Desmodesmus subspicatus</i> = 100.00000 mg/L 96h OECD201

12.2. Persistence and degradability

Component	Persitence/Degradability:	Test	Value	Notes:
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	Readily biodegradable	Biochemical oxygen demand	91.700	%

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessmentNo PBT or vPvB substances present in concentration $\geq 0.1\%$ **12.6. Endocrine disrupting properties**No endocrine disruptor substances present in concentration $\geq 0.1\%$ **12.7. Other adverse effects**

N.A.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Recover if possible. In so doing, comply with the local and national regulations currently in force. Disposal through discharge into wastewater is not permitted

A waste code according to the European List of Wastes (LoW) cannot be specified, due to dependence on the usage. Contact an authorized waste disposal service.

Properties of waste which render it hazardous (Annex III, Directive 2008/98/EC):

N.A.

SECTION 14: Transport information**14.1. UN number or ID number**

N/A

14.2. UN proper shipping name

ADR-Shipping Name: N/A

IATA-Technical name: N/A

IMDG-Technical name: N/A

14.3. Transport hazard class(es)

ADR-Class: N/A

IATA-Class: N/A

IMDG-Class: N/A

14.4. Packing group

ADR-Packing Group: N/A

IATA-Packing group: N/A

IMDG-Packing group: N/A

14.5. Environmental hazards

Marine pollutant: No

Environmental Pollutant: No

IMDG-EMS: N/A

14.6. Special precautions for user

Road and Rail (ADR-RID):

ADR-Label: N/A

ADR - Hazard identification number: N/A

ADR-Special Provisions: N/A

ADR-Transport category (Tunnel restriction code): N/A

ADR Limited Quantities: N/A

ADR Excepted Quantities: N/A

Air (IATA):

IATA-Passenger Aircraft: N/A

IATA-Cargo Aircraft: N/A

IATA-Label: N/A

IATA-Subsidiary hazards: N/A

IATA-Erg: N/A

IATA-Special Provisions: N/A

Sea (IMDG):

IMDG-Stowage Code: N/A

IMDG-Stowage Note: N/A

IMDG-Subsidiary hazards: N/A

IMDG-Special Provisions: N/A

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2020/878

Regulation (EC) nr 648/2004 (Detergents).

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: None.

Restrictions related to the substances contained: 55, 75

Provisions related to directive EU 2012/18 (Seveso III):

N.A.

Regulation (EU) No 649/2012 (PIC regulation)

No substances listed

German Water Hazard Class.

NWG: Not hazardous for water

SVHC Substances:

No data available

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Code	Description	
H319	Causes serious eye irritation.	
Code	Hazard class and hazard category	Description
3.3/2	Eye Irrit. 2	Eye irritation, Category 2

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: Keep Away From Heat

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low

N.A.: Not Applicable

N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.
WGK: German Water Hazard Class.



Exposure Scenario

2-(2-butoxyethoxy)ethanol

Exposure Scenario, 13/07/2021

Substance identity	
	2-(2-butoxyethoxy)ethanol
CAS No.	112-34-5
INDEX No.	603-096-00-8
EINECS No.	203-961-6
Registration number	01-2119475104-44

Table of contents

1. **ES 1** Widespread use by professional workers; Coatings and paints, thinners, paint removers (PC9a)

1. ES 1

Widespread use by professional workers; Coatings and paints, thinners, paint removers (PC9a)

1.1 TITLE SECTION

Exposure Scenario name	Professional application of coatings and inks
Date - Version	23/03/2021 - 1.0
Life Cycle Stage	Widespread use by professional workers
Main user group	Professional uses
Sector(s) of use	Professional uses (SU22)
Product Categories	Coatings and paints, thinners, paint removers (PC9a)

Environment Contributing Scenario

CS1 Low environmental release	ERC8c - ERC8f
--------------------------------------	---------------

Worker Contributing Scenario

CS2 Mixing operations - Surfaces - Wiping - Preparation of material for application - General measures (eye irritants)	PROC10 - PROC9 - PROC13
-------------------------------------------------------------------------------------------------------------------------------	-------------------------

1.2 Conditions of use affecting exposure**1.2. CS1: Environment Contributing Scenario: Low environmental release (ERC8c, ERC8f)**

Environmental release categories	Widespread use leading to inclusion into/onto article (indoor) - Widespread use leading to inclusion into/onto article (outdoor) (ERC8c, ERC8f)
-----------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------

Product (article) characteristics**Physical form of product:**

Solid, low dustiness

Vapour pressure:

Vapour pressure < 0.01 Pa at standard temperature and pressure = 0.00022 Pa

Concentration of substance in product:

Covers percentage substance in the product up to 100 %.

Other conditions affecting environmental exposure

Outdoor use

Additional good practice advice. Obligations according to Article 37(4) of REACH do not apply.**Additional Good Practice Advice:**

Ensure that direction of application is only horizontal or downward. Supervision in place to check that the risk management measures in place are being used correctly and operation conditions followed.

Additional conditions human health

Application of solvent-borne or water-borne products

1.2. CS2: Worker Contributing Scenario: Mixing operations - Surfaces - Wiping - Preparation of material for application - General measures (eye irritants) (PROC10, PROC9, PROC13)

Process Categories	Roller application or brushing - Transfer of substance or mixture into small containers (dedicated filling line, including weighing) - Treatment of articles by dipping and pouring (PROC10, PROC9, PROC13)
---------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Product (article) characteristics**Physical form of product:**

Solid, high dustiness
Solid, low dustiness

Vapour pressure:

Vapour pressure < 0.01 Pa at standard temperature and pressure = 0.00022 Pa

Concentration of substance in product:

Covers percentage substance in the product up to 100 %.

Amount used, frequency and duration of use/exposure**Duration:**

Covers daily exposures up to 8 hours <= 8 h

Frequency:

Use frequency = 230 days per year

Technical and organisational conditions and measures**Technical and organisational measures**

Ensure operatives are trained to minimise exposures.

Avoid direct eye contact with product, also via contamination on hands.

Ensure that direct skin contact is avoided.

Provide a basic standard of general ventilation (1 to 3 air changes per hour).

For further specification, refer to section 8 of the SDS.

Conditions and measures related to personal protection, hygiene and health evaluation**Personal protection**

Use suitable eye protection.

Provide employee with skin care programmes.

Other conditions affecting worker exposure

Covers indoor and outdoor use

Professional use

Temperature: Covers use at ambient temperatures.

Additional good practice advice. Obligations according to Article 37(4) of REACH do not apply.**Additional Good Practice Advice:**

Supervision in place to check that the risk management measures in place are being used correctly and operation conditions followed.

1.3 Exposure estimation and reference to its source**1.3. CS1: Environment Contributing Scenario: Low environmental release (ERC8c, ERC8f)****Additional information on exposure estimation:**

As no environmental hazard was identified no environmental-related exposure assessment and risk characterization was performed.

1.3. CS2: Worker Contributing Scenario: Mixing operations - Surfaces - Wiping - Preparation of material for application - General measures (eye irritants) (PROC10, PROC9, PROC13)

Exposure route, Health effect, Exposure indicator	Exposure level	Calculation method	Risk Characterization Ratio (RCR)
combined routes, systemic, long-term	N/A	ECETOC TRA worker v3	< 1

1.4 Guidance to DU to evaluate whether he works inside the boundaries set by the ES**Guidance to check compliance with the exposure scenario:**

Where other risk management measures/operational conditions are adopted, then users should ensure that risks are managed to at least equivalent levels.