

# **Safety Data Sheet**

Conforms to Regulation (EC) No. 1907/2006 (REACH), Article 31, Annex II, as amended by Commission Regulation (EU) 2020/878

**SILICONE** 

Date of first edition: 2/25/2021 Safety Data Sheet dated 10/26/2022

version 3

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Mixture identification:

Trade name: SILICONE
Trade code: 001013016-02

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Adhesives, sealants Uses advised against: Data not available.

#### 1.3. Details of the supplier of the safety data sheet

Company: KERAKOLL France

25, avenue de l'Industrie - 69960 Corbas - France

Tel. +33 472 890 684 safety@kerakoll.com

#### 1.4. Emergency telephone number

European emergency phone number 112

Kerakoll Italy - +39-0536-816511

Ireland

Poison information centre: 01 809 2166 (Daily 8am-10pm)

In case of emergency call 999 or 112

Malta

In case of emergency call: +356 2395 2000 (24h)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Regulation (EC) n. 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

#### 2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

#### **Special Provisions:**

EUH208 Contains 4,5-dichloro-2-octyl-2H-isothiazol-3-one (DCOIT). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

## Special provisions according to Annex XVII of REACH and subsequent amendments:

None

#### 2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration  $\geq$  0.1%.

Other Hazards: No other hazards

# **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

N.A.

#### 3.2. Mixtures

 Date
 10/26/2022
 Production Name
 SILICONE
 Page n. 1 of 10

## Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb.	Classification	Registration Number
10-19,9 %	Hydrocarbons, C13-23	CAS:1335203-18-3	Asp. Tox. 1, H304	01-2119552497-29
< 0,0015 %	4,5-dichloro-2-octyl-2H-isothiazol-3-one (DCOIT)	CAS:64359-81-5 EC:264-843-8 Index:613-335-00-8	Acute Tox. 2, H330 Acute Tox. 4, H302 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Corrosive to the respiratory tract., M-Chronic:100, M-Acute:100 Specific Concentration Limits: $0.025\% \le C < 5\%$ : Skin Irrit. 2 H315 $0.025\% \le C < 3\%$ : Eye Irrit. 2 H319 $C \ge 0.0015\%$ : Skin Sens. 1A H317 Acute Toxicity Estimate: ATE - Oral: 567mg/kg bw	

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and label hazardous.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

## 4.2. Most important symptoms and effects, both acute and delayed

N.A.

## 4.3. Indication of any immediate medical attention and special treatment needed

N.A.

#### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

# 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

#### 5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

# 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

 Date
 10/26/2022
 Production Name
 SILICONE
 Page n. 2 of 10

## 6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand Wash with plenty of water.

#### 6.4. Reference to other sections

See also section 8 and 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhaltion of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

# 7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

## 7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

## **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# **Community Occupational Exposure Limits (OEL)**

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Notes
acetic acid %	EU	NNN		25	10	50	20	
	NATIONAL	AUSTRIA		25.000	10.000			
	NATIONAL	AUSTRIA	С			50.000	20.000	
	NATIONAL	BELGIUM		25.000	10.000	38.000	15.000	
	NATIONAL	CANADA			10.000		15.000	Ontario
	NATIONAL	CANADA		25.000	10.000	37.000	15.000	Québec
	NATIONAL	DENMARK		25.000	10.000	50.000	20.000	
	NATIONAL	FINLAND		13.000	5.000	25.000	10.000	
	NATIONAL	FRANCE				20.000	8.330	
	NATIONAL	GERMANY		25.000	10.000	50.000	20.000	AGS
	NATIONAL	GERMANY		25.000	10.000	50.000	20.000	DFG
	NATIONAL	HUNGARY		25.000		25.000		
	NATIONAL	IRELAND		25.000	10.000	37.000	15.000	
	NATIONAL	JAPAN		25.000	10.000			JSOH
	NATIONAL	LATVIA		25.000	10.000	50.000	20.000	
	NATIONAL	NEW ZEALAND		25.000	10.000	37.000	15.000	
	NATIONAL	CHINA		10.000		20.000		
	NATIONAL	POLAND		15.000		30.000		
	NATIONAL	ROMANIA		25.000	10.000	50.000	20.000	
	NATIONAL	SINGAPORE	Ī	25.000	10.000	37.000	15.000	
	NATIONAL	KOREA, REPUBLIC OF		25.000	10.000	37.000	15.000	
	NATIONAL	SPAIN		25.000	10.000	50.000	20.000	
	NATIONAL	SWEDEN		13.000	5.000	25.000	10.000	
	NATIONAL	SWITZERLA ND		25.000	10.000	50.000	20.000	
	NATIONAL	TURKEY		25.000	10.000			

Date 10/26/2022 Production Name SILICONE Page n. 3 of 10

NATIONAL	UNITED STATES OF AMERICA	25.000	10.000	37.000	15.000	NIOSH
NATIONAL	UNITED STATES OF AMERICA	25.000	10.000	37.000	15.000	OSHA
NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	25.000	10.000	50.000	20.000	
NATIONAL	ITALY	25.000	10.000	37.000	15.000	
NATIONAL	ARGENTINA		10.000		15.000	
NATIONAL	BULGARIA	25.000	10.000	50.000	20.000	
NATIONAL	CZECHIA	25.000		50.000		
NATIONAL	CHILE	21.900	8.800	37.000	15.000	
NATIONAL	CROATIA	25.000	10.000	50.000	20.000	
NATIONAL	ESTONIA	25.000	10.000	25.000	10.000	
NATIONAL	GREECE	25.000	10.000	37.000	15.000	
NATIONAL	INDONESIA	25.000	10.000	37.000	15.000	
NATIONAL	ICELAND	25.000	10.000	50.000	20.000	
NATIONAL	LITHUANIA	25.000	10.000	50.000	20.000	
NATIONAL	MALAYSIA	25.000	10.000			
NATIONAL	MEXICO		10.000		15.000	
NATIONAL	NORWAY	25.000	10.000	50.000	20.000	
NATIONAL	NETHERLA NDS	25.000	10.000	50.000	20.000	
NATIONAL	PORTUGAL		10.000		20.000	
NATIONAL	SLOVAKIA	25.000	10.000	50.000	20.000	
NATIONAL	SLOVENIA	25.000	10.000	50.000	20.000	
NATIONAL	SOUTH AFRICA	25.000	10.000	37.000	15.000	
NATIONAL	TAIWAN, PROVINCE OF CHINA	25.000	10.000			
ACGIH	NNN		10		15	URT and eye irr, pulm func
EU	NNN	25	10	50	20	
NATIONAL	ITALY	25.000	10.000	50.000	20.000	

**Predicted No Effect Concentration (PNEC) values** 

Component	CAS-No.	PNEC Limit	<b>Exposure Route</b>	<b>Exposure Frequency</b>
Hydrocarbons, C13-23	1335203- 18-3	17000.000 mg/kg	Secondary poinsoning	
		17000.000 mg/kg	Secondary poinsoning	

# **Derived No Effect Level (DNEL) values**

	Component	CAS-No.	Worker Industry	Worker Professional	Consumer	Exposure Route	Exposure Frequency
	Hydrocarbons, C13-23	1335203- 18-3		16.400 mg/m <sup>3</sup>	4.850 mg/m <sup>3</sup>	Human Inhalation	Long Term, systemic effects
				2.910 mg/kg	1.250 mg/kg	Human Dermal	Long Term, systemic effects
					1.250 mg/kg	Human Oral	Long Term, systemic effects

# 8.2. Exposure controls

Date 10/26/2022 Production Name SILICONE Page n. 4 of 10

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

N.A.

Thermal Hazards:

N.A.

Environmental exposure controls:

N.A.

Hygienic and Technical measures

N.A.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical State Liquid Color: Transparent Odour: Pungent Odour threshold: N.A.

pH: N.A.

Kinematic viscosity: N.A.

Melting point / freezing point: N.A.

Initial boiling point and boiling range: N.A.

Flash point: Not Applicable

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A. Vapour pressure: N.A.

Relative density: 1.01 g/cm3 Notes 23 °C

Solubility in water: N.A. Solubility in oil: N.A.

Partition coefficient (n-octanol/water): N.A. Auto-ignition temperature: 400.00 °C Decomposition temperature: N.A.

Flammability: N.A.

Volatile Organic compounds - VOCs = 10.95 %; 110.58 g/l

**Particle characteristics:** 

Particle size: N.A. **9.2. Other information** 

Miscibility: N.A.
Conductivity: N.A.
Evaporation rate: N.A.
Viscosity: 800,000.00 cPo
No other relevant information

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Stable under normal conditions

## 10.2. Chemical stability

Data not available.

# 10.3. Possibility of hazardous reactions

None.

## 10.4. Conditions to avoid

Stable under normal conditions.

# 10.5. Incompatible materials

None in particular.

## 10.6. Hazardous decomposition products

None.

## **SECTION 11: Toxicological information**

 Date
 10/26/2022
 Production Name
 SILICONE
 Page n. 5 of 10

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological Information of the Preparation

a) acute toxicity Not classified

Based on available data, the classification criteria are not met

LD50 Skin Rabbit > 2009.00 mg/kg - conclusion by analogy

Based on available data, the classification criteria are not met

Skin Irritant Rabbit No - conclusion by analogy

c) serious eye damage/irritation Not classified

Based on available data, the classification criteria are not met

Eye Irritant Rabbit No - conclusion by analogy

d) respiratory or skin sensitisation Not classified

Based on available data, the classification criteria are not met

Skin Sensitization Guineapig Negative - Magnusson-Kligman

e) germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard Not classified

Based on available data, the classification criteria are not met

#### Toxicological information on main components of the mixture:

Hydrocarbons, C13-23 a) acute toxicity LD50 Oral Rat > 5000.00000 mg/kg

LC50 Inhalation of aerosol Rat = 4.60000 mg/l 4h LD50 Skin Rabbit > 2000.00000 mg/kg 24h

b) skin corrosion/irritation Skin Irritant Rabbit Positive 24h

c) serious eye damage/irritation

Eye Irritant Rabbit No

d) respiratory or skin

sensitisation

Skin Sensitization Guineapig Negative

f) carcinogenicity Genotoxicity Rat Negative

Carcinogenicity Positive

g) reproductive toxicity No Observed Adverse Effect Level Skin Rat =

1.00000 mg/kg

4,5-dichloro-2-octyl-2H-isothiazol-3-one (DCOIT)

a) acute toxicity

ATE - Oral: 567 mg/kg bw

# 11.2 Information on other hazards

#### **Endocrine disrupting properties:**

No endocrine disruptor substances present in concentration >= 0.1%

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

# List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

No data available for the product

Date 10/26/2022 Production Name SILICONE Page n. 6 of 10

## List of Eco-Toxicological properties of the components

Component Ident. Numb. Ecotox Data

Hydrocarbons, C13-23 CAS: 1335203- a) Aquatic acute toxicity: LL50 Fish freshwater fish = 21.00000 mg/L 96h

18-3

b) Aquatic chronic toxicity : NOEC Fish freshwater fish = 0.07 mg/L

a) Aquatic acute toxicity: EL50 Daphnia = 68.00000 mg/L 48h

b) Aquatic chronic toxicity: NOEC Daphnia = 0.16 mg/L - 21days

a) Aquatic acute toxicity: EL50 Algae = 22.00000 mg/L 72h

c) Bacteria toxicity: EL50 Tetrahymena pyriformis > 1000.00000 mg/L

12.2. Persistence and degradability

Persitence/Degradabili

Hydrocarbons, C13-23 Readily biodegradable

12.3. Bioaccumulative potential

N.A.

Component

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

No PBT/vPvB Ingredients are present

12.6 Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7 Other adverse effects

N.A.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

A waste code according to European waste catalogue (EWC) cannot be specified, due to dependence on the usage. Contact an authorized waste disposal service.

Properties of waste which render it hazardous (Annex III, Directive 2008/98/EC):

N.A.

## **SECTION 14: Transport information**

Not classified as dangerous in the meaning of transport regulations.

14.1. UN number or ID number

N.A.

14.2. UN proper shipping name

ADR-Shipping Name: N/A IATA-Technical name: N/A IMDG-Technical name: N/A

N.A

14.3. Transport hazard class(es)

N.A.

IATA-Class: N/A IMDG-Class: N/A

14.4. Packing group

N.A.

IATA-Packing group: N/A IMDG-Packing group: N/A

14.5. Environmental hazards

N.A.

IMDG-EMS: N/A

14.6. Special precautions for user

N.A.

Road and Rail ( ADR-RID ) :

ADR-Label: N.A. N/A

Date 10/26/2022 Production Name SILICONE Page n. 7 of 10

```
ADR - Hazard identification number: N/A
ADR-Special Provisions: N/A
ADR-Transport category (Tunnel restriction code): N/A
ADR Limited Quantities: N/A
ADR Excepted Quantities: N/A
IATA-Passenger Aircraft: N/A
```

Air ( IATA ):

IATA-Cargo Aircraft: N/A

IATA-Label: N/A

IATA-Subsidiary hazards: N/A

IATA-Erg: N/A

IATA-Special Provisioning: N/A

N.A.

Sea (IMDG):

IMDG-Stowage Code: N/A IMDG-Stowage Note: N/A IMDG-Subsidiary hazards: N/A IMDG-Special Provisioning: N/A

N.A.

#### 14.7. Maritime transport in bulk according to IMO instruments

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2020/878

Regulation (EC) nr 648/2004 (Detergents).

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: None

Restrictions related to the substances contained: 40, 75

Provisions related to directive EU 2012/18 (Seveso III):

NΑ

## Regulation (EU) 649/2012 (PIC regulation):

No Substance Listed

German Water Hazard Class.

NWG: Not hazardous for water

SVHC Substances:

No data available

## 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

Date 10/26/2022 **Production Name** SILICONE Page n. 8 of

#### **SECTION 16: Other information**

Code Description

H304 May be fatal if swallowed and enters airways.

Code Hazard class and hazard category Description

3.10/1 Asp. Tox. 1 Aspiration hazard, Category 1

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report
DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

 ${\tt IMDG: International\ Maritime\ Code\ for\ Dangerous\ Goods.}$ 

INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: Keep Away From Heat KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

Date 10/26/2022 Production Name SILICONE Page n. 9 of 10

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

# Paragraphs modified from the previous revision:

- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 15. REGULATORY INFORMATION

 Date
 10/26/2022
 Production Name
 SILICONE
 Page n. 10 of 10