

Safety Data Sheet

Conforms to Regulation (EC) No. 1907/2006 (REACH), Article 31, Annex II, as amended by Commission Regulation (EU) 2020/878

SUPERSOAP

Date of first edition: 8/10/2021

Safety Data Sheet dated 8/10/2021

version 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: SUPERSOAP

Trade code: B0123 .011

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: detergent

Uses advised against: Data not available.

1.3. Details of the supplier of the safety data sheet

Company: KERAKOLL S.p.A.

Via dell'Artigianato, 9

41049 Sassuolo (MODENA) - ITALY

Tel.+39 0536 816511 Fax. +39 0536816581

safety@kerakoll.com

1.4. Emergency telephone number

European emergency phone number 112

Kerakoll Italy - +39-0536-816511

Ireland

Poison information centre: 01 809 2166 (Daily 8am-10pm)

In case of emergency call 999 or 112

Malta

In case of emergency call: +356 2395 2000 (24h)

SECTION 2: Hazards identification



2.1. Classification of the substance or mixture

Regulation (EC) n. 1272/2008 (CLP)

Eye Irrit. 2 Causes serious eye irritation.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Regulation (EC) No 1272/2008 (CLP):

Pictograms and Signal Words



Warning

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P264 Wash hands thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Special Provisions:

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Regulation (EC) nr 648/2004 (Detergents).

Product contents:

non-ionic surfactants < 5%
anionic surfactants < 5%
Perfumes

Preservatives:

2-bromo-2-nitropropane-1,3-diol
Methylchloroisothiazolinone and methylisothiazolinone

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%.

Other Hazards: Contains:biocidal product. Contains: C(M)IT/MIT (3:1).The product is identified as an article treated pursuant to art. 58 of Regulation (EU) no. 528/2012 and subsequent amendments. It is recommended to avoid possible exposure to the skin. Protective gloves and work clothes are recommended. Minimize the uncontrolled release of product into the environment. When washing work equipment, water must not be dispersed in the soil or on surface water.

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Mixture identification: SUPERSOAP

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb.	Classification	Registration Number
2,5-4,9 %	Sodium sulfate	CAS:126-92-1 EC:204-812-8	Skin Irrit. 2, H315; Eye Dam. 1, H318	01-2119971586-23
< 0,1 %	bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	CAS:52-51-7 EC:200-143-0	STOT SE 3, H335; Skin Irrit. 2, H315; Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 3, H301; Acute Tox. 3, H331; Aquatic Chronic 2, H411; Acute Tox. 4, H312, M:10	
< 0,0015 %	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS:55965-84-9 Index:613-167-00-5	Acute Tox. 2, H330 Acute Tox. 2, H310 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410, M-Chronic:100, M-Acute:100, EUH071 Specific Concentration Limits: C ≥ 0.6%: Skin Corr. 1C H314 0.06% ≤ C < 0.6%: Skin Irrit. 2 H315 C ≥ 0.6%: Eye Dam. 1 H318 0.06% ≤ C < 0.6%: Eye Irrit. 2 H319 C ≥ 0.0015%: Skin Sens. 1A H317	

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.
Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.
Wash thoroughly the body (shower or bath).
Remove contaminated clothing immediatley and dispose off safely.
After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and label hazardous.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Eye irritation

Eye damages

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:
None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Community Occupational Exposure Limits (OEL)

Component	OEL Type	Country	Ceiling	Long Term mg/m ³	Long Term ppm	Short Term mg/m ³	Short Term ppm	Notes
ethanol; ethyl alcohol	ACGIH	NNN					1000	A3 - URT irr
propan-2-ol; isopropyl alcohol; isopropanol	NATIONAL	AUSTRALIA		983.000	400.000	1230.000	500.000	
	NATIONAL	AUSTRIA		500.000	200.000	2000.000	800.000	
	NATIONAL	BELGIUM		500.000	200.000	1000.000	400.000	
	NATIONAL	CANADA			200.000		400.000	Ontario
	NATIONAL	CANADA		983.000	400.000	1230.000	500.000	Quebec
	NATIONAL	DENMARK		490.000	200.000	980.000	400.000	
	NATIONAL	FINLAND		500.000	200.000	620.000	250.000	
	NATIONAL	FRANCE				980.000	400.000	
	NATIONAL	GERMANY		500.000	200.000	1000.000	400.000	AGS
	NATIONAL	GERMANY		500.000	200.000	1000.000	400.000	DFG
	NATIONAL	HUNGARY		500.000		2000.000		
	NATIONAL	IRELAND			200.000		400.000	
	NATIONAL	JAPAN			400.000			MHLW
	NATIONAL	JAPAN	C	980.000	400.000			JSOH
	NATIONAL	LATVIA		350.000		600.000		
	NATIONAL	NEW ZEALAND		983.000	400.000	1230.000	500.000	
	NATIONAL	CHINA		350.000		700.000		
	NATIONAL	POLAND		900.000		1200.000		
	NATIONAL	ROMANIA		200.000	81.000	500.000	203.000	
	NATIONAL	SINGAPORE		983.000	400.000	1230.000	500.000	
	NATIONAL	KOREA, REPUBLIC OF		480.000	200.000	980.000	400.000	
	NATIONAL	SPAIN		500.000	200.000	1000.000	400.000	
	NATIONAL	SWEDEN		350.000	150.000	600.000	250.000	
	NATIONAL	SWITZERLAND		500.000	200.000	1000.000	400.000	
	NATIONAL	UNITED STATES OF AMERICA		980.000	400.000	1225.000	500.000	NIOSH
	NATIONAL	UNITED STATES OF AMERICA		980.000	400.000			OSHA
	NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND		999.000	400.000	1250.000	500.000	
	NATIONAL	ITALY		492.000	200.000	983.000	400.000	
	NATIONAL	ARGENTINA			400.000		500.000	
	NATIONAL	BULGARIA		980.000		1225.000		
	NATIONAL	CZECHIA		500.000		1000.000		
	NATIONAL	CHILE		858.000	358.000	1230.000	500.000	

	NATIONAL	CROATIA	999.000	400.000	1250.000	500.000	
	NATIONAL	ESTONIA	350.000	150.000	600.000	250.000	
	NATIONAL	GREECE	980.000	400.000	1225.000	500.000	
	NATIONAL	INDONESIA	983.000	400.000	1230.000	500.000	
	NATIONAL	ICELAND	490.000	200.000			
	NATIONAL	LITHUANIA	350.000	150.000	600.000	250.000	
	NATIONAL	MALAYSIA	49.000	10.000			
	NATIONAL	MEXICO		200.000		400.000	
	NATIONAL	NORWAY	245.000	100.000			
	NATIONAL	NETHERLANDS	650.000	250.000			
	NATIONAL	PORTUGAL		200.000		400.000	
	NATIONAL	RUSSIAN FEDERATION	10.000		50.000		
	NATIONAL	SLOVAKIA	500.000	200.000	1000.000	400.000	
	NATIONAL	SLOVENIA	500.000	200.000	1000.000	400.000	
	ACGIH	NNN		200		400	A4, BEI - Eye and URT irr, CNS impair
glyoxal...%; ethandial...%	NATIONAL	BELGIUM	0.1				Inhalable fraction and vapour
	NATIONAL	CANADA	0.100				Ontario: inhalable aerosol and vapour
	NATIONAL	DENMARK	0.500	0.200	0.500	0.200	
	NATIONAL	FINLAND	0.020				
	NATIONAL	SPAIN	0.100				
	NATIONAL	ITALY	0.100				
	NATIONAL	ARGENTINA	0.100				
	NATIONAL	MEXICO	0.100				
	NATIONAL	UNITED STATES OF AMERICA	0.100				
	NATIONAL	PORTUGAL	0.100				
	ACGIH	NNN	0.1				(IFV), DSEN, A4 - URT irr, larynx metaplasia
linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool	NATIONAL	RUSSIAN FEDERATION			5.000		
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	NATIONAL	AUSTRIA	0.050				
	NATIONAL	GERMANY	0.200		0.400		DFG; Long term and short term: inhalable fraction
	NATIONAL	SWITZERLAND	0.200		0.400		Inhalable fraction
	NATIONAL	KOREA, REPUBLIC OF	0.100				
	NATIONAL	NETHERLANDS	0.200				
(R)-p-mentha-1,8-diene	NATIONAL	FINLAND	140.000	25.000	280.000	50.000	
	NATIONAL	GERMANY	28.000	5.000	110.000	20.000	AGS
	NATIONAL	GERMANY	28.000	5.000	112.000	20.000	DFG

NATIONAL	SWITZERLAND	40.000	7.000	80.000	14.000
NATIONAL	NORWAY	140.000	25.000		
NATIONAL	SLOVENIA	28.000	5.000	112.000	20.000
NATIONAL	SPAIN	168.000	30.000		

Predicted No Effect Concentration (PNEC) values

Component	CAS-No.	PNEC Limit	Exposure Route	Exposure Frequency
bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	52-51-7	10.000 µg/l	Freshwater	
		2.500 µg/l	Intermittent releases (freshwater)	
		800.000 ng/L	Marine water	
		430.000 µg/l	Microorganisms in sewage treatments	
		41.000 µg/l	Freshwater sediments	
		3.280 µg/kg	Marine water sediments	
		500.000 µg/kg	Soil	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	3.390 µg/l	Freshwater	
		3.390 µg/l	Intermittent releases (freshwater)	
		3.390 µg/l	Marine water	
		3.390 µg/l	Intermittent releases (marine water)	
		230.000 µg/l	Microorganisms in sewage treatments	
		27.000 µg/l	Freshwater sediments	
		27.000 µg/l	Marine water sediments	
		10.000 µg/l	Soil	

Derived No Effect Level (DNEL) values

Component	CAS-No.	Worker Industry	Worker Professional	Consumer	Exposure Route	Exposure Frequency
bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	52-51-7		4.100 mg/m ³	1.200 mg/m ³	Human Inhalation	Long Term, systemic effects
			12.300 mg/m ³		Human Inhalation	Short Term, systemic effects
			4.200 mg/m ³	1.300 mg/m ³	Human Inhalation	Long Term, local effects
			4.200 mg/m ³	1.300 mg/m ³	Human Inhalation	Short Term, local effects
			2.300 mg/kg	1.400 mg/kg	Human Dermal	Long Term, systemic effects
			7.000 mg/kg		Human Dermal	Short Term, systemic effects
				350.000 µg/kg	Human Oral	Long Term, systemic effects
				1.100 mg/kg	Human Oral	Short Term, systemic effects
			0.013 mg/cm ²	0.008 mg/cm ²	Human Dermal	Long Term, local effects
			0.013 mg/cm ²	0.008 mg/cm ²	Human Dermal	Short Term, local effects

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	20.000 µg/m ³	20.000 µg/m ³	Human Inhalation	Long Term, local effects
		40.000 µg/m ³	20.000 µg/m ³	Human Inhalation	Short Term, local effects
			90.000 µg/kg	Human Oral	Long Term, systemic effects
			110.000 µg/kg	Human Oral	Short Term, systemic effects

8.2. Exposure controls

Eye protection:

Eye glasses with side protection.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Nitrile rubber, Viton, 4H .

Respiratory protection:

N.A.

Thermal Hazards:

N.A.

Environmental exposure controls:

N.A.

Hygienic and Technical measures

N.A.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State Liquid

Color: White

Odour: Characteristic

Odour threshold: N.A.

pH: $\geq 7.80 \leq 8.20$

Kinematic viscosity: N.A.

Melting point / freezing point: N.A.

Initial boiling point and boiling range: 100 °C (212 °F)

Flash point: Not Applicable

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A.

Vapour pressure: 23.00 hPa

Relative density: 0.99 g/cm³

Solubility in water: Soluble

Solubility in oil: N.A.

Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: N.A.

Decomposition temperature: N.A.

Flammability: N.A.

Volatile Organic compounds - VOCs = 0.08 % ; 0.82 g/l

Particle characteristics:

Particle size: N.A.

9.2. Other information

Miscibility: N.A.

Conductivity: N.A.

Evaporation rate: N.A. No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Data not available.

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicological Information of the Preparation**

a) acute toxicity	Not classified
	Based on available data, the classification criteria are not met
b) skin corrosion/irritation	Not classified
	Based on available data, the classification criteria are not met
c) serious eye damage/irritation	The product is classified: Eye Irrit. 2(H319)
d) respiratory or skin sensitisation	Not classified
	Based on available data, the classification criteria are not met
e) germ cell mutagenicity	Not classified
	Based on available data, the classification criteria are not met
f) carcinogenicity	Not classified
	Based on available data, the classification criteria are not met
g) reproductive toxicity	Not classified
	Based on available data, the classification criteria are not met
h) STOT-single exposure	Not classified
	Based on available data, the classification criteria are not met
i) STOT-repeated exposure	Not classified
	Based on available data, the classification criteria are not met
j) aspiration hazard	Not classified
	Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	a) acute toxicity	LD50 Oral Rat = 305.00 mg/kg	
		LC50 Inhalation of aerosol Rat >= 0.59 mg/l 4h	
		LD50 Skin Rat > 2000.00000 mg/kg 24h	
	b) skin corrosion/irritation	Skin Irritant Rabbit Positive 4h	
	c) serious eye damage/irritation	Eye Irritant Rabbit Yes	
	d) respiratory or skin sensitisation	Skin Sensitization Guinea pig Negative	
	f) carcinogenicity	Genotoxicity Negative	Mouse oral route
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		Carcinogenicity Oral Rat Negative	
	g) reproductive toxicity	No Observed Adverse Effect Level Oral Rat 200.00000	
	a) acute toxicity	LD50 Oral Rat = 69.00 mg/kg	
		LD50 Skin Rabbit = 141.00 mg/kg	
		LC50 Inhalation Rat = 0.33 mg/l 4h	
	b) skin corrosion/irritation	Skin Irritant Rabbit Positive	
	c) serious eye damage/irritation	Eye Corrosive Rabbit Positive	

d) respiratory or skin sensitisation	Skin Sensitization Positive
f) carcinogenicity	Genotoxicity Negative Carcinogenicity Skin Negative
g) reproductive toxicity	No Observed Adverse Effect Level Oral Rat = 22.70000 mg/kg

11.2 Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

No data available for the product

List of Eco-Toxicological properties of the components

Component	Ident. Numb.	Ecotox Data
bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	CAS: 52-51-7 - EINECS: 200-143-0	<p>a) Aquatic acute toxicity : LC50 Fish <i>Lepomis macrochirus</i> = 37.50000 mg/L 96h US EPA Guideline OPP 72 -1</p> <p>b) Aquatic chronic toxicity : NOEC Fish <i>Oncorhynchus mykiss</i> = 21.50000 mg/L OECD guideline 210 - 49days</p> <p>a) Aquatic acute toxicity : EC50 <i>Daphnia magna</i> = 1.40000 mg/L 48h OECD guideline 202</p> <p>b) Aquatic chronic toxicity : NOEC <i>Daphnia magna</i> = 0.27000 mg/L OECD guideline 202 - 21days</p> <p>a) Aquatic acute toxicity : NOEC Algae <i>Skeletonema costatum</i> = 0.08000 mg/L 72h ISO 10253</p> <p>a) Aquatic acute toxicity : EC20 Sludge activated sludge = 2.00000 mg/L OECD 209</p> <p>d) Terrestrial toxicity : LC50 Worm <i>Eisenia foetida</i> > 500.00000 mg/kg OECD 207</p> <p>d) Terrestrial toxicity : EC50 soil microorganisms = 679.00000 mg/kg OECD guideline 216 - 28days</p>
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS: 55965-84-9 - INDEX: 613-167-00-5	<p>a) Aquatic acute toxicity : LC50 Fish <i>Oncorhynchus mykiss</i> = 0.19000 mg/L 96h EPA OPP 72-1 (Fish Acute Toxicity Test)</p> <p>b) Aquatic chronic toxicity : NOEC Fish <i>Danio rerio</i> = 0.02000 mg/L „OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) - 35days</p> <p>a) Aquatic acute toxicity : LC50 <i>Daphnia magna</i> = 0.16000 mg/L 48h EPA OPP 72-2 (Aquatic Invertebrate Acute Toxicity Test)</p> <p>b) Aquatic chronic toxicity : NOEC <i>Daphnia magna</i> = 0.10000 mg/L EPA OPP 72-4 (Fish Early Life-Stage and Aquatic Invertebrate Life-Cycle Studies) - 21days</p> <p>a) Aquatic acute toxicity : EC50 Algae <i>Skeletonema costatum</i> = 0.00 mg/L 96h „OECD Guideline 201 (Alga, Growth Inhibition Test)</p> <p>a) Aquatic acute toxicity : EC50 Sludge activated sludge = 4.50000 mg/L 3h „OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)</p> <p>d) Terrestrial toxicity : LC50 Worm <i>Eisenia fetida</i> = 613.00000 mg/kg „OECD Guideline 207 (Earthworm, Acute Toxicity Tests) - 14days</p> <p>e) Plant toxicity : NOEC <i>Trifolium pratense</i>, <i>Oryza sativa</i>, <i>Brassica napus</i> = 1000.00000 mg/L OECD Guideline 208 (Terrestrial Plants Test: Seedling Emergence and Seedling Growth Test) - 21days</p>

12.2. Persistence and degradability

Component	Persistence/Degradability:	Notes
Sodium sulfate	Readily biodegradable	
bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	Readily biodegradable	OECD guideline 301B
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Non-readily biodegradable	

The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Component	Bioaccumulation	Test	Value	Notes
bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	Bioaccumulative	BCF - Bioconcentration factor		
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Bioaccumulative	BCF - Bioconcentration factor	54.000	≤ 54

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

No PBT/vPvB Ingredients are present

12.6 Endocrine disrupting properties

No endocrine disruptor substances present in concentration $\geq 0.1\%$

12.7 Other adverse effects

N.A.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

A waste code according to European waste catalogue (EWC) cannot be specified, due to dependence on the usage. Contact an authorized waste disposal service.

Properties of waste which render it hazardous (Annex III, Directive 2008/98/EC):

HP 4: Irritant — skin irritation and eye damage

SECTION 14: Transport information

14.1. UN number or ID number

N/A

14.2. UN proper shipping name

ADR-Shipping Name: N/A

IATA-Technical name: N/A

IMDG-Technical name: N/A

14.3. Transport hazard class(es)

ADR-Class: N/A

IATA-Class: N/A

IMDG-Class: N/A

14.4. Packing group

ADR-Packing Group: N/A

IATA-Packing group: N/A

IMDG-Packing group: N/A

14.5. Environmental hazards

Marine pollutant: No

Environmental Pollutant: No

IMDG-EMS: N/A

14.6. Special precautions for user

Road and Rail (ADR-RID) :

ADR-Label: N/A

ADR - Hazard identification number: N/A
ADR-Special Provisions: N/A
ADR-Transport category (Tunnel restriction code): N/A
ADR Limited Quantities: N/A
ADR Excepted Quantities: N/A

Air (IATA) :

IATA-Passenger Aircraft: N/A
IATA-Cargo Aircraft: N/A
IATA-Label: N/A
IATA-Subsidiary hazards: N/A
IATA-Erg: N/A
IATA-Special Provisioning: N/A

Sea (IMDG) :

IMDG-Stowage Code: N/A
IMDG-Stowage Note: N/A
IMDG-Subsidiary hazards: N/A
IMDG-Special Provisioning: N/A

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2020/878

Regulation (EC) nr 648/2004 (Detergents).

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: 3

Restrictions related to the substances contained: 40, 75

Provisions related to directive EU 2012/18 (Seveso III):

N.A.

Regulation (EU) 649/2012 (PIC regulation):

No Substance Listed

German Water Hazard Class.

Class 1: slightly hazardous for water.

SVHC Substances:

No data available

REGULATION (EU) No 528/2012

The product is identified as an article treated pursuant to art. 58 of Regulation (EU) no. 528/2012 and subsequent amendments.

Substances included in Regulation (EU) n. 528/2012 (concerning the making available on the market and use of biocidal products):

Nomenclature IUPAC: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one

(EINECS 220-239-6) (Mixture of CMIT/MIT)
Nomenclature BPR: C(M)IT/MIT (3:1)
CAS number: 55965-84-9
Product-type 6: Preservatives for products during storage
Assessment status: Approved
Commission Implementing Regulation (EU) 2016/131

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Code	Description	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
Code	Hazard class and hazard category	Description
3.2/2	Skin Irrit. 2	Skin irritation, Category 2
3.3/1	Eye Dam. 1	Serious eye damage, Category 1
3.3/2	Eye Irrit. 2	Eye irritation, Category 2

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
3.3/2	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer
IATA: International Air Transport Association.
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
IC50: half maximal inhibitory concentration
ICAO: International Civil Aviation Organization.
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG: International Maritime Code for Dangerous Goods.
INCI: International Nomenclature of Cosmetic Ingredients.
IRCCS: Scientific Institute for Research, Hospitalization and Health Care
KAFH: Keep Away From Heat
KSt: Explosion coefficient.
LC50: Lethal concentration, for 50 percent of test population.
LD50: Lethal dose, for 50 percent of test population.
LDLo: Leathal Dose Low
N.A.: Not Applicable
N/A: Not Applicable
N/D: Not defined/ Not available
NA: Not available
NIOSH: National Institute for Occupational Safety and Health
NOAEL: No Observed Adverse Effect Level
OSHA: Occupational Safety and Health Administration.
PBT: Persistent, Bioaccumulative and Toxic
PGK: Packaging Instruction
PNEC: Predicted No Effect Concentration.
PSG: Passengers
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
vPvB: Very Persistent, Very Bioaccumulative.
WGK: German Water Hazard Class.

Paragraphs modified from the previous revision:

- 12. ECOLOGICAL INFORMATION