

### **Safety Data Sheet**

Conforms to Regulation (EC) No. 1907/2006 (REACH), Article 31, Annex II, as amended by Commission Regulation (EU) 2020/878

**TACK** 

Date of first edition: 9/18/2020 Safety Data Sheet dated 23/01/2025

version 10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Mixture identification:

Trade name: TACK

Trade code: S100B0208 .081

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Adhesives/sealants for resilient materials and textiles

Uses advised against: All uses other than recommended ones

#### 1.3. Details of the supplier of the safety data sheet

Company: KERAKOLL S.p.A.

Via dell'Artigianato, 9

41049 Sassuolo (MODENA) - ITALY

Tel.+39 0536 816511 Fax. +39 0536816581

safety@kerakoll.com

#### 1.4. Emergency telephone number

European emergency phone number 112

Ireland Poison information centre: 01 809 2166 (Daily 8am-10pm) In case of emergency call 999 or 112

Malta In case of emergency call: +356 2395 2000 (24h)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Regulation (EC) n. 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

#### 2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

### **Special Provisions:**

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

(3:1). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

### Special provisions according to Annex XVII of REACH and subsequent amendments:

None.

#### 2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

Other Hazards: Contains biocidal product: C(M)IT/MIT (3:1); The product is identified as an article treated pursuant to art. 58 of Regulation (EU) no. 528/2012 and subsequent amendments. Possible skin exposure must be avoided. Protective gloves and work

clothes are required. Avoid releasing product into the environment. When washing work equipment, water must not be dispersed in the soil or on surface water

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

N.A.

#### 3.2. Mixtures

 Date
 23/01/2025
 Production Name
 TACK
 Page n. 1 of 13

#### Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb.	Classification	Registration Number
≥3-<5 %	Propane-1,2-diol, propoxylated	CAS:25322-69-4 EC:500-039-8	Acute Tox. 4, H302	
<0.05 %	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	EC:220-120-9	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Acute Tox. 2, H330	01-2120761540-60
			Specific Concentration Limits: C ≥ 0.05%: Skin Sens. 1 H317	
			Acute Toxicity Estimate: ATE - Oral: 450mg/kg bw ATE - Inhalation (Dust/mist): 0.21mg/l	
<0.0015 %	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Index:613-167-	Acute Tox. 2, H330 Acute Tox. 2, H310 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410, M-Chronic:100, M-Acute:100, EUH071	
			Specific Concentration Limits: $C \ge 0.6\%$ : Skin Corr. 1C H314 0.06% ≤ C < 0.6%: Skin Irrit. 2 H315 $C \ge 0.6\%$ : Eye Dam. 1 H318 0.06% ≤ C < 0.6%: Eye Irrit. 2 H319 $C \ge 0.0015\%$ : Skin Sens. 1A H317	

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and label hazardous.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

### 4.2. Most important symptoms and effects, both acute and delayed

N.A.

### 4.3. Indication of any immediate medical attention and special treatment needed

N.A.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

## $\ensuremath{\mathbf{5.2.}}$ Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

### 5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

 Date
 23/01/2025
 Production Name
 TACK
 Page n. 2 of 13

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non emergency personnel:

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

#### For emergency responders:

Wear personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

#### 6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

#### 6.4. Reference to other sections

See also section 8 and 13

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

#### Advice on general occupational hygiene:

#### 7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

### 7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

#### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Community Occupational Exposure Limits (OEL)**

Community Companional Exposure Limits (CLL)					
	OEL Type	Country	Occupational Exposure Limit		
Limestone CAS: 1317-65-3	NATIONAL	BULGARIA	Long Term: 10 mg/m3 Source: НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г.		
	NATIONAL	ESTONIA	Long Term: 10 mg/m3 Source: Vabariigi Valitsuse, 20. märtsi 2001. a määrus nr 105		
	NATIONAL	ESTONIA	Long Term: 5 mg/m3 Source: Vabariigi Valitsuse, 20. märtsi 2001. a määrus nr 105		
	NATIONAL	GREECE	Long Term: 10 mg/m3 εισπν Source: ΦΕΚ 94/A` 13.5.1999		
	NATIONAL	GREECE	Long Term: 5 mg/m3 avanv Source: ΦEK 94/A` 13.5.1999		
	NATIONAL	GREECE	Long Term: 10 mg/m3 εισπν. Source: ΦΕΚ 94/A` 13.5.1999		
	NATIONAL	GREECE	Long Term: 5 mg/m3 avanv. Source: ΦEK 94/A` 13.5.1999		

 Date
 23/01/2025
 Production Name
 TACK
 Page n. 3 of 13

NATIONAL HUNGARY Long Term: 10 mg/m3

N

Source: 5/2020. (II. 6.) ITM rendelet

WEL-EH40 UNITED Long Term: 10 mg/m3

KINGDOM OF Source: EH40/2005 Workplace exposure limits (Fourth Edition 2020)

GREAT BRITAIN AND NORTHERN IRELAND

WEL-EH40 UNITED Long Term: 4 mg/m3

KINGDOM OF Source: EH40/2005 Workplace exposure limits (Fourth Edition 2020)

GREAT BRITAIN AND NORTHERN IRELAND

WEL-EH40 UNITED Long Term: 10 mg/m3

KINGDOM OF Source: EH40/2005 Workplace exposure limits (Fourth Edition 2020)

GREAT BRITAIN AND NORTHERN IRELAND

WEL-EH40 UNITED Long Term: 4 mg/m3

KINGDOM OF Source: EH40/2005 Workplace exposure limits (Fourth Edition 2020)

GREAT BRITAIN AND NORTHERN IRELAND

WEL-EH40 UNITED Long Term: 10 mg/m3

KINGDOM OF Source: EH40/2005 Workplace exposure limits (Fourth Edition 2020)

GREAT BRITAIN AND NORTHERN IRELAND

WEL-EH40 UNITED Long Term: 4 mg/m3

KINGDOM OF Source: EH40/2005 Workplace exposure limits (Fourth Edition 2020)

GREAT BRITAIN AND NORTHERN IRELAND

NATIONAL BELGIUM Long Term: 10 mg/m3

Source: Code du bien-être au travail, Livre VI, Titre 1er, Annexe VI.1-1

NATIONAL IRELAND Long Term: 10 mg/m3

Source: 2021 Code of Practice

NATIONAL IRELAND Long Term: 4 mg/m3

Source: 2021 Code of Practice

sodium hydroxide; caustic

soda

CAS: 1310-73-2

ACGIH Short Term: Ceiling - 2 mg/m3

URT, eye, and skin irr

NATIONAL AUSTRALIA Short Term: Ceiling - 2 mg/m3 (15min)

NATIONAL ROMANIA Long Term: 1 mg/m3; Short Term: 3 mg/m3

NATIONAL AUSTRIA Long Term: 2 mg/m3; Short Term: Ceiling - 4 mg/m3

5(Mow), 8x, MAK, E

Source: BGBl. II Nr. 156/2021

NATIONAL BULGARIA Long Term: 2 mg/m3

Source: НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г.

NATIONAL CZECHIA Long Term: 1 mg/m3; Short Term: Ceiling - 2 mg/m3

Ι

Source: Nařízení vlády č. 361-2007 Sb

NATIONAL DENMARK Short Term: Ceiling - 2 mg/m3

L

Source: BEK nr 2203 af 29/11/2021

NATIONAL ESTONIA Long Term: 1 mg/m3; Short Term: 2 mg/m3

\*

Source: Vabariigi Valitsuse, 20. märtsi 2001. a määrus nr 105

 Date
 23/01/2025
 Production Name
 TACK
 Page n. 4 of 13

NATIONAL FINLAND Short Term: Ceiling - 2 mg/m3

kattoarvo

Source: HTP-ARVOT 2020

NATIONAL FRANCE Long Term: 2 mg/m3

Source: INRS outil65

NATIONAL GREECE Long Term: 2 mg/m3; Short Term: 2 mg/m3

Source: ΦΕΚ 94/A` 13.5.1999

NATIONAL HUNGARY Long Term: 1 mg/m3; Short Term: 2 mg/m3

m, N

Source: 5/2020. (II. 6.) ITM rendelet

NATIONAL LATVIA Long Term: 0.5 mg/m3

Source: KN325P1

NATIONAL LITHUANIA Short Term: Ceiling - 2 mg/m3

Source: 2011 m. rugsėjo 1 d. Nr. V-824/A1-389

NATIONAL NORWAY Short Term: Ceiling - 2 mg/m3

Source: FOR-2021-06-28-2248

NATIONAL POLAND Long Term: 0.5 mg/m3; Short Term: 1 mg/m3

Source: Dz.U. 2018 poz. 1286

NATIONAL SLOVAKIA Long Term: 2 mg/m3

Source: 355 NARIADENIE VLÁDY z 10. mája 2006

NATIONAL SWEDEN Long Term: 1 mg/m3; Short Term: 2 mg/m3

Source: AFS 2021:3

SUVA SWITZERLAN Long Term: 2 mg/m3; Short Term: 2 mg/m3

TWA mg/m3: (i), SSC, VRS Peau Yeux / OAW Haut Auge, NIOSH OSHA

Source: suva.ch/valeurs-limites

WEL-EH40 UNITED Short Term: 2 mg/m3

KINGDOM OF Source: EH40/2005 Workplace exposure limits (Fourth Edition 2020)

GREAT **BRITAIN AND NORTHERN IRELAND** 

NATIONAL BELGIUM Long Term: 2 mg/m3

Source: Code du bien-être au travail, Livre VI, Titre 1er, Annexe VI.1-1

NATIONAL CROATIA Short Term: 2 mg/m3

Source: NN 1/2021

NATIONAL IRELAND Short Term: 2 mg/m3

Source: 2021 Code of Practice

NATIONAL SPAIN Short Term: 2 mg/m3

Source: LEP 2022

reaction mass of 5-chloro-2- NATIONAL GERMANY methyl-2H-isothiazol-3-one

and 2-methyl-2H-isothiazol-

3-one (3:1) CAS: 55965-84-9

Long Term: 0.2 mg/m3; Short Term: 0.4 mg/m3

DFG; Long term and short term: inhalable fraction

Source: TRGS900

NATIONAL AUSTRIA Long Term: 0.05 mg/m3

MAK, Sh

Source: GKV, BGBl. II Nr. 156/2021

**SUVA** SWITZERLAN Long Term: 0.2 mg/m3; Short Term: 0.4 mg/m3

TWA mg/m3: (i), S, SSC, VRS Peau Yeux / OAW Haut Auge

Source: suva.ch/valeurs-limites

#### Predicted No Effect Concentration (PNEC) values

Propane-1,2-diol, Exposure Route: Fresh Water; PNEC Limit: 150 µg/l

propoxylated CAS: 25322-69-4

Exposure Route: Intermittent releases (fresh water); PNEC Limit: 1 mg/l

Page n. 5 of 13 23/01/2025 **Production Name TACK** Date

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 100 mg/l

Exposure Route: Freshwater sediments; PNEC Limit: 592 µg/kg Exposure Route: Freshwater sediments; PNEC Limit: 59.2 µg/kg

Exposure Route: Soil; PNEC Limit: 69.8 μg/kg

1,2-benzisothiazol-3(2H)- Exposure Route: Fresh Water; PNEC Limit: 4.03 µg/l

one; 1,2-benzisothiazolin-

3-one

CAS: 2634-33-5

Exposure Route: Intermittent releases (fresh water); PNEC Limit: 1.1 µg/l

Exposure Route: Marine water; PNEC Limit: 403 ng/L

Exposure Route: Intermittent releases (marine water); PNEC Limit: 110 ng/L Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 1.03 mg/l

Exposure Route: Freshwater sediments; PNEC Limit: 49.9 µg/kg Exposure Route: Marine water sediments; PNEC Limit: 4.99 μg/kg

Exposure Route: Soil; PNEC Limit: 3 mg/kg

reaction mass of 5chloro-2-methyl-2Hisothiazol-3-one and 2methyl-2H-isothiazol-3-

one (3:1)

CAS: 55965-84-9

Exposure Route: Intermittent releases (fresh water); PNEC Limit: 3.39 µg/l

Exposure Route: Marine water; PNEC Limit: 3.39 µg/l

Exposure Route: Fresh Water; PNEC Limit: 3.39 µg/l

Exposure Route: Intermittent releases (marine water); PNEC Limit: 3.39 µg/l Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 230 µg/l

Exposure Route: Freshwater sediments; PNEC Limit: 27 µg/l Exposure Route: Marine water sediments; PNEC Limit: 27 µg/l

Exposure Route: Soil; PNEC Limit: 10 µg/l

#### **Derived No Effect Level (DNEL) values**

Propane-1,2-diol, propoxylated CAS: 25322-69-4 Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects Worker Professional: 98 mg/m³; Consumer: 29 mg/m³

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects

Worker Professional: 10 mg/m³; Consumer: 10 mg/m³

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects

Worker Professional: 13.9 mg/m<sup>3</sup>; Consumer: 8.3 mg/m<sup>3</sup>

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects

Consumer: 8.3 mg/kg

1,2-benzisothiazol-3(2H)- Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects

one; 1,2-benzisothiazolin- Worker Professional: 6.81 mg/m<sup>3</sup>; Consumer: 1.2 mg/m<sup>3</sup>

3-one

CAS: 2634-33-5

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects

Worker Professional: 966 μg/kg; Consumer: 345 μg/kg

reaction mass of 5chloro-2-methyl-2Hisothiazol-3-one and 2methyl-2H-isothiazol-3-

one (3:1) CAS: 55965-84-9 Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects Worker Professional: 20 μg/m³; Consumer: 20 μg/m³

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, local effects Worker Professional: 40 μg/m³; Consumer: 20 μg/m³

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects

Consumer: 90 µg/kg

Exposure Route: Human Oral; Exposure Frequency: Short Term, systemic effects

Consumer: 110 µg/kg

#### 8.2. Exposure controls

Eye protection:

Page n. 6 of 13 Date 23/01/2025 **Production Name TACK** 

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Nitrile rubber.

Respiratory protection:

N.A.

Thermal Hazards:

Not expected if used as intended

Environmental exposure controls:

Prevent the product from entering sewers or surface and underground water.

#### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: Yellow Odour: Acidic

Odour threshold: N.A.

pH: = 7.00

Kinematic viscosity: N.A.

Melting point/freezing point: 98 °C (208 °F)

Boiling point or initial boiling point and boiling range: 98 °C (208 °F)

Flash point: Not Available

Lower and upper explosion limit: N.A.

Relative vapour density: N.A. Vapour pressure: 23.00 hPa

Density and/or relative density: 1.09 g/cm3

Solubility in water: N.A. Solubility in oil: N.A.

Partition coefficient n-octanol/water (log value): N.A.

Auto-ignition temperature: N.A. Decomposition temperature: N.A.

Flammability: N.A.

Volatile Organic compounds - VOCs = 0 %; 0.00 g/l

**Particle characteristics:** 

Particle size: N.A. **9.2. Other information** 

Viscosity: 15,000.00 cPo No other relevant information

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Stable under normal conditions

#### 10.2. Chemical stability

Data not available.

### 10.3. Possibility of hazardous reactions

None.

#### 10.4. Conditions to avoid

Stable under normal conditions.

#### 10.5. Incompatible materials

None in particular.

### 10.6. Hazardous decomposition products

None.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### **Toxicological Information of the Preparation**

a) acute toxicity Not classified

Based on available data, the classification criteria are not met

 Date
 23/01/2025
 Production Name
 TACK
 Page n. 7 of 13

Based on available data, the classification criteria are not met c) serious eye damage/irritation Not classified Based on available data, the classification criteria are not met d) respiratory or skin sensitisation Not classified Based on available data, the classification criteria are not met e) germ cell mutagenicity Not classified Based on available data, the classification criteria are not met f) carcinogenicity Not classified Based on available data, the classification criteria are not met g) reproductive toxicity Not classified Based on available data, the classification criteria are not met h) STOT-single exposure Not classified Based on available data, the classification criteria are not met Not classified i) STOT-repeated exposure Based on available data, the classification criteria are not met j) aspiration hazard Not classified

Based on available data, the classification criteria are not met							
Toxicological information on main components of the mixture:							
Propane-1,2-diol, propoxylated	a) acute toxicity	LD50 Oral Rat > 5000 mg/kg	LD50 2 000 - 22 000 mg/l (rat)				
		LC50 Inhalation Vapour Rat = 0.17 mg/l 1h					
		LD50 Skin Rabbit > 3000 mg/kg 1h	LD50 2 000 - 16 320 mg/l				
	b) skin corrosion/irritation Skin Irritant Rabbit Negative						
	c) serious eye damage/irritation	Eye Irritant Rabbit No					
	d) respiratory or skin sensitisation	Respiratory Sensitization Negative					
		Skin Sensitization Negative					
	g) reproductive toxicity	No Observed Adverse Effect Level Oral Rat >= 1000 mg/kg					
1,2-benzisothiazol-3(2H)- one; 1,2-benzisothiazolin- 3-one		ATE - Oral : 450 mg/kg bw					

ATE - Inhalation (Dust/mist): 0.21 mg/l LD50 Oral Rat = 670 mg/kgLD50 Skin Rat > 2000 mg/kg

b) skin corrosion/irritation Skin Irritant Rabbit Negative

Eye Corrosive Positive c) serious eye irreversible damage damage/irritation

d) respiratory or skin Skin Sensitization Guineapig Positive sensitisation

f) carcinogenicity Genotoxicity Rat Negative Oral route

No Observed Adverse Effect Level Oral Rat = 112 g) reproductive toxicity mg/kg

reaction mass of 5a) acute toxicity LD50 Oral Rat = 69 mg/kg chloro-2-methyl-2Hisothiazol-3-one and 2-

methyl-2H-isothiazol-3-

one (3:1)

LD50 Skin Rabbit = 141 mg/kg LC50 Inhalation Rat = 0.33 mg/l 4h

b) skin corrosion/irritation Skin Irritant Rabbit Positive c) serious eye Eye Corrosive Rabbit Positive

Date 23/01/2025 **Production Name TACK** Page n. 8 of damage/irritation

d) respiratory or skin sensitisation

Skin Sensitization Positive

f) carcinogenicity

Genotoxicity Negative

Carcinogenicity Skin Negative

g) reproductive toxicity

No Observed Adverse Effect Level Oral Rat = 22.7

mg/kg

#### 11.2. Information on other hazards

#### **Endocrine disrupting properties:**

No endocrine disruptor substances present in concentration >= 0.1%

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

### List of Eco-Toxicological properties of the product

Not classified for environr	mental hazards.	
No data available for the	product	
List of Eco-Toxicological proper	rties of the comp	oonents
Component	Ident. Numb.	Ecotox Data
Propane-1,2-diol, propoxylated	CAS: 25322-69- 4 - EINECS: 500-039-8	a) Aquatic acute toxicity: LC50 Fish Danio rerio > 100 mg/L 96h OECD 203
		a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = 105.8 mg/L 48h OECD Guideline 202
		b) Aquatic chronic toxicity : NOEC Daphnia Daphnia magna = $10 \text{ mg/L OECD}$ 211 - 21days
		a) Aquatic acute toxicity : EC50 Algae Desmodesmus subspicatus > 100 mg/L 72h $$
		a) Aquatic acute toxicity : NOEC Sludge activated sludge = 1000 mg/L 3h OECD Guideline 209 $$
1,2-benzisothiazol-3(2H)-one; 1,2 benzisothiazolin-3-one	- CAS: 2634-33-5 - EINECS: 220- 120-9 - INDEX: 613-088-00-6	a) Aquatic acute toxicity: LC50 Fish Oncorynchus mykiss = 2.15 mg/L 96h OECD Guideline 203
		a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = $2.9 \text{ mg/L} 48h$ OECD Guideline $202$
		a) Aquatic acute toxicity : EC50 Algae green alga Selenastrum capricornutum freshwater algae = 110 $\mu$ g/L OECD Guideline 201
		d) Terrestrial toxicity : EC50 Worm Eisenia fetida > 410.6 mg/kg OECD Guideline 207 - Duration 14d
		d) Terrestrial toxicity: EC10 soil microorganisms = 263.7 mg/kg - long term
		a) Aquatic acute toxicity : NOEC Sludge activated sludge 10.3 mg/L 3h OECD Guideline 209 $$
		e) Plant toxicity: LC50 Triticum aestivum = 200 mg/kg OECD Guideline 208
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	9 - INDEX: 613-	a) Aquatic acute toxicity: LC50 Fish Oncorhynchus mykiss = 0.19 mg/L 96h EPA OPP 72-1 (Fish Acute Toxicity Test)
		b) Aquatic chronic toxicity: NOEC Fish Danio rerio = 0.02 mg/L ,,OECD

a) Aquatic acute toxicity: LC50 Daphnia Daphnia magna = 0.16 mg/L 48h EPA OPP 72-2 (Aquatic Invertebrate Acute Toxicity Test)

Guideline 210 (Fish, Early-Life Stage Toxicity Test) - 35days

b) Aquatic chronic toxicity : NOEC Daphnia Daphnia magna = 0.1 mg/L EPA OPP 72-4 (Fish Early Life-Stage and Aquatic Invertebrate Life-Cycle Studies) - 21 days

Date 23/01/2025 Production Name TACK Page n. 9 of 13

- a) Aquatic acute toxicity: EC50 Algae Skeletonema costatum = 0 mg/L 96h ,,OECD Guideline 201 (Alga, Growth Inhibition Test)
- a) Aquatic acute toxicity: EC50 Sludge activated sludge = 4.5 mg/L 3h ,,OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)
- d) Terrestrial toxicity : LC50 Worm Eisenia fetida = 613 mg/kg ,,OECD Guideline 207 (Earthworm, Acute Toxicity Tests) 14 days
- e) Plant toxicity: NOEC Trifolium pratense, Oryza sativa, Brassica napus = 1000 mg/L OECD Guideline 208 (Terrestrial Plants Test: Seedling Emergence and Seedling Growth Test) 21days

#### 12.2. Persistence and degradability

Component Persitence/Degradability: Test Value Notes:

Propane-1,2-diol, propoxylated Readily biodegradable 100.000 %; OECD Guideline 301 F

1,2-benzisothiazol-3(2H)-one; 1,2- Non-readily biodegradable CO2 production OECD Guideline 301C

benzisothiazolin-3-one

reaction mass of 5-chloro-2- Non-readily biodegradable

methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

#### 12.3. Bioaccumulative potential

Component	Bioaccumulation	Test	Value	Notes:
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	- Bioaccumulative	BCF - Bioconcentrantion factor	6.620	
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	Bioaccumulative	BCF - Bioconcentrantion factor	54.000	≤ 54

#### 12.4. Mobility in soil

N.A.

#### 12.5. Results of PBT and vPvB assessment

No PBT or vPvB substances present in concentration >= 0.1%

#### 12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

#### 12.7. Other adverse effects

N.A.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force. Disposal through discharge into wastewater is not permitted

A waste code according to the European List of Wastes (LoW) cannot be specified, due to dependence on the usage. Contact an authorized waste disposal service.

The product disposed of as such, pursuant to Regulation (EU) 1357/2014, must be classified as non-hazardous waste

#### **SECTION 14: Transport information**

Not classified as dangerous in the meaning of transport regulations.

#### 14.1. UN number or ID number

N/A

### 14.2. UN proper shipping name

ADR-Shipping Name: N/A IATA-Technical name: N/A IMDG-Technical name: N/A

# 14.3. Transport hazard class(es)

IATA-Class: N/A
IMDG-Class: N/A

14.4. Packing group

IATA-Packing group: N/A IMDG-Packing group: N/A

#### 14.5. Environmental hazards

 Date
 23/01/2025
 Production Name
 TACK
 Page n. 10 of 13

N.A.

IMDG-EMS: N/A

#### 14.6. Special precautions for user

Road and Rail (ADR-RID):

ADR-Label: N/A

ADR - Hazard identification number: N/A

ADR-Special Provisions: N/A

ADR-Transport category (Tunnel restriction code): N/A

ADR Limited Quantities: N/A ADR Excepted Quantities: N/A

Air (IATA):

IATA-Passenger Aircraft: N/A IATA-Cargo Aircraft: N/A

IATA-Label: N/A

IATA-Subsidiary hazards: N/A

IATA-Erg: N/A

IATA-Special Provisions: N/A

Sea (IMDG):

IMDG-Stowage Code: N/A
IMDG-Stowage Note: N/A
IMDG-Subsidiary hazards: N/A
IMDG-Special Provisions: N/A

#### 14.7. Maritime transport in bulk according to IMO instruments

N.A.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP)

Regulation (EU) n. 2022/692 (ATP 18 CLP)

Regulation (EU) n. 2020/878

Regulation (EC) nr 648/2004 (Detergents).

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: None.

Restrictions related to the substances contained: 28, 75

Provisions related to directive EU 2012/18 (Seveso III):

None

### Explosives precursors - Regulation 2019/1148

No substances listed

### Regulation (EU) No 649/2012 (PIC regulation)

Date 23/01/2025 Production Name TACK Page n. 11 of 13

No substances listed

#### German Water Hazard Class.

Class 1: slightly hazardous for water.

#### German Lagerklasse according to TRGS 510:

LGK 10

SVHC Substances:

No SVHC substances present in concentration >= 0.1%

#### REGULATION (EU) No 528/2012

The product is identified as an article treated pursuant to art. 58 of Regulation (EU) no. 528/2012 and subsequent amendments. Substances included in Regulation (EU) n. 528/2012 (concerning the making available on the market and use of biocidal products):

Nomenclature IUPAC: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT)

Nomenclature BPR: C(M)IT/MIT (3:1)

CAS number: 55965-84-9

Product-type 6: Preservatives for products during storage

Assessment status: Approved

Commission Implementing Regulation (EU) 2016/131

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

#### **SECTION 16: Other information**

**Code Description**H302 Harmful if swallowed.

Code Hazard class and hazard category Description

3.1/4/Oral Acute Tox. 4 Acute toxicity (oral), Category 4

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European

Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

 Date
 23/01/2025
 Production Name
 TACK
 Page n. 12 of 13

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: Keep Away From Heat KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

#### Paragraphs modified from the previous revision:

- SECTION 1: Identification of the substance/mixture and of the company/undertaking
- SECTION 2: Hazards identification
- SECTION 3: Composition/information on ingredients
- SECTION 7: Handling and storage
- SECTION 8: Exposure controls/personal protection
- SECTION 9: Physical and chemical properties
- SECTION 11: Toxicological information
- SECTION 12: Ecological information
- SECTION 13: Disposal considerations
- SECTION 14: Transport information
- SECTION 15: Regulatory information

 Date
 23/01/2025
 Production Name
 TACK
 Page n. 13 of 13