

Safety Data Sheet

Conforms to Regulation (EC) No. 1907/2006 (REACH), Article 31, Annex II, as amended by Commission Regulation (EU) 2020/878

GEOLITE BASE

Date of first edition: 10/1/2021

Safety Data Sheet dated 2/27/2023

version 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: GEOLITE BASE

Trade code: B0173 .021

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: primer

Uses advised against: All uses other than recommended ones

1.3. Details of the supplier of the safety data sheet

Company: KERAKOLL S.p.A.

Via dell'Artigianato, 9

41049 Sassuolo (MODENA) - ITALY

Tel.+39 0536 816511 Fax. +39 0536816581

safety@kerakoll.com

1.4. Emergency telephone number

European emergency phone number 112

Kerakoll Italy (+39) 0536 816511

Ireland

Poison information centre: (+353) 809 2166 (Daily 8am-10pm)

In case of emergency call 999 or 112

Malta

In case of emergency call: 112 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) n. 1272/2008 (CLP)

0 The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Special Provisions:

EUH208 Contains Trisodium bis[3-[[1-(anilinocarbonyl)-2-oxopropyl]azo]-5-chloro-2-hydroxybenzenesulphonato(3-)]cobaltate(3-). May produce an allergic reaction.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

EUH208 Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%.

Other Hazards: Contains biocidal product:; C(M)IT/MIT (3:1); The product is identified as an article treated pursuant to art. 58 of Regulation (EU) no. 528/2012 and subsequent amendments. It is recommended to avoid possible exposure to the skin. Protective gloves and work clothes are recommended. Minimize the uncontrolled release of product into the environment. When washing work equipment, water must not be dispersed in the soil or on surface water.

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Mixture identification: GEOLITE BASE

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb.	Classification	Registration Number
< 0,2 %	Trisodium bis[3-[[1-(anilinocarbonyl)-2-oxopropyl]azo]-5-chloro-2-hydroxybenzenesulphonato(3-)] cobaltate(3-)		Skin Sens. 1B, H317; Aquatic Chronic 3, H412	
< 0,05 %	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	CAS:2634-33-5 EC:220-120-9 Index:613-088-00-6	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Acute Tox. 4, H302 Skin Sens. 1, H317 Aquatic Chronic 2, H411, M-Acute:1	01-2120761540-60
			Specific Concentration Limits: C ≥ 0.05%: Skin Sens. 1 H317	
< 0,0015 %	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS:55965-84-9 Index:613-167-00-5	Acute Tox. 2, H330 Acute Tox. 2, H310 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410, M-Chronic:100, M-Acute:100, EUH071	
			Specific Concentration Limits: C ≥ 0.6%: Skin Corr. 1C H314 0.06% ≤ C < 0.6%: Skin Irrit. 2 H315 C ≥ 0.6%: Eye Dam. 1 H318 0.06% ≤ C < 0.6%: Eye Irrit. 2 H319 C ≥ 0.0015%: Skin Sens. 1A H317	
< 0,0015 %	2-methylisothiazol-3(2H)-one	CAS:2682-20-4 EC:220-239-6 Index:613-326-00-9	Acute Tox. 2, H330 Acute Tox. 3, H301 Acute Tox. 3, H311 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410, M-Chronic:1, M-Acute:10, EUH071	01-2120764690-50
			Specific Concentration Limits: C ≥ 0.0015%: Skin Sens. 1A H317	

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and label hazardous.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

N.A.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Community Occupational Exposure Limits (OEL)

Component	OEL Type	Country	Ceiling	Long Term mg/m ³	Long Term ppm	Short Term mg/m ³	Short Term ppm	Notes
2-(2-butoxyethoxy) ethanol; diethylene glycol monobutyl ether	EU	NNN		67.5	10	101.2	15	Indicative Occupational Exposure Limit Value (IOELV)

NATIONAL	BELGIUM	67.500	10.000	101.200	15.000	
NATIONAL	DENMARK	100.000		200.000		
NATIONAL	FINLAND	68.000	10.000			
NATIONAL	FRANCE	67.500	10.000	101.200	15.000	<i>Italic type: Indicative statutory limit values</i>
NATIONAL	GERMANY	67.000	10.000	100.000	15.000	AGS; Long term and short term: inhalable aerosol and vapour
NATIONAL	GERMANY	67.000	10.000	100.500	15.000	DFG; MAK value applies for the sum of the concentrations of diethylene glycol monobutyl ethe and its acetate in the air; Long term and short term: Inhalable fraction and vapour
NATIONAL	HUNGARY	67.500		101.200		
NATIONAL	IRELAND	67.500	10.000	101.200	15.000	
NATIONAL	LATVIA	67.500	10.000	101.200	15.000	
NATIONAL	POLAND	67.000		100.000		
NATIONAL	ROMANIA	67.500	10.000	101.200	15.000	
NATIONAL	SPAIN	67.500	10.000	101.200	15.000	
NATIONAL	SWEDEN	68.000	10.000	101.000	15.000	
NATIONAL	SWITZERLAND	67.000	10.000	101.200	15.000	
NATIONAL	NETHERLANDS	50.000		100.000		
NATIONAL	TURKEY	67.500	10.000	101.200	15.000	
NATIONAL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	67.500	10.000	101.200	15.000	
NATIONAL	ITALY	67.500	10.000	101.200	15.000	
NATIONAL	BULGARIA	67.500	10.000	101.200	15.000	
NATIONAL	CROATIA	67.500	10.000	101.200	15.000	
NATIONAL	GREECE	67.500	10.000	101.200	15.000	
NATIONAL	ICELAND	67.500	10.000	101.200	15.000	
NATIONAL	SLOVAKIA	67.500	10.000	101.200	15.000	
NATIONAL	CZECHIA	70.000		100.000		
NATIONAL	KOREA, REPUBLIC OF		10.000			
NATIONAL	NORWAY	68.000	10.000			
NATIONAL	RUSSIAN FEDERATION			10.000		
NATIONAL	UNITED STATES OF AMERICA	67.500	10.000			Inhalable fraction and vapour
NATIONAL	PORTUGAL		10.000			
ACGIH	NNN		10			(IFV) - Hematologic, liver and kidney eff
EU	NNN	67.5	10	101.2	15	
NATIONAL	AUSTRIA	0.050				

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

NATIONAL	GERMANY	0.200	0.400	DFG; Long term and short term: inhalable fraction
NATIONAL	SWITZERLAND	0.200	0.400	Inhalable fraction
NATIONAL	KOREA, REPUBLIC OF	0.100		
NATIONAL	NETHERLANDS	0.200		
2-methylisothiazol-3(2H)-one	NATIONAL AUSTRIA	0.050		
	NATIONAL GERMANY	0.200	0.400	DFG; long term: inhalable fraction
	NATIONAL SWITZERLAND	0.100	0.400	Long term and short term: inhalable fraction
	NATIONAL SLOVENIA	0.050		

Predicted No Effect Concentration (PNEC) values

Component	CAS-No.	PNEC Limit	Exposure Route	Exposure Frequency
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	2634-33-5	4.030 µg/l	Freshwater	
		1.100 µg/l	Intermittent releases (freshwater)	
		403.000 ng/L	Marine water	
		110.000 ng/L	Intermittent releases (marine water)	
		1.030 mg/l	Microorganisms in sewage treatments	
		49.900 µg/kg	Freshwater sediments	
		4.990 µg/kg	Marine water sediments	
		3.000 mg/kg	Soil	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	3.390 µg/l	Freshwater	
		3.390 µg/l	Intermittent releases (freshwater)	
		3.390 µg/l	Marine water	
		3.390 µg/l	Intermittent releases (marine water)	
		230.000 µg/l	Microorganisms in sewage treatments	
		27.000 µg/l	Freshwater sediments	
		27.000 µg/l	Marine water sediments	
		10.000 µg/l	Soil	
2-methylisothiazol-3(2H)-one	2682-20-4	3.390 µg/l	Freshwater	
		3.390 µg/l	Intermittent releases (freshwater)	
		3.390 µg/l	Marine water	
		3.390 µg/l	Intermittent releases (marine water)	
		230.000 µg/l	Microorganisms in sewage treatments	

Derived No Effect Level (DNEL) values

Component	CAS-No.	Worker Industry	Worker Professional	Consumer	Exposure Route	Exposure Frequency
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	2634-33-5		6.810 mg/m ³	1.200 mg/m ³	Human Inhalation	Long Term, systemic effects
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9		966.000 µg/kg	345.000 µg/kg	Human Dermal	Long Term, systemic effects
2-methylisothiazol-3(2H)-one	2682-20-4		20.000 µg/m ³	20.000 µg/m ³	Human Inhalation	Long Term, local effects
			40.000 µg/m ³	20.000 µg/m ³	Human Inhalation	Short Term, local effects
			90.000 µg/kg	Human Oral	Long Term, systemic effects	
			110.000 µg/kg	Human Oral	Short Term, systemic effects	
			21.000 µg/m ³	21.000 µg/m ³	Human Inhalation	Long Term, local effects
			43.000 µg/m ³	43.000 µg/m ³	Human Inhalation	Short Term, local effects
			27.000 µg/kg	Human Oral	Long Term, systemic effects	
			53.000 µg/kg	Human Oral	Short Term, systemic effects	

8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

N.A.

Thermal Hazards:

N.A.

Environmental exposure controls:

N.A.

Hygienic and Technical measures

N.A.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical State Liquid

Color: Brown

Odour: Characteristic

Odour threshold: N.A.

pH: =7.83

Kinematic viscosity: N.A.

Melting point / freezing point: N.A.

Initial boiling point and boiling range: N.A.

Flash point: N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A.

Vapour pressure: N.A.

Relative density: 1.02 g/cm³

Solubility in water: Miscible
Solubility in oil: N.A.
Partition coefficient (n-octanol/water): N.A.
Auto-ignition temperature: N.A.
Decomposition temperature: N.A.
Flammability: N.A.
Volatile Organic compounds - VOCs = 0.14 % ; 1.39 g/l

Particle characteristics:

Particle size: N.A.

9.2. Other information

Miscibility: N.A.
Conductivity: N.A.
Evaporation rate: N.A. No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Data not available.

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological Information of the Preparation

a) acute toxicity	Not classified Based on available data, the classification criteria are not met
b) skin corrosion/irritation	Not classified Based on available data, the classification criteria are not met
c) serious eye damage/irritation	Not classified Based on available data, the classification criteria are not met
d) respiratory or skin sensitisation	Not classified Based on available data, the classification criteria are not met
e) germ cell mutagenicity	Not classified Based on available data, the classification criteria are not met
f) carcinogenicity	Not classified Based on available data, the classification criteria are not met
g) reproductive toxicity	Not classified Based on available data, the classification criteria are not met
h) STOT-single exposure	Not classified Based on available data, the classification criteria are not met
i) STOT-repeated exposure	Not classified Based on available data, the classification criteria are not met
j) aspiration hazard	Not classified Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

Trisodium bis[3-[[1-
(anilinocarbonyl)-2-
oxopropyl]azo]-5-chloro-
2-
hydroxybenzenesulphonat
o(3-)]cobaltate(3-)

a) acute toxicity LD50 Oral Rat 10000.00 mg/kg

1,2-benzisothiazol-3(2H)- one; 1,2-benzisothiazolin-3-one	a) acute toxicity	LD50 Oral Rat = 670.00 mg/kg
	b) skin corrosion/irritation	LD50 Skin Rat > 2000.00000 mg/kg
	c) serious eye damage/irritation	Skin Irritant Rabbit Negative Eye Corrosive Positive irreversible damage
	d) respiratory or skin sensitisation	Skin Sensitization Guineapig Positive
	f) carcinogenicity	Genotoxicity Rat Negative Oral route
	g) reproductive toxicity	No Observed Adverse Effect Level Oral Rat = 112.00000 mg/kg
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	a) acute toxicity	LD50 Oral Rat = 69.00 mg/kg
	b) skin corrosion/irritation	LD50 Skin Rabbit = 141.00 mg/kg LC50 Inhalation Rat = 0.33 mg/l 4h
	c) serious eye damage/irritation	Skin Irritant Rabbit Positive Eye Corrosive Rabbit Positive
	d) respiratory or skin sensitisation	Skin Sensitization Positive
	f) carcinogenicity	Genotoxicity Negative Carcinogenicity Skin Negative
	g) reproductive toxicity	No Observed Adverse Effect Level Oral Rat = 22.70000 mg/kg
2-methylisothiazol-3(2H)- one	a) acute toxicity	LC50 Inhalation of aerosol Rat = 0.10000 mg/l 4h
	b) skin corrosion/irritation	LD50 Oral Rat = 120.00000 mg/kg LD50 Skin Rat = 242.00000 mg/kg 24h
	c) serious eye damage/irritation	Skin Corrosive Rabbit Positive 4h Eye Corrosive Rabbit Positive
	d) respiratory or skin sensitisation	Skin Sensitization Guineapig Positive
	f) carcinogenicity	Genotoxicity Rat Negative Carcinogenicity Oral Rat Negative Oral route
	g) reproductive toxicity	Reproductive Toxicity Oral Rat = 200.00000 Ppm NOAEL

11.2 Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

No data available for the product

List of Eco-Toxicological properties of the components

Component	Ident. Numb.	Ecotox Data
Trisodium bis[3-[[1-(anilinocarbonyl)-2-oxopropyl]azo]-5-chloro-2-hydroxybenzenesulphonato(3-)] cobaltate(3-)		<p>a) Aquatic acute toxicity : EC50 Daphnia 55.00 mg/L 48h</p>
1,2-benzisothiazol-3(2H)-one; 1,2- benzisothiazolin-3-one	CAS: 2634-33-5 - EINECS: 220-120-9 - INDEX: 613-088-00-6	<p>a) Aquatic acute toxicity : EC100 Daphnia 250.00 mg/L 48h</p> <p>b) Aquatic chronic toxicity : EC50 Algae 31.80 mg/L 96h</p> <p>b) Aquatic chronic toxicity : EC100 Algae 100.00 mg/L 96h</p> <p>a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss = 2.15000 mg/L 96h OECD Guideline 203</p>
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS: 55965-84-9 - INDEX: 613-167-00-5	<p>a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = 2.90000 mg/L 48h OECD Guideline 202</p> <p>a) Aquatic acute toxicity : EC50 Algae green alga Selenastrum capricornutum freshwater algae = 110.00000 µg/L OECD Guideline 201</p> <p>d) Terrestrial toxicity : EC50 Worm Eisenia fetida > 410.60000 mg/kg OECD Guideline 207 - Duration 14d</p> <p>d) Terrestrial toxicity : EC10 soil microorganisms = 263.70000 mg/kg - long term</p> <p>a) Aquatic acute toxicity : NOEC Sludge activated sludge 10.30000 mg/L 3h OECD Guideline 209</p> <p>e) Plant toxicity : LC50 Triticum aestivum = 200.00000 mg/kg OECD Guideline 208</p> <p>a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss = 0.19000 mg/L 96h EPA OPP 72-1 (Fish Acute Toxicity Test)</p>
2-methylisothiazol-3(2H)-one	CAS: 2682-20-4 - EINECS: 220-239-6 - INDEX: 613-326-00-9	<p>b) Aquatic chronic toxicity : NOEC Fish Danio rerio = 0.02000 mg/L ,OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) - 35days</p> <p>a) Aquatic acute toxicity : LC50 Daphnia Daphnia magna = 0.16000 mg/L 48h EPA OPP 72-2 (Aquatic Invertebrate Acute Toxicity Test)</p> <p>b) Aquatic chronic toxicity : NOEC Daphnia Daphnia magna = 0.10000 mg/L EPA OPP 72-4 (Fish Early Life-Stage and Aquatic Invertebrate Life-Cycle Studies) - 21days</p> <p>a) Aquatic acute toxicity : EC50 Algae Skeletonema costatum = 0.00 mg/L 96h ,OECD Guideline 201 (Alga, Growth Inhibition Test)</p> <p>a) Aquatic acute toxicity : EC50 Sludge activated sludge = 4.50000 mg/L 3h ,OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)</p> <p>d) Terrestrial toxicity : LC50 Worm Eisenia fetida = 613.00000 mg/kg ,OECD Guideline 207 (Earthworm, Acute Toxicity Tests) - 14days</p> <p>e) Plant toxicity : NOEC Trifolium pratense, Oryza sativa, Brassica napus = 1000.00000 mg/L OECD Guideline 208 (Terrestrial Plants Test: Seedling Emergence and Seedling Growth Test) - 21days</p> <p>a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss = 4.77000 mg/L 96h ,OECD Guideline 203 (Fish, Acute Toxicity Test)</p>
		<p>b) Aquatic chronic toxicity : NOEC Fish Oncorhynchus mykiss = 4.93000 mg/L Dossier ECHA</p> <p>a) Aquatic acute toxicity : LC50 Daphnia Daphnia magna = 0.93400 mg/L 48h OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)</p> <p>b) Aquatic chronic toxicity : EC10 Daphnia Daphnia magna = 0.04400 mg/L OECD Guideline 211 (Daphnia magna Reproduction Test) - Duration 21d</p> <p>a) Aquatic acute toxicity : EC50 Algae Selenastrum capricornutum = 0.10300 mg/L 72h Dossier ECHA</p> <p>a) Aquatic acute toxicity : EC50 Sludge activated sludge of a predominantly</p>

domestic sewage = 41.00000 mg/L 3h ,OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test

b) Aquatic chronic toxicity : EC50 freshwater sediment = 50.00000 mg/kg Duration 28d Draft OECD Guideline (now OECD Guideline 225) - 28days

12.2. Persistence and degradability

Component	Persistence/Degradability:	Persistence/Degradability Test	Notes
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	Non-readily biodegradable	CO2 production	OECD Guideline 301C
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Non-readily biodegradable		
2-methylisothiazol-3(2H)-one	Non-readily biodegradable	CO2 production	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)

12.3. Bioaccumulative potential

Component	Bioaccumulation	Test	Value	Notes
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	Bioaccumulative	BCF - Bioconcentration factor	6.620	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Bioaccumulative	BCF - Bioconcentration factor	54.000	≤ 54
2-methylisothiazol-3(2H)-one	Bioaccumulative	BCF - Bioconcentration factor	5.750	carcass
	Bioaccumulative	BCF - Bioconcentration factor	48.100	viscera

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

No PBT/vPvB Ingredients are present

12.6 Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7 Other adverse effects

N.A.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

A waste code according to European waste catalogue (EWC) cannot be specified, due to dependence on the usage. Contact an authorized waste disposal service.

Properties of waste which render it hazardous (Annex III, Directive 2008/98/EC):

N.A.

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

14.1. UN number or ID number

N.A.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

N.A.

14.6. Special precautions for user

N.A.

Road and Rail (ADR-RID) :

N.A.

Air (IATA) :

N.A.

Sea (IMDG) :

N.A.

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2020/878

Regulation (EC) nr 648/2004 (Detergents).

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: None

Restrictions related to the substances contained: 28, 55, 75

Provisions related to directive EU 2012/18 (Seveso III):

N.A.

Regulation (EU) 649/2012 (PIC regulation):

No Substance Listed

German Water Hazard Class.

NWG: Not hazardous for water

SVHC Substances:

No data available

REGULATION (EU) No 528/2012

The product is identified as an article treated pursuant to art. 58 of Regulation (EU) no. 528/2012 and subsequent amendments.

Substances included in Regulation (EU) n. 528/2012 (concerning the making available on the market and use of biocidal products);; Nomenclature IUPAC: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT)

Nomenclature BPR: C(M)IT/MIT (3:1)

CAS number: 55965-84-9

Product-type 6: Preservatives for products during storage

Assessment status: Approved

Commission Implementing Regulation (EU) 2016/131 ; Nomenclature IUPAC: 1,2-benzisothiazol-3(2H)-one

Nomenclature BPR: BIT

CAS number: 2634-33-5

Product-type 6: Preservatives for products during storage

Assessment status: Initial application for approval in progress. ; Nomenclature IUPAC: 2-methyl-2H-isothiazol-3-one

Nomenclature BPR: MIT

CAS number: 2682-20-4

Product-type 6: Preservatives for products during storage

Assessment status: Initial application for approval in progress. ; Nomenclature IUPAC: Bronopol

Nomenclature BPR: Bronopol

CAS number: 52-51-7

Product-type 6: Preservatives for products during storage

Assessment status: Initial application for approval in progress.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Code	Description	
H317	May cause an allergic skin reaction.	
H412	Harmful to aquatic life with long lasting effects.	
Code	Hazard class and hazard category	Description
3.4.2/1B	Skin Sens. 1B	Skin Sensitisation, Category 1B
4.1/C3	Aquatic Chronic 3	Chronic (long term) aquatic hazard, category 3
This document was prepared by a competent person who has received appropriate training.		
Main bibliographic sources:		
ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities		
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold		
The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.		
It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.		
This MSDS cancels and replaces any preceding release.		
Legend to abbreviations and acronyms used in the safety data sheet:		
ACGIH: American Conference of Governmental Industrial Hygienists		
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.		
AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ATE: Acute Toxicity Estimate		
ATEmix: Acute toxicity Estimate (Mixtures)		
BCF: Biological Concentration Factor		
BEI: Biological Exposure Index		
BOD: Biochemical Oxygen Demand		
CAS: Chemical Abstracts Service (division of the American Chemical Society).		
CAV: Poison Center		
CE: European Community		
CLP: Classification, Labeling, Packaging.		
CMR: Carcinogenic, Mutagenic and Reprotoxic		
COD: Chemical Oxygen Demand		
COV: Volatile Organic Compound		
CSA: Chemical Safety Assessment		
CSR: Chemical Safety Report		
DMEL: Derived Minimal Effect Level		
DNEL: Derived No Effect Level.		
DPD: Dangerous Preparations Directive		
DSD: Dangerous Substances Directive		
EC50: Half Maximal Effective Concentration		
ECHA: European Chemicals Agency		
EINECS: European Inventory of Existing Commercial Chemical Substances.		
ES: Exposure Scenario		
GefStoffVO: Ordinance on Hazardous Substances, Germany.		
GHS: Globally Harmonized System of Classification and Labeling of Chemicals.		
IARC: International Agency for Research on Cancer		
IATA: International Air Transport Association.		
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).		
IC50: half maximal inhibitory concentration		
ICAO: International Civil Aviation Organization.		
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).		

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: Keep Away From Heat

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low

N.A.: Not Applicable

N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 15. REGULATORY INFORMATION