

## Safety Data Sheet

Conforms to Regulation (EC) No. 1907/2006 (REACH), Article 31, Annex II, as amended by Commission Regulation (EU) 2020/878

### RASOBUILD ECO STUCCO RP

Date of first edition: 12/2/2022

Safety Data Sheet dated 05/06/2026

version 5

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Mixture identification:

Trade name: RASOBUILD ECO STUCCO RP

Trade code: K02080 40

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Filler

Uses advised against: All uses other than recommended ones

### 1.3. Details of the supplier of the safety data sheet

Company: KERAKOLL S.p.A.

Via dell'Artigianato, 9

41049 Sassuolo (MODENA) - ITALY

Tel.+39 0536 816511 Fax. +39 0536816581

safety@kerakoll.com

### 1.4. Emergency telephone number

European emergency phone number 112

Ireland Emergency medical information: (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland.

Members of the public Number (8 am-10 pm): +353 (0)1 809 2166

Healthcare professional telephone Number (24hrs): +353 (0)1 809 2566

Malta In case of emergency call: +356 2395 2000 (24h)

---

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) n. 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

### 2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

#### Special Provisions:

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

#### Special provisions according to Annex XVII of REACH and subsequent amendments:

None.

### 2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration  $\geq 0.1\%$

Other Hazards: No other hazards

---

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

N.A.

### 3.2. Mixtures

**Hazardous components within the meaning of the CLP regulation and related classification:**

| Qty       | Name  | Ident. Numb.  | Classification  | Registration Number |
|-----------|---|---|---|---------------------|
| <0.01 %   | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one                                      | CAS:2634-33-5<br>EC:220-120-9<br>Index:613-088-00-6 | Acute Tox. 2, H330; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Dam. 1, H318; Skin Sens. 1A, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410, M-Chronic:1, M-Acute:1                                    |                     |
|           |   |   | Specific Concentration Limits:<br>C ≥ 0.036%: Skin Sens. 1A H317  |                     |
| <0.0015 % | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | CAS:55965-84-9<br>Index:613-167-00-5                | Acute Tox. 2, H330; Acute Tox. 2, H310; Acute Tox. 3, H301; Skin Corr. 1C, H314; Eye Dam. 1, H318; Skin Sens. 1A, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410, M-Chronic:100, M-Acute:100, EUH071    |                     |
|           |   |   | Specific Concentration Limits:<br>C ≥ 0.6%: Skin Corr. 1C H314<br>0.06% ≤ C < 0.6%: Skin Irrit. 2 H315<br>C ≥ 0.6%: Eye Dam. 1 H318<br>0.06% ≤ C < 0.6%: Eye Irrit. 2 H319<br>C ≥ 0.0015%: Skin Sens. 1A H317 |                     |

**SECTION 4: First aid measures****4.1. Description of first aid measures**

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and label hazardous.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

**4.2. Most important symptoms and effects, both acute and delayed**

N.A.

**4.3. Indication of any immediate medical attention and special treatment needed**

N.A.

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

**5.2. Special hazards arising from the substance or mixture**

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

**5.3. Advice for firefighters**

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****For non emergency personnel:**

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

**For emergency responders:**

Wear personal protection equipment.

**6.2. Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

**6.3. Methods and material for containment and cleaning up**

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

**6.4. Reference to other sections**

See also section 8 and 13

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

**Advice on general occupational hygiene:**

**7.2. Conditions for safe storage, including any incompatibilities**

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

**7.3. Specific end use(s)**

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Community Occupational Exposure Limits (OEL)**

|                             | <b>OEL Type</b> | <b>Country</b> | <b>Occupational Exposure Limit</b>  |
|-----------------------------|-----------------|----------------|---|
| Limestone<br>CAS: 1317-65-3 | NATIONAL        | BULGARIA       | Long Term: 10 mg/m <sup>3</sup><br>Source: НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г.                              |
|                             | NATIONAL        | ESTONIA        | Long Term: 10 mg/m <sup>3</sup><br>Source: Vabariigi Valitsuse, 20. märtsi 2001. a määrus nr 105            |
|                             | NATIONAL        | ESTONIA        | Long Term: 5 mg/m <sup>3</sup><br>Source: Vabariigi Valitsuse, 20. märtsi 2001. a määrus nr 105             |
|                             | NATIONAL        | GREECE         | Long Term: 10 mg/m <sup>3</sup><br>ΕΙΣΠΝ.<br>Source: ΦΕΚ 94/Α` 13.5.1999                                    |
|                             | NATIONAL        | GREECE         | Long Term: 5 mg/m <sup>3</sup><br>ΑΥΑΠΝ.<br>Source: ΦΕΚ 94/Α` 13.5.1999                                     |
|                             | NATIONAL        | SPAIN          | Long Term: 10 mg/m <sup>3</sup><br>(1) inhalable aerosol<br>Source: LEP 2022                                |
|                             | NATIONAL        | HUNGARY        | Long Term: 10 mg/m <sup>3</sup><br>N<br>Source: 5/2020. (II. 6.) ITM rendelet                               |
|                             | NATIONAL        | BELGIUM        | Long Term: 10 mg/m <sup>3</sup><br>Source: Code du bien-être au travail, Livre VI, Titre 1er, Annexe VI.1-1 |
|                             | NATIONAL        | IRELAND        | Long Term: 10 mg/m <sup>3</sup><br>Source: 2021 Code of Practice  |

|   |          |                 |   |
|---|----------|-----------------|---|
|   | NATIONAL | IRELAND         | Long Term: 4 mg/m <sup>3</sup><br>Source: 2021 Code of Practice   |
|   | NATIONAL | SWITZERLAN<br>D | Long Term: 3 mg/m <sup>3</sup><br>(1) respirable aerosol<br>Source: suva.ch/valeurs-limites   |
| Calcium carbonate<br>CAS: 471-34-1  | NATIONAL | HUNGARY         | Long Term: 10 mg/m <sup>3</sup><br>inhalable aerosol<br>Source: 5/2020. (II. 6.) ITM  |
|   | NATIONAL | IRELAND         | Long Term: 10 mg/m <sup>3</sup><br>Inhalable fraction<br>Source: 2021 Code of Practice  |
|   | NATIONAL | IRELAND         | Long Term: 4 mg/m <sup>3</sup><br>Respirable fraction<br>Source: 2021 Code of Practice  |
|   | NATIONAL | CROATIA         | Long Term: 10 mg/m <sup>3</sup><br>U<br>Source: NN 1/2021   |
|   | NATIONAL | CROATIA         | Long Term: 4 mg/m <sup>3</sup><br>R<br>Source: NN 1/2021  |
|   | NATIONAL | FRANCE          | Long Term: 10 mg/m <sup>3</sup><br>Source: INRS outil65   |
|   | NATIONAL | LATVIA          | Long Term: 6 mg/m <sup>3</sup><br>Source: KN325P1   |
|   | NATIONAL | POLAND          | Long Term: 10 mg/m <sup>3</sup><br>4)<br>Source: Dz.U. 2018 poz. 1286   |
|   | SUVA     | SWITZERLAN<br>D | Long Term: 3 mg/m <sup>3</sup><br>TWA mg/m <sup>3</sup> : (a), Formel / Formal, NIOSH<br>Source: suva.ch/valeurs-limites  |
| 3-aminopropyltriethoxysilane<br>CAS: 919-30-2   | NATIONAL | FINLAND         | Long Term: 28 mg/m <sup>3</sup> - 3 ppm; Short Term: 55 mg/m <sup>3</sup> - 6 ppm<br>Source: HTP-ARVOT 2020   |
| sodium chloride<br>CAS: 7647-14-5   | NATIONAL | LATVIA          | Long Term: 5 mg/m <sup>3</sup><br>Source: KN325P1   |
|   | NATIONAL | LITHUANIA       | Long Term: 5 mg/m <sup>3</sup><br>Source: 2011 m. rugsėjo 1 d. Nr. V-824/A1-389   |
| reaction mass of 5-chloro-2-<br>methyl-2H-isothiazol-3-one<br>and 2-methyl-2H-isothiazol-<br>3-one (3:1)<br>CAS: 55965-84-9 | NATIONAL | GERMANY         | Long Term: 0.2 mg/m <sup>3</sup> ; Short Term: 0.4 mg/m <sup>3</sup><br>DFG; Long term and short term: inhalable fraction<br>Source: TRGS900                                  |
|   | NATIONAL | AUSTRIA         | Long Term: 0.05 mg/m <sup>3</sup><br>MAK, Sh<br>Source: GKV, BGBl. II Nr. 156/2021  |
|   | SUVA     | SWITZERLAN<br>D | Long Term: 0.2 mg/m <sup>3</sup> ; Short Term: 0.4 mg/m <sup>3</sup><br>TWA mg/m <sup>3</sup> : (i), S, SSC, VRS Peau Yeux / OAW Haut Auge<br>Source: suva.ch/valeurs-limites |

### Predicted No Effect Concentration (PNEC) values

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one  
CAS: 2634-33-5

Exposure Route: Intermittent releases (fresh water); PNEC Limit: 1.1 µg/l

Exposure Route: Marine water; PNEC Limit: 403 ng/L

Exposure Route: Intermittent releases (marine water); PNEC Limit: 110 ng/L

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 1.03 mg/l

Exposure Route: Freshwater sediments; PNEC Limit: 49.9 µg/kg

Exposure Route: Marine water sediments; PNEC Limit: 4.99 µg/kg

Exposure Route: Soil; PNEC Limit: 3 mg/kg

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)  
CAS: 55965-84-9

Exposure Route: Fresh Water; PNEC Limit: 3.39 µg/l

Exposure Route: Intermittent releases (fresh water); PNEC Limit: 3.39 µg/l

Exposure Route: Marine water; PNEC Limit: 3.39 µg/l

Exposure Route: Intermittent releases (marine water); PNEC Limit: 3.39 µg/l

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 230 µg/l

Exposure Route: Freshwater sediments; PNEC Limit: 27 µg/l

Exposure Route: Marine water sediments; PNEC Limit: 27 µg/l

Exposure Route: Soil; PNEC Limit: 10 µg/l

#### Derived No Effect Level (DNEL) values

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one  
CAS: 2634-33-5  
Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects  
Worker Professional: 6.81 mg/m<sup>3</sup>; Consumer: 1.2 mg/m<sup>3</sup>

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects  
Worker Professional: 966 µg/kg; Consumer: 345 µg/kg

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)  
CAS: 55965-84-9

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects  
Worker Professional: 20 µg/m<sup>3</sup>; Consumer: 20 µg/m<sup>3</sup>

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, local effects  
Worker Professional: 40 µg/m<sup>3</sup>; Consumer: 20 µg/m<sup>3</sup>

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects  
Consumer: 90 µg/kg

Exposure Route: Human Oral; Exposure Frequency: Short Term, systemic effects  
Consumer: 110 µg/kg

## 8.2. Exposure controls

Eye protection:

Eye glasses with side protection.(EN166)

Protection for skin:

Chemical protection clothing.

Protection for hands:

Nitrile rubber .

Respiratory protection:

N.A.

Thermal Hazards:

Not expected if used as intended

Environmental exposure controls:

Prevent the product from entering sewers or surface and underground water.

---

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: Whitish

Odour: Light

Odour threshold: N.A.

pH: =6.00 ( OECD 122 )

Kinematic viscosity: N.A.

Melting point/freezing point: N.A.

Boiling point or initial boiling point and boiling range: 100 °C (212 °F)

Flash point: Not Applicable

Lower and upper explosion limit: N.A. ( Not applicable as the mixture is not flammable )

Relative vapour density: N.A.

Vapour pressure: N.A.  
Density and/or relative density: 1.70 g/cm<sup>3</sup>  
Solubility in water: Soluble  
Solubility in oil: N.A. ( Not determined, as it is not required for CLP classification )  
Partition coefficient n-octanol/water (log value): N.A. ( Not applicable to mixtures )  
Auto-ignition temperature: N.A. ( Not applicable as the mixture is not flammable )  
Decomposition temperature: N.A. ( Not applicable, as the mixture is not self-reactive )  
Flammability: ; Not applicable as the mixture is not flammable  
Volatile Organic compounds - VOCs = 0 % ; 0 g/l

**Particle characteristics:**

Particle size: N.A.

**9.2. Other information**

No other relevant information

---

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

Stable under normal conditions

**10.2. Chemical stability**

Data not available.

**10.3. Possibility of hazardous reactions**

None.

**10.4. Conditions to avoid**

Stable under normal conditions.

**10.5. Incompatible materials**

None in particular.

**10.6. Hazardous decomposition products**

None.

---

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Toxicological Information of the Preparation**

|                                      |  |
|--------------------------------------|--|
| a) acute toxicity                    | Not classified<br>Based on available data, the classification criteria are not met |
| b) skin corrosion/irritation         | Not classified<br>Based on available data, the classification criteria are not met |
| c) serious eye damage/irritation     | Not classified<br>Based on available data, the classification criteria are not met |
| d) respiratory or skin sensitisation | Not classified<br>Based on available data, the classification criteria are not met |
| e) germ cell mutagenicity            | Not classified<br>Based on available data, the classification criteria are not met |
| f) carcinogenicity                   | Not classified<br>Based on available data, the classification criteria are not met |
| g) reproductive toxicity             | Not classified<br>Based on available data, the classification criteria are not met |
| h) STOT-single exposure              | Not classified<br>Based on available data, the classification criteria are not met |
| i) STOT-repeated exposure            | Not classified<br>Based on available data, the classification criteria are not met |
| j) aspiration hazard                 | Not classified<br>Based on available data, the classification criteria are not met |

**Toxicological information on main components of the mixture:**

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one a) acute toxicity LD50 Oral Rat = 670 mg/kg

LD50 Skin Rat > 2000 mg/kg

b) skin corrosion/irritation Skin Irritant Rabbit Negative

|   |                                      |  |                     |
|---|--------------------------------------|--|---------------------|
|   | c) serious eye damage/irritation     | Eye Corrosive Positive                                 | irreversible damage |
|   | d) respiratory or skin sensitisation | Skin Sensitization Guinea pig Positive                 |                     |
|   | f) carcinogenicity                   | Genotoxicity Rat Negative                              | Oral route          |
|   | g) reproductive toxicity             | No Observed Adverse Effect Level Oral Rat = 112 mg/kg  |                     |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | a) acute toxicity                    | LD50 Oral Rat = 69 mg/kg                               |                     |
|   |                                      | LD50 Skin Rabbit = 141 mg/kg                           |                     |
|   |                                      | LC50 Inhalation Rat = 0.33 mg/l 4h                     |                     |
|   | b) skin corrosion/irritation         | Skin Irritant Rabbit Positive                          |                     |
|   | c) serious eye damage/irritation     | Eye Corrosive Rabbit Positive                          |                     |
|   | d) respiratory or skin sensitisation | Skin Sensitization Positive                            |                     |
|   | f) carcinogenicity                   | Genotoxicity Negative<br>Carcinogenicity Skin Negative |                     |
|   | g) reproductive toxicity             | No Observed Adverse Effect Level Oral Rat = 22.7 mg/kg |                     |

## 11.2. Information on other hazards

### Endocrine disrupting properties:

No endocrine disruptor substances present in concentration  $\geq 0.1\%$

## SECTION 12: Ecological information

### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

#### List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

No data available for the product

#### List of Eco-Toxicological properties of the components

| Component   | Ident. Numb.  | Ecotox Data  |
|---|---|--|
| 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one                                      | CAS: 2634-33-5<br>- EINECS: 220-120-9 - INDEX: 613-088-00-6 | a) Aquatic acute toxicity : LC50 Fish <i>Oncorhynchus mykiss</i> = 2.15 mg/L 96h OECD Guideline 203<br><br>a) Aquatic acute toxicity : EC50 <i>Daphnia magna</i> = 2.9 mg/L 48h OECD Guideline 202<br><br>a) Aquatic acute toxicity : EC50 Algae green alga <i>Selenastrum capricornutum</i> freshwater algae = 110 µg/L OECD Guideline 201<br><br>d) Terrestrial toxicity : EC50 Worm <i>Eisenia fetida</i> > 410.6 mg/kg OECD Guideline 207 - Duration 14d<br><br>d) Terrestrial toxicity : EC10 soil microorganisms = 263.7 mg/kg - long term<br><br>a) Aquatic acute toxicity : NOEC Sludge activated sludge 10.3 mg/L 3h OECD Guideline 209<br><br>e) Plant toxicity : LC50 <i>Triticum aestivum</i> = 200 mg/kg OECD Guideline 208 |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | CAS: 55965-84-9 - INDEX: 613-167-00-5                       | a) Aquatic acute toxicity : LC50 Fish <i>Oncorhynchus mykiss</i> = 0.19 mg/L 96h EPA OPP 72-1 (Fish Acute Toxicity Test)<br><br>b) Aquatic chronic toxicity : NOEC Fish <i>Danio rerio</i> = 0.02 mg/L „OECD   |

Guideline 210 (Fish, Early-Life Stage Toxicity Test) - 35days

a) Aquatic acute toxicity : LC50 Daphnia Daphnia magna = 0.16 mg/L 48h EPA OPP 72-2 (Aquatic Invertebrate Acute Toxicity Test)

b) Aquatic chronic toxicity : NOEC Daphnia Daphnia magna = 0.1 mg/L EPA OPP 72-4 (Fish Early Life-Stage and Aquatic Invertebrate Life-Cycle Studies) - 21days

a) Aquatic acute toxicity : EC50 Algae Skeletonema costatum = 0 mg/L 96h ,,OECD Guideline 201 (Alga, Growth Inhibition Test)

a) Aquatic acute toxicity : EC50 Sludge activated sludge = 4.5 mg/L 3h ,,OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)

d) Terrestrial toxicity : LC50 Worm Eisenia fetida = 613 mg/kg ,,OECD Guideline 207 (Earthworm, Acute Toxicity Tests) - 14days

e) Plant toxicity : NOEC Trifolium pratense, Oryza sativa, Brassica napus = 1000 mg/L OECD Guideline 208 (Terrestrial Plants Test: Seedling Emergence and Seedling Growth Test) - 21days

## 12.2. Persistence and degradability

| Component  | Persitence/Degradability: | Test           | Notes:              |
|--|---------------------------|----------------|---------------------|
| 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | Non-readily biodegradable | CO2 production | OECD Guideline 301C |

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Non-readily biodegradable

## 12.3. Bioaccumulative potential

| Component   | Bioaccumulation | Test                          | Value  | Notes: |
|---|-----------------|-------------------------------|--------|--------|
| 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one                                      | Bioaccumulative | BCF - Bioconcentration factor | 6.620  |        |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | Bioaccumulative | BCF - Bioconcentration factor | 54.000 | ≤ 54   |

## 12.4. Mobility in soil

N.A.

## 12.5. Results of PBT and vPvB assessment

No PBT or vPvB substances present in concentration  $\geq 0.1\%$

## 12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration  $\geq 0.1\%$

## 12.7. Other adverse effects

N.A.

---

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force. Disposal through discharge into wastewater is not permitted

The product disposed of as such, pursuant to Regulation (EU) 1357/2014, must be classified as non-hazardous waste

A waste code according to the European List of Wastes (LoW) cannot be specified, due to dependence on the usage. Contact an authorized waste disposal service.

### Properties of waste which render it hazardous (Annex III, Directive 2008/98/EC):

N.A.

---

## SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

### 14.1. UN number or ID number

N/A

### 14.2. UN proper shipping name

ADR-Shipping Name: N/A

IATA-Shipping Name: N/A

IMDG-Shipping Name: N/A

### 14.3. Transport hazard class(es)

ADR-Class: N/A  
IATA-Class: N/A  
IMDG-Class: N/A

### 14.4. Packing group

ADR-Packing Group: N/A  
IATA-Packing group: N/A  
IMDG-Packing group: N/A

### 14.5. Environmental hazards

Marine pollutant: No  
Environmental Pollutant: No  
IMDG-EMS: N/A

### 14.6. Special precautions for user

Road and Rail (ADR-RID):

ADR-Label: N/A  
ADR - Hazard identification number: N/A  
ADR-Special Provisions: N/A  
ADR-Transport category (Tunnel restriction code): N/A  
ADR Limited Quantities: N/A  
ADR Excepted Quantities: N/A

Air (IATA):

IATA-Passenger Aircraft: N/A  
IATA-Cargo Aircraft: N/A  
IATA-Label: N/A  
IATA-Subsidiary hazards: N/A  
IATA-Erg: N/A  
IATA-Special Provisions: N/A

Sea (IMDG):

IMDG-Stowage and handling: N/A  
IMDG-Segregation: N/A  
IMDG-Subsidiary hazards: N/A  
IMDG-Special Provisions: N/A

### 14.7. Maritime transport in bulk according to IMO instruments

N.A.

---

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP)

Regulation (EU) n. 2022/692 (ATP 18 CLP)

Regulation (EU) n. 2023/707

Regulation (EU) n. 2023/1434 (ATP 19 CLP)

Regulation (EU) n. 2023/1435 (ATP 20 CLP)

Regulation (EU) n. 2024/197 (ATP 21 CLP)

Regulation (EU) n. 2020/878

Regulation (EC) nr 648/2004 (Detergents).

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: None.

Restrictions related to the substances contained: 75

The supplied synthetic polymer microparticles are subject to the conditions of Annex XVII, entry 78, of Regulation (EC) No 1907/2006 of the European Parliament and of the Council. See section 7,8 for the instructions for use and disposal.

**Provisions related to directive EU 2012/18 (Seveso III):**

None

**Explosives precursors – Regulation 2019/1148**

No substances listed

**Regulation (EU) No 649/2012 (PIC regulation)**

No substances listed

**German Water Hazard Class.**

NWG: Not hazardous for water

**German Lagerklasse according to TRGS 510:**

LGK 10

SVHC Substances:

No SVHC substances present in concentration  $\geq 0.1\%$

**15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out for the mixture.

---

**SECTION 16: Other information**

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.  
GHS: Globally Harmonized System of Classification and Labeling of Chemicals.  
IARC: International Agency for Research on Cancer  
IATA: International Air Transport Association.  
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).  
IC50: half maximal inhibitory concentration  
ICAO: International Civil Aviation Organization.  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).  
IMDG: International Maritime Code for Dangerous Goods.  
INCI: International Nomenclature of Cosmetic Ingredients.  
IRCCS: Scientific Institute for Research, Hospitalization and Health Care  
KAFH: Keep Away From Heat  
KSt: Explosion coefficient.  
LC50: Lethal concentration, for 50 percent of test population.  
LD50: Lethal dose, for 50 percent of test population.  
LDLo: Leathal Dose Low  
N.A.: Not Applicable  
N/A: Not Applicable  
N/D: Not defined/ Not available  
NA: Not available  
NIOSH: National Institute for Occupational Safety and Health  
NOAEL: No Observed Adverse Effect Level  
OSHA: Occupational Safety and Health Administration  
PBT: Persistent, Bioaccumulative and Toxic  
PGK: Packaging Instruction  
PNEC: Predicted No Effect Concentration.  
PSG: Passengers  
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.  
STEL: Short Term Exposure limit.  
STOT: Specific Target Organ Toxicity.  
TLV: Threshold Limiting Value.  
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).  
vPvB: Very Persistent, Very Bioaccumulative.  
WGK: German Water Hazard Class.

**Paragraphs modified from the previous revision:**

- SECTION 1: Identification of the substance/mixture and of the company/undertaking
- SECTION 2: Hazards identification
- SECTION 3: Composition/information on ingredients
- SECTION 7: Handling and storage
- SECTION 8: Exposure controls/personal protection
- SECTION 9: Physical and chemical properties
- SECTION 11: Toxicological information
- SECTION 12: Ecological information
- SECTION 13: Disposal considerations
- SECTION 14: Transport information
- SECTION 15: Regulatory information